

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lester Cox (Name of applicant) of Randon (Mailing address), Coos County, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed branch (Name of stream), a tributary of China Creek

2. The amount of water which the applicant intends to apply to beneficial use is 3/80 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 777 ft. N. and 263 ft. E. from the S.W. corner of Section 7, T. 29 S., R. 14 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 4 of Sec. 7, Tp. 29 S., R. 14 W., W. M., in the county of Coos County

5. The pipe line to be 750 ft. in length, terminating in the Lot 3 of Sec. 7, Tp. 29 S., R. 14 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 75 feet, length at bottom 55 feet; material to be used and character of construction earth spillway around dam

(b) Description of headgate

(c) If water is to be pumped give general description 3 inch centrifugal pump powered by 3 horse motor.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... 750 ... ft.; size at intake, ... 4 ... in.; size at ... 750 ... ft. from intake ... 3 ... in.; size at place of use ... 3 ... in.; difference in elevation between intake and place of use, ... 45 ... ft. Is grade uniform? ... no ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 29 S., 14 W., 7, Lot 3, 3.0. Description: The South one third of Lot 3 and the North one third of Lot 4 of Section 7, T. 29 S., R. 14 W., W.M., Coos County, Oregon.

(If more space required, attach separate sheet)

(a) Character of soil ... cranberry bog

(b) Kind of crops raised ... cranberries

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. ... (Legal Subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00

12. Construction work will begin on or before March 15, 1948

13. Construction work will be completed on or before March 15, 1951

14. The water will be completely applied to the proposed use on or before March 15, 1951

(Sgd) Lester Cox
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 22313

Permit No. 17594

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of March, 1947, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 43 of Permits on page 17594

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 4 B

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.038 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed branch

The use to which this water is to be applied is irrigation of cranberries

If for irrigation, this appropriation shall be limited to 0.1 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre-foot for each acre irrigated in any 30-day period and shall be still further limited to a diversion of not to exceed 6 acre-feet per acre during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.038 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 7, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 3rd day of July, 1947

CHAS. E. STRICKLIN

STATE ENGINEER