## \* APPLICATION FOR PERMIT

CERTIFICATE NO: 17408

## To Appropriate the Public Waters of the State of Oregon

	I, Mrs. Emma Marlette	(Name of applicant)	
of	Eagle Point	Route	1, Box 314
~ ·	(Mailing address)		santa di Sa
State	oforegon	, do hereby make application	for a permit to appropriate the
follor	ving described public waters	of the State of Oregon, SUBJECT TO I	EXISTING RIGHTS:
	If the applicant is a corpora	tion, give date and place of incorporation	
	1. The source of the propose	ed appropriation is Rogue River	
		, a tributary of	
	•		
	2. The amount of water wh	ich the applicant intends to apply to bene	ficial use is
cubic	feet per second.	(If water is to be used from more than one source, giv	ve quentity from each)
		ter is to be applied is irrigation (Irrigation, power, mining	
		located 2500 ft. S. and 2600	ft. E from the North
corne	r ofSection_32	(Section or subdivision)	en e
		(000 000 000 000 000 000 000 000 000 00	
2 .			
			and the state of t
			. 9.34. 1 1 1 1 1
	C	If preferable, give distance and bearing to section corner)	Outro 1
being	(If there is more than or within the Lot 2	If preferable, give distance and bearing to section corner) ne point of diversion, each must be described. Use separate sh	eet if necessary)
	(If there is more than or within the Lot 2 (Give sm	If preferable, give distance and bearing to section corner)  ne point of diversion, each must be described. Use separate at $SE_4^2NE_4^2$ of Sec. 33	eet if necessary)
	(If there is more than or within the Lot 2 (Give so L. W., W. M., in the count of t	If preferable, give distance and bearing to section corner)  ne point of diversion, each must be described. Use separate sh  SEANEA of Sec. 32  nallest legal subdivision)  try of Jackson to be	eet if necessary)  2 , Tp. 34 S (N. or S.)
R	(If there is more than or within the Lot 2 (Give sm.)  W. M., in the count (E. or W.)  The Main of (Main of Main of Ma	If preferable, give distance and bearing to section corner)  ne point of diversion, each must be described. Use separate sh  SEANEA of Sec. 32  nallest legal subdivision)  try of Jackson to be	2, Tp. 34 S (N. or S.)
R in len	(If there is more than or within the Lot 2 (Give sm.), W. M., in the count (E. or W.)  5. The Pipe (Main of agth, terminating in the	to be itch, canal or pipe line)  NE SEL SEL SEL SEL SEL SEL SEL SEL SEL SE	900 feet (Miles or feet) 7p. 34 S (N. or S.)
R in len	(If there is more than or within the Lot 2 (Give sm.), W. M., in the count (E. or W.)  5. The Pipe (Main of agth, terminating in the	If preferable, give distance and bearing to section corner)  ne point of diversion, each must be described. Use separate sh  SEANEA of Sec. 32  nallest legal subdivision)  ty of Jackson  to be  itch, canal or pipe line)  NEASEA of Sec. 32  (Smallest legal subdivision)  sposed location being shown throughout of	2 , Tp. 34 S (N. or S.)  900 feet (Miles or feet) 2 , Tp. 34 S (N. or S.)
R in len	(If there is more than or within the Lot 2 (Give sm.), W. M., in the count (E. or W.)  5. The Pipe (Main of agth, terminating in the	If preferable, give distance and bearing to section corner)  The point of diversion, each must be described. Use separate at SEANEL of Sec. 32 nallest legal subdivision)  The point of diversion, each must be described. Use separate at SEANEL of Sec. 32 nallest legal subdivision)  The point of diversion of Sec. 32 (Smallest legal subdivision)  The posed location being shown throughout of Sec. 32 (Smallest legal subdivision)	900 feet (Miles or feet) Tp. 34 S (N. or S.)  Tp. 34 S (N. or S.)
R in len	(If there is more than or within the Lot 2 (Give sm.), W. M., in the count (E. or W.)  5. The Pipe (Main of agth, terminating in the	If preferable, give distance and bearing to section corner)  ne point of diversion, each must be described. Use separate sh  SEANEA of Sec. 32  nallest legal subdivision)  ty of Jackson  to be  itch, canal or pipe line)  NEASEA of Sec. 32  (Smallest legal subdivision)  sposed location being shown throughout of	900 feet (Miles or feet) Tp. 34 S (N. or S.)  Tp. 34 S (N. or S.)
R in len R	(If there is more than or within the Lot 2 (Give sm.), W. M., in the count (E. or W.)  5. The Pipe (Main of agth, terminating in the	to be  itch, canal or pipe line)  NE_2SE_2  (Smallest legal subdivision)  DESCRIPTION OF WORKS	900 feet (Miles or feet) Tp. 34 S (N. or S.)  Tp. 34 S (N. or S.)
R in len	(If there is more than or within the Lot 2 (Give so L. W.), W. M., in the count (E. or W.)  5. The Pipe (Main of the Lot L.), W. M., the product of the count (E. or W.)	to be sitch, canal or pipe line)  NE_4SE_4 (Smallest legal subdivision)  NE_4SE_4 (Smallest legal subdivision)  DESCRIPTION OF WORKS	900 feet  (Miles or feet)  7. Tp. 34 S  (N. or S.)  m the accompanying map.
R in len R	(H there is more than or within the Lot 2 (Give so L. W.), W. M., in the count (E. or W.)  5. The Pipe (Main of the Lot W.), W. M., the product of the count (E. or W.)  1. W. (E. or W.)	If preferable, give distance and bearing to section corner)  The point of diversion, each must be described. Use separate she she she she she she she she she sh	900 feet  (Miles or feet)  Tp. 34 S  (N. or S.)  Tp. 34 S  (N. or S.)  on the accompanying map.
R in len R	(H there is more than or within the Lot 2 (Give so L. W.), W. M., in the count (E. or W.)  5. The Pipe (Main of the Lot W.), W. M., the product of the count (E. or W.)  1. W. (E. or W.)	If preferable, give distance and bearing to section corner)  ne point of diversion, each must be described. Use separate she SEANEA of Sec. 32  nallest legal subdivision)  aty of Jackson to be itch, canal or pipe line)  NEASEA OF Sec. 32  (Smallest legal subdivision)  sposed location being shown throughout of DESCRIPTION OF WORKS	900 feet  (Miles or feet)  Tp. 34 S  (N. or S.)  Tp. 34 S  (N. or S.)  on the accompanying map.
R  in len  R  Diver	(If there is more than or within the Lot 2 (Give sm.)  Lot 2 (Give sm.)  Lot 2 (Give sm.)  The Pipe (Main of the Lot of t	to be seed and character of construction seed of seed and character of construction seed and character seed and character of construction seed and character seed and characte	900 feet (Miles or feet)  7. Tp. 34 S (M. or S.)  900 feet (Miles or feet)  7. Tp. 34 S (N. or S.)  900 feet (Miles or feet)  10 feet, length at bottom  (Leose rock, concrete, masoury.
R  in len  R  Diver	(If there is more than or within the Lot 2 (Give sm.)  Lot 2 (Give sm.)  Lot 2 (Give sm.)  The Pipe (Main of the Lot of t	to be seed and character of construction services be used and character of construction services and bearing to section corner)  If preferable, give distance and bearing to section corner)  SEANEA of Sec. 32  Tackson to be seed and character of construction feet, length on top  DESCRIPTION OF WORKS  If eet, length on top  DESCRIPTION of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top feet, length on top  The used and character of construction feet, length on top feet, length o	geet if necessary)  Tp. 34 S (N. or S.)  Tp. 34 S (N. or S.)  In the accompanying map.  feet, length at bottom  (Leose rock, concrete, masonry,
R  in len  R  Diver	(If there is more than or within the Lot 2 (Give so Lot W).)  1. W, W. M., in the count (E. or W.)  5. The	to be seed and character of construction of section corner)  DESCRIPTION OF WORKS  feet, length on top  puraping direct from stream  (Timber, condrete, etc., number of the point of diversion, each must be described. Use separate shall be seed and character of construction  The puraping direct from stream  (Timber, condrete, etc., number of the point of the puraping direct from stream)	geet if necessary)  7, Tp. 34 S (N. or S.)  (Miles or feet)  7, Tp. 34 S (N. or S.)  In the accompanying map.  (Loose rock, concrete, mesonry,  and size of openings)
R  in len R  Diver	(If there is more than or within the Lot 2 (Give so Lot W.), W. M., in the count (E. or W.)  5. The Pipe (Main of the Lot W.)  1 W. (E. or W.)  CE. or W.)  Sion Works—  6. (a) Height of dam (E. or W.)  feet; material to the drught, timber crib, etc., wasteway over the count of the adgate (c) If water is to be pumped foot total 115t.	to be seed and character of construction services be used and character of construction services and bearing to section corner)  If preferable, give distance and bearing to section corner)  SEANEA of Sec. 32  Tackson to be seed and character of construction feet, length on top  DESCRIPTION OF WORKS  If eet, length on top  DESCRIPTION of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top  The used and character of construction feet, length on top feet, length on top  The used and character of construction feet, length on top feet, length o	goo feet  (Miles or feet)  Tp. 34 S  (Miles or feet)  Tp. 34 S  (N. or S.)  In the accompanying map.  (Leose rock, concrete, masonry.  H.P. Gas engine  (Size and type of pump)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer,

. 1	agate: width or	n top (at water	line) 1.5	feet; width on bottom
ousand feet.	feet; depth of u	ater 8	feet; grade 2.	feet fall per one
•	-24	. miles from he	eadgate: width on two (at water	line)
	feet midth on	hottom	eadgate: width on top (at waterfeet; depth of wa	ter feet:
				,, , , , , , , , , , , , , , , ,
	feet fa	-		
			size at intake,900 in	
			of use3. in.; diffe	
take and place	of <b>use</b> ,	LO ft. I	s grade uniform? Yes	Estimated capacity,
••••••	sec. ft.	,		
8. Location	n of area to be	irrigated, or pl	ace of use	
Township	Range	Section	1	Number Acres To Be Irrigated
3/ S	7 1	32	Lot 2 SEANE	
		22	ne <sub>2</sub> se <sub>2</sub>	6
	1 1 2 2 3 3 3 4 7 4	10 10 VAL 2		
roperty on w pplicant as :		s to be used	is a part of that more e	Aprilerary described by
076.9 feet, i erner of Let eridian; the 50.0 feet; t	ore or less 2, in Sections ce continui ence West 9	, and East 1 on 32, Towns ng along the 22.7 feet, m	erly bank of Rogue River, 016.9 feet, more or less, hip 34 South, Range L Wes westerly bank of said Ro ore or less, to an existi	from the Northwest t of the Willamette gue River Southeasterly ng fence which marks th
076.9 feet, repared East Dodge Bridge 53.5 feet; to 38.2 feet, m	iore or less  2, in Sections  ce continuity  ence West 9  rly right of  Trail Road  hence Northwore or less,  to patent re	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations;	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existing of a County Road (some orth 20 degrees 05 minute liel to said County Road t of beginning.	from the Northwest t of the Willamette gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company
o76.9 feet, reparent East, parent East, parent East, Dodge Bridge 53.5 feet; to 38.2 feet, make or pole and seed Records	ore or less  2, in Section  ce continuity  ence West 9  rly right of  Trail Road  tence Northwore or less,  to patent rewire lines for Jackson C	and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda '); thence N esterly para to the poin servations; or transmiss ounty, Orego	016.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existing of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page
orner of Let eridian; the food feet; t pparent East codge Bridge 53.5 feet; t 38.2 feet, m Subject or pole and eed Records	ore or less  2, in Section  ce continuit  ence West 9  rly right of  Trail Road  hence Northwore or less,  to patent rewire lines for Jackson Contax fiscal	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda '); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road t of beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and
orner of Let bridian; the grant East codge Bridge 53.5 feet; the 38.2 feet, m Subject or pole and ead Records exes for the	ore or less  2, in Section  ce continuit  ence West 9  rly right of  Trail Road  hence Northwore or less,  to patent rewire lines for Jackson Contax fiscal	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road t of beginning. right of way to Californi ion of electricity as shon; all rights of way, roa	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and
orfo.9 feet, in principal of Let principal of Let principal of East principal of Eas	ore or less  2, in Section  ace continuit  hence West 9  rly right of  Trail Road  hence Northwore or less,  to patent re- wire lines for Jackson C  tax fiscal	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda "); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existing of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californian of electricity as shon; all rights of way, roang July 1, 1946.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wh in Volume 229, Page ds and easements; and
O76.9 feet, in principal of Let eridian; therefore, the post of the transfer of Let or pole and seed Records axes for the (a) Character of the control of th	cter of soil	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  required attach separate sheet) ravelly loam.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and
076.9 feet, in orner of Let eridian; then 50.0 feet; the parent East Dodge Bridge 53.5 feet; the Subject or pole and seed Records axes for the (a) Character (b) Kind of the eridian (b) Kind of the eridian (c) Character (d) Character (d) Character (d) Kind of the eridian (e) Kind of the eridian (e) Character (e) Kind of the eridian (e) Kind of the eridian (e) Kind of the eridian (f) Kind	cre or less  2, in Section  ace continuit  nence West 9  rly right of  Trail Road  hence Northwore or less,  to patent rewire lines for Jackson Contax fiscal  cter of soil	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda '); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and
076.9 feet, in orner of Let eridian; the 50.0 feet; the parent East Dodge Bridge 53.5 feet; the Subject or pole and seed Records axes for the (a) Character (b) Kind of the cover or Mining	cter of soil  Trops raised  Trops raised  Trops raised  Trops raised	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  required, attach separate sheet) ravelly loam.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and
076.9 feet, in orner of Let eridian; there of Let eridian; there of Let; the parent East Dodge Bridge 53.5 feet; the Subject or pole and eed Records exes for the (a) Character (b) Kind of the cover or Mining 9. (a) Tot	cter of soil  created and anount of parameters of parameters and a continuation of parameters and amount of parameters an	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda 7); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  (M more space	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  required, attach separate sheet) ravelly loam.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower.
orner of Let eridian; there is to feet; the parent East. Dodge Bridge 53.5 feet; the Subject or pole and ead Records axes for the (a) Charac (b) Kind of the cover or Mining 9. (a) Tot (b) Quantity (b) Quantity (b) Quantity (c)	cer of soil  crops raised	mand East 1 on 32, Towns ng along the 22.7 feet, m f way bounda to the point servations; or transmiss ounty, Orego year beginni  (M more space)  ower to be deve to be used for	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  required, attach separate sheet) ravelly loam.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower.
076.9 feet, in orner of Let eridian; there is let to the state of the	cer of soil  crops raised	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda 7); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  (M more space)	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning. right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  required, attach separate sheet) ravelly loam.  rchard & hay.  eloped  power sections of the section of the	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.
orner of Let eridian; therefore of Let eridian; therefore of Let pparent East Dodge Bridge 53.5 feet; the Subject or pole and seed Records axes for the (a) Character (b) Kind of (b) Kind of (c) Tot (d) The eridian (d) The	cer of soil  crops raised	mand East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  (M more space  g  ower to be deve to be used for lized  works by mean	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning.  right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  required, attach separate sheet)  ravelly loam.  rchard & hay,  eloped  power sectors of which the power is to be defined.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.
076.9 feet, in orner of Let eridian; there is a set to the parent East Dodge Bridge 53.5 feet; the subject or pole and ead Records axes for the (a) Charact (b) Kind of the (b) Quantity (c) Total (d) The set to the set to the control (d) The set to the control (d) The set to the set to the control (d) The set to the c	ce continuinence West 9 rly right of Trail Road hence Northwore or less, to patent register of soil	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  Ower to be deve to be used for lized works by mean	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minuted lel to said County Road tof beginning.  right of way to Californi ion of electricity as shown; all rights of way, roang July 1, 1946.  Travelly loam.  Trackerd & hay,  Therefore the separate sheet;  Therefore the sepa	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.
O76.9 feet, in the original in the original is the office of Let office of the original in the office of the original in the original is the original in the o	ce continuinence West 9 rly right of Trail Road hence Northwore or less, to patent register of soil	, and East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  Ower to be deve to be used for lized works by mean	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minuted lel to said County Road tof beginning.  right of way to Californi ion of electricity as shown; all rights of way, roang July 1, 1946.  Travelly loam.  Trackerd & hay,  Therefore the separate sheet;  Therefore the sepa	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.
076.9 feet, it orner of Lot eridian; the 50.0 feet; the parent East Dodge Bridge 53.5 feet; the 38.2 feet, must be a subject or pole and seed Records axes for the cover or Mining 9. (a) Tot (b) Quantity (c) Tot (d) The subject of the cover or Mining 9. (a) Tot (b) Quantity (c) Tot (d) The subject of the cover or Mining 9. (a) Tot (b) Quantity (c) Tot (d) The subject of the subject of the cover or Mining 9. (a) Tot (b) Quantity (c) Tot (d) The subject of the subject o	ce continuinence West 9 criy right of Trail Road hence Northwore or less, to patent rewire lines for Jackson Ctax fiscal forops raised for the continuity of water al fall to be utile nature of the ch works to be in the continuity of the continuit	mand East 1 on 32, Towns ng along the 22.7 feet, m f way bounda t); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  Ower to be deve to be used for lized works by mean ocated in	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minute liel to said County Road tof beginning.  right of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  Travelly loam.  Travelly loam.  Travelly loam.  The county Road (some orth 20 degrees 05 minute liel to said County Road tof beginning.  Tright of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.  Travelly loam.  Travelly loam.  The county Road (some or less, to an exist in the californi ion of beginning.  Tright of way to Californi ion of electricity as shon; all rights of way, roang July 1, 1946.	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.
O76.9 feet, in orner of Let eridian; therefore of Let of the parent East Dodge Bridge 53.5 feet; the Subject or pole and seed Records axes for the (a) Character (b) Kind of the (c) Tot (d) The (e) Suct (for the feet) (for the	ce continuinence West 9 erly right of Trail Road hence Northwore or less, to patent regire lines for Jackson C tax fiscal for crops raised for amount of patent of water al fall to be utile anature of the first to be large.  The works to be large.	mand East 1 on 32, Towns ng along the 22.7 feet, m f way bounda t); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  were space g  ower to be deve to be used for lized  works by mean ocated in  cocated in  works by Mean	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minuted lel to said County Road tof beginning.  right of way to Californition of electricity as shown; all rights of way, roang July 1, 1946.  required, attach separate sheet)  travelly loam.  Travelly loam.  Therefore the separate sheet (Head)  s of which the power is to be defined to be described by the second sec	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.
O76.9 feet, in orner of Lot eridian; therefore of Lot eridian; therefore of Lot parent East Dodge Bridge 53.5 feet; the Subject or pole and ead Records exes for the cover or Mining 9. (a) Tot (b) Quantum (c) Tot (d) The cover of Mining 9. (a) Tot (d) The cover or Mining 9. (d) Th	ce continuinence West 9 criy right of Trail Road hence Northwore or less, to patent register of soil	mand East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  (M more space	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minuted liel to said County Road tof beginning.  right of way to Californition of electricity as shound at all rights of way, roang July 1, 1946.  Travelly loam.  Trackerd & hay,  The soft which the power is to be described by the subdivision of	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower.  of Sec.  of Sec.
O76.9 feet, in orner of Let eridian; there is let to the second of the s	cer of soil  crops raised  cro	mand East 1 on 32, Towns ng along the 22.7 feet, m f way bounda r); thence N esterly para to the poin servations; or transmiss ounty, Orego year beginni  (M mere space	ol6.9 feet, more or less, hip 34 South, Range 1 Wes westerly bank of said Ro ore or less, to an existiry of a County Road (some orth 20 degrees 05 minuted lel to said County Road tof beginning.  right of way to Californition of electricity as shown; all rights of way, roang July 1, 1946.  required, attach separate sheet)  travelly loam.  Travelly loam.  Therefore the separate sheet (Head)  s of which the power is to be defined to be described by the second sec	from the Northwest t of the Willametta gue River Southeasterly ng fence which marks th times known as the s West along said fence 270.9 feet; thence East a Oregon Power Company wn in Volume 229, Page ds and easements; and  theoretical horsepower. c.ft.  eveloped  of Sec.

Municipal or Domestic Supply—	497 <b>7</b>		in Ker	10 10 10 10 10 10 10 10 10 10 10 10 10 1		•
10. (a) To supply the city of						,
	ng a prese	nt populati	ion of			
and an estimated population of	***	in 19.				
(b) If for domestic use state	number o	f families t	o be suppl	lied		
(Answ	er questions 11,	, 12, 13, and 14 in	all cases)			
11. Estimated cost of proposed wor	rks, \$1,00	0.00				
12. Construction work will begin o			er from	date of pr	iority.	
13. Construction work will be con						
14. The water will be completely o	_	•				
					pri	ority.
·		(Sød)	Mrs. E	mma Marlet	te	
		4m.Bm/		(Signature of appl	leant)	***************************************
		. /	R. #1	- Box 314	Eagle Po	oint
Remarks:	. ^	•	i .	• .		
				(		
		. 4.	- '			***************
		1 p. 1	****************			
	,					
		*. *			The second second	
						A STATE OF THE STA
			•			
A MATTER CONTRACTOR	3-				**************************************	
		••••				•
		<b></b>			**********************	
en de tradições per estados de la composição de la composição de la composição de la composição de la composiç La composição de la compo		*			Harris Sulfation	
	<del></del>			nde nilæke sil Netjebæd i likkej	1702 IV 3-	• • • • • • • • • • • • • • • • • • •
<u> </u>	•••••				, ye. 3	eri e zesar
			n_1, 1			
· · · · · · · · · · · · · · · · · · ·		***************************************				
STATE OF OREGON,						
<b>≻</b> 88	1.6			to graduation is	1	Same Same
This is to certify that I have exam	ined the f	oregoing a	pplication	, together w	ith the acco	mpanying
maps and data, and return the same for						
In order to retain its priority, this					and the second	
			-	Carrier de la		
tions on or before						*
WITNESS my hand this						
<b>,</b>				***************************************		

Annlication	Nο	22314
Application	TAO.	

Permit No. .....

17595

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

and the second s	Division No District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 7th day of March,	Service State of State of the
	194 7 at 1:00 o'clock P. M.	Congress Same
ر د د د د د د د د د د د د د د د د د د د	Returned to applicant:	and the second s
enggan er til skiller for er		and the second s
ta je juga saliko. Vyta suliko	Corrected application received:	grafisher i katalog de telleri i direktira i direktira i direktira i direktira i direktira i direktira i direkt Baran
	Approved:	,
The second secon	July 3, 1947	
	Recorded in book No. 43 of	
	Permits on page 17595	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No15 Page 60 B	
and the second s	Fees Paid\$9.50	
Commence of the second of the second	· · ·	
STATE OF OREGON,	PERMIT	
County of Marion,		e de la companya de l
	25 cubic feet per second measured at the case of rotation with other water users, from	•
The use to which this t	water is to be applied is irrigation (	Supplemental)
	opropriation shall be limited to1/80th	
second .or its equivalen	t for each acre irrigated and shall be	e further limited to a
diversion of not to ex	ceed 42 acre feet per acre for each a	cre irrigated during
the irrigation season	from April 2 to October 31, of each ye	ear; provided further
that the amount of wat	er allowed herein, together with the	amount secured under any
other right existing f	or the same lands, shall not exceed to	he limitation allowed
herein,		
		* *
•	reasonable rotation system as may be ordered	
	is permit is March 7. 1947	
Actual construction we	ork shall begin on or before July 3,	
thereafter be prosecuted with		1948 and shall
· · · · · · · · · · · · · · · · · · ·	h reasonable diligence and be completed on or b	
		pefore
	1949	on or before
	1949 of the water to the proposed use shall be made	on or before
	1949 of the water to the proposed use shall be made of 1950	on or before