

* APPLICATION FOR PERMIT *Partly*

Accepted for Rec. Vol. 2 350

To Appropriate the Public Waters of the State of Oregon

I, D. H. Cogdill (Name of applicant)
 of Bandon (Mailing address), Coos County,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is unnamed branches (Name of stream),
 a tributary of Crooked Creek.
- The amount of water which the applicant intends to apply to beneficial use is 20/80
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

One
 4. ~~THE~~ point of diversion is located 1046 ft. S. and 65 ft. W. from the N.E.
 corner of NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 12, T. 29 S., R. 15 W. W.M., and one point of
 diversion is located 780 ft. S. and 350 ft. W. of the same corner.
 (Section or subdivision)
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 12, Tp. 29 S.,
 (Give smallest legal subdivision) (N. or S.)
 R. 15 W., W. M., in the county of Coos
 (E. or W.)

5. The Portable pie to be 1000 ft.
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 12, Tp. 29 S.,
 (Smallest legal subdivision) (N. or S.)
 R. 15 W., W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 70 feet, length at bottom
60 feet; material to be used and character of construction Timber crib
 spillway over dam (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump
 (Size and type of pump)
 powered by 3 horse electric motor, Upper dam 7 ft. high by 40 ft. long of timber
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
 and earth const.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..1200.00.....
- 12. Construction work will begin on or before April 1, 1947.....
- 13. Construction work will be completed on or before June 15, 1950.....
- 14. The water will be completely applied to the proposed use on or before June 15, 1950.....

(Sgd) D. H. Cogdill
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22329

Permit No. 17606

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of March 1947 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 43 of

Permits on page 17606

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 17 Page 4 B

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 2 unnamed streams, being 0.10 c.f.s. from West stream and 0.15 c.f.s. from East stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 3rd day of July, 1947

CHAS. E. STRICKLIN

STATE ENGINEER