## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	I, Ralph E. Hiatt and Doris Storey Hiatt (Name of applicant)
of	Route 3 Box 203 Sherwood
State	(Mailing address)  s ofOregon, do hereby make application for a permit to appropriate the
follor	wing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
,	If the applicant is a corporation, give date and place of incorporation
	If the applicant is a corporation, give date and place of theorporation
	1. The source of the proposed appropriation is Heaton Cr. (Also known as Schmeltzer Cr. (Name of stream)  , a tributary of Tualatin River
	2. The amount of water which the applicant intends to apply to beneficial use is4
cubic	·
caote	c feet per second. (If water is to be used from more than one source, give quantity from each)
*	**3. The use to which the water is to be applied is
	anywhere along stream on applicants
	4. The point of diversion is located
0.0000.0	(N. or S.) (E. or W.)  er of property (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	g within the SE4 NW4 of Sec. 21 , Tp. 2 S (N. or S.)
R	2 W. , W. M., in the county of Washington (E. or W.)
	5. The
in ler	ngth, terminating in the of Sec, Tp, (N. or S.)
	(Smallest legal subdivision) (N. or S.), W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Dive	rsion Works—
21,01	6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock an	d brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description Pump and sprinkler equipment  (Size and type of pump)
	not yet purchased.
	not yet purchased.  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

(,	is at each point of co	anal where materially chan	iged in size, stating nittes from
headgate. At headgate: widt	h on top (at water l	ine)	feet; width on bottom
feet; depth thousand feet.	of water	feet; grade	feet fall per one
<b>▼</b>	miles from hea	dgate: width on top (at wa	ter line)
feet; width	on bottom	feet; depth of	water feet;
grade fee	t fall per one thouse	and feet.	•
(c) Length of pipe,	ft.; s	ize at intake,	in.; size at ft.
from intake	in.; size at place of	use in.; d	lifference in elevation between
intake and place of use,	ft. Is	grade uniform?	Estimated capacity,
sec. ft.		•	
•	he irrigated, or pla	ce of use	
Township Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S 2 W	21	NE NW	10
			20
			2
			32
		· · · · · · · · · · · · · · · · · · ·	
			•
			····
		quired, attach separate sheet)	
(a) Character of soil			
•		•	
Power or Mining Purposes—	- Frank Wash. V. 1800	esw Base 38 Sev	
,	f power to be devel	oped	theoretical horsepower.
(b) Quantity of we	iter to be used for p	oower	sec. ft.
(c) Total fall to be	utilized	feet.	
			e developed
			•
(e) Such works to	be located in		of Sec
Tp, R			
	(No. E. or W.) returned to any stre	eam?	
		(Yes or No)	
(y) ij oo, name on	wive vocave pour	,,, oj 1000110	

(i) The nature of the mines to be served .....

10.	
	(a) To supply the city of
	(Name of)
	imated population of in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$1070.00
12.	Construction work will begin on or beforealready_started
<i>1</i> 3.	Construction work will be completed on or before 2 years from date of approval
14.	The water will be completely applied to the proposed use on or before 3 years " "
***************************************	(Sgd) Ralph E. Hiatt (Signature of applicant)
	Doris Storey Hiatt
Rem	arks:
Willamett as the Sc The premi	quarter of Section twenty-one, Township two South, Range two West of the e. Meridian lying and being West of a certain County Road commonly known
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containing	rtheast quarter and the Southeast quarter of the Northwest quarter of the cribed Section, Township and Range, and more particularly described as  Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of creek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one: thence North 89 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containing	Beg. at a stone at the southeast corner of the West half of the Northeast is said Section twenty-one; thence North 23.35 chains to the center of ar Creek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 89 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containin	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of or Creek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 89 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containin	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of creek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 89 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containin	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of creek; thence up the center of said creek to center of County Road commond the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one: thence North 89 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North Line 25.3 containin	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of creek; thence up the center of said creek to center of County Road commond the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one: thence North 89 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containin	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of it Creek; thence up the center of said creek to center of County Road commond the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 29 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
above des follows: quarter of Schmeltze known as twenty-on chains; t South 36 South 4 d the North line 25.3 containin	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of it Creek; thence up the center of said creek to center of County Road commond the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 29 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
stove desfollows: quarter of Schmeltze chains; to South 36 South 4 do the North Line 25.3 containing  STATE Of County	Beg. at a stone at the southeast corner of the West half of the Northeast of said Section twenty-one; thence North 23.35 chains to the center of the Creek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West. 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 39 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.
shove desfollows: quarter of Schmeltze chains; to South 36 South 4 do the North Line 25.3 containing  STATE Of County  This	Beg. at a stone at the southeast corner of the West half of the Northeast f said Section twenty-one; thence North 23.35 chains to the center of r Creek; thence up the center of said creek to center of County Road commond the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15' West 5.66 hence South 3.37 chains; thence South 22 deg. 30' West 3.30 chains; thence deg. 30' West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30' West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one; thence North 29 deg. 54' East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.  FOREGON, of Marion,
shove desfollows: quarter of Schmeltze chains; to South 36 South 4 do the North Line 25.3 containing  STATE Of County  This maps and	Beg. at a stone at the southeast corner of the West half of the Northeast if said Section twenty-one; thence North 23.35 chains to the center of r Greek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15! West 5.66 hence South 3.37 chains; thence South 22 deg. 30! West. 3.30 chains; thence deg. 30! West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30! West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one: thence North 89 deg. 54! East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.  F OREGON, of Marion,  is to certify that I have examined the foregoing application, together with the accompanying
shove designations: quarter of Schmeltze community on the North line 25.3 containing  STATE Of County  This maps and In of the Inc.	Beg. at a stone at the southeast corner of the West half of the Northeast of said Section twenty-one; thence North 23.35 chains to the center of r Greek; thence up the center of said creek to center of County Road common the Schmeltzer Road and running northerly and southerly thru said section e; thence following the center line of said road South 8 deg. 15! West 5.66 hence South 3.37 chains; thence South 22 deg. 30! West. 3.30 chains; thence deg. 30! West 4.60 chains; thence South 24 deg. West 2.20 chains; thence eg. 30! West 3.60 chains to point where said road crosses the south line of half of said Section twenty-one: thence North 39 deg. 54! East on said Sout 2 chains to the place of beginning, and containing 44 acres, more or less, g in all 121 acres more or less.  FOREGON, of Marion, acres more or less.  is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	1 12012 02 000 N/O 1 12 0 100 1 N/O
	This instrument was first received in the
	office of the State Engineer at Salem, Oregon, on the18thday ofMarch,
	1947 at 11:30° clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	July 3, 1947
	Recorded in book No43 of
	Permits on page17616
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 62 N
	Fees Paid\$9.80
	DEDIKU
STATE OF OREGON,	PERMIT
County of Marion,	· \$\$
This is to certify the SUBJECT TO EXISTING	at I have examined the foregoing application and do hereby grant the same RIGHTS and the following limitations and conditions:
	anted is limited to the amount of water which can be applied to beneficial us
and shall not exceedQ	a40 cubic feet per second measured at the point of diversion from the
stream, or its equivalent is	n case of rotation with other water users, from Heaton Creek
(also know	wn as Schmeltzer Creek)
The use to which thi	is water is to be applied is <u>irrigation</u>
,	
If for irrigation, this	s appropriation shall be limited to 1/80th of one cubic foot pe
_	ent for each acre irrigated and shall be further limited to a
00001100	· · · · · · · · · · · · · · · · · · ·
diversion of not to e	xceed 23 acre feet per acre for each acre irrigated during the
	each year,
	•
	•
irrigation season of	each year,
irrigation season of	each year,
irrigation season of	each year,
irrigation season of	ch reasonable rotation system as may be ordered by the proper state officer.
irrigation season of  and shall be subject to suc	ch reasonable rotation system as may be ordered by the proper state officer.  this permit is March 18, 1947
and shall be subject to suc  The priority date of  Actual construction	ch reasonable rotation system as may be ordered by the proper state officer.  this permit isMarch_18, 1947  work shall begin on or beforeJuly_3, 1948 and shal
and shall be subject to suc  The priority date of  Actual construction	ch reasonable rotation system as may be ordered by the proper state officer.  this permit isMarch_18, 1947  work shall begin on or beforeJuly_3, 1948 and shal  with reasonable diligence and be completed on or before
and shall be subject to suc  The priority date of  Actual construction  thereafter be prosecuted u  October  Complete application	ch reasonable rotation system as may be ordered by the proper state officer.  this permit is
and shall be subject to suc  The priority date of  Actual construction thereafter be prosecuted u  October  Complete application	ch reasonable rotation system as may be ordered by the proper state officer.  this permit is
and shall be subject to suc  The priority date of  Actual construction thereafter be prosecuted u  October  Complete application	ch reasonable rotation system as may be ordered by the proper state officer.  this permit is