CERTIFICATE NO. 20026

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I,	(Name of applicant)
of Rt. 2, Box 99 (Mailing address)	Forest Grove ,
	, do hereby make application for a permit to appropriate the
following described public waters of	the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation	n, give date and place of incorporation
•	appropriation is West Dairy Creek (Name of stream)
	, a tributary ofTualatin
2. The amount of water which	the applicant intends to apply to beneficial use is
cubic feet per second	(If water is to be used from more than one source, give quantity from each)
	is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	cated ft
corner of	(Section or subdivision)
	e stream borders or runs through below described proper
(If pre	eferable, give distance and bearing to section corner)
(If there is more than one po	oint of diversion, each must be described. Use separate sheet if necessary)
being within the $SW_4^{\frac{1}{4}}$ of $NV_4^{\frac{1}{4}}$ . (Give smalle	of Sec. 12, Tp. 1 N., (N. or S.)
R. $4 \text{ W} \cdot \text{, } W. M., in the county of (E. or W.)$	of Washington
5. The Main Pipe L	ine to be 660 Feet (Miles or feet)
	$\frac{1}{4}$ of $\frac{NV_4}{4}$ of Sec. 12 , $Tp$ . 1 N. (Smallest legal subdivision) (N. or S.)
	(Smallest legal subdivision) (N. or S.) sed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion Works—	
6. (a) Height of dam	feet, length on top feet, length at bottom
• • •	used and character of construction(Loose rock, concrete, masonry,
	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or arc	ound dam)
(b) Description of headgate	(Timber, concrete, etc., number and size of openings)
	1 <sup>1</sup> # Containing 1
	ive general description 1½ Centrifugal pump (Size and type of pump)  gine. against head 18 feet. engine or motor to be used, total head water is to be lifted, etc.)

 $<sup>{}^{*}\</sup>mathrm{A}$  different form of application is provided where storage works are contemplated.

7. (a) Giv				
neadgate. At headgate: width on top (at water line)			feet; width on botto	
ousand feet.			dgate: width on top (at wate	
			feet; depth of u	
	-	ll per one thous		·
			ize at intake,4	in: size at 660
			usein.; dif	
	of use,18		grade uniform?yes	-
8. Location	n of area to be	irrigated, or pla	ce of use	·····
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	4 W.	12	$NW_{4}^{1}$ of $NW_{4}^{1}$	5.0
1 N.			$SW_{\overline{4}}^{\frac{1}{4}}$ of $NW_{\overline{4}}^{\frac{1}{4}}$	
	,		•	20.0
•••••	·			
	,		<u> </u>	
	<b></b>			
		:		
••••••				
			quired, attach separate sheet)	
(a) Charac	ter of soil	58	andy loam	
	•		asture	
	-		FLET. F. 1371. F.	
ower or Mining 9. (a) Tot	_	ower to be devel	oped	theoretical horsepou
			oowers	_
			(Head)	111
(a) The	e nature of the	works by means	of which the power is to be	aevelopea
(e) Suc	h works to be l	ocated in	(Legal Subdivision)	of Sec
O(No. N. or S.)	, R(No.	, W. M		
			eam?(Yes or No)	
			at of return	
		_	, Tp(No, N. or S.)	
		, 200	(No. N. or S.)	(No. E. or W.)
		manuan ta 4 - 1	pplied is	

STATE ENGINEER

10. (a) To supply the city of
and an estimated population of in 19  (b) If for domestic use state number of families to be supplied
and an estimated population of in 19  (b) If for domestic use state number of families to be supplied
/A====================================
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$.1500.00
12. Construction work will begin on or before May 1, 1947
13. Construction work will be completed on or before May 15, 1947
14. The water will be completely applied to the proposed use on or before
(Sgd) William Susbauer
(Signature of applicant)
Remarks: Description of Property:
That part of Section 12 T. 1 N. R. 4 W. Will, Mer., bounded and described as
follows, to-wit: Beginning at an iron set on the west line of said Section 12,
16 chains from the N.W. corner of said section, running thence South on Section line 9.52 chains; thence South 39° E. 13 chains, thence South 6° 00' 4.36 chains
to a point 7:71 chains N. 89 19 East from the quarter section corner on the
West line of said Section 12; thence N. 89° 19' E. 39.76½ chains to an iron; then N. 0° 05' W. 40.11 chains to the north line of said Section 12; thence South 89°
13' W. 0.50 chains to an iron; thence S. 0° 05' E. 16 chains to an iron; thence
S. 89° 13' W. 46.96 chains to the place of beginning, and containing 107.44 acres more or less.
<u> </u>
STATE OF OREGON, )
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
naps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with corre
in order to resum the preormy, thus approcunton must be retained to the state Buytheer, with corre
WITNESS my hand this day of, 194, 194

Application No.	22377
Permit No.	17643

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

	OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the28th day ofMarch,	
	194.7. at 8:30 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	July 3, 1947	
	Recorded in book No. 43 of	
	Permits on page17643	
	CHAS. E. STRICKLIN  STATE ENGINEER	
	Drainage Basin No. 2 Page 62 N	
	Fees Paid \$9.50	
	PERMIT	
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	es and a second	
County of Marion,		
SUBJECT TO EXISTING I	t I have examined the foregoing application and RIGHTS and the following limitations and conditinted is limited to the amount of water which can	ons:
	375 cubic feet per second measured at the	
	case of rotation with other water users, from	
The use to which this	water is to be applied isirrigation	
If for irrigation, this	appropriation shall be limited to	of one cubic foot per
• •	ent_for_each_acre_irrigated_and_shall_be	
diversion of not to e	xceed $2\frac{1}{2}$ acre feet per acre for each acr	e irrigated during
the irrigation season	of each year,	······
•		
and shall be subject to such	h reasonable rotation system as may be ordered b	
The priority date of t	his permit isMarch 28, 1947.	······
Actual construction a	work shall begin on or beforeJuly	3, 1948 and shall
thereafter be prosecuted w	ith reasonable diligence and be completed on or be	fore
	1, 1949	
	of the water to the proposed use shall be made or	ı or before
October		_
WITNESS my hand t	his3rdday of July	
	CHASE_STRICKLIN	STATE ENGINEER
		4 4 B -14 B4