

**\* APPLICATION FOR PERMIT**

**To appropriate the Public Waters of the State of Oregon**

I, Clarence Tribitt (Name of applicant)  
of 822 - 10th St. M. E. (Mailing address),  
State of Minot, No. Dak., do hereby make application for a permit to appropriate the  
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Water Spring (Name of stream),  
a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is  
0.02 cubic feet cubic feet per second. (If water is to be used from more than one source, give quantity from each)
- \*\*3. The use to which the water is to be applied is Domestic supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 875 ft. N. and 450 ft. E. from the S.W.  
corner of Sec. 2, T. 3 S., R. 2 E., W.M. approximately (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Chas. Walker D.L.C. (SW $\frac{1}{4}$ SW $\frac{1}{4}$ ) of Sec. 2, Tp. 3 S.,  
R. 2 E., W. M., in the county of Clackamas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be about 300 ft.  $\frac{1}{2}$ " pipe (Miles or feet)  
in length, terminating in the Hans Olson 30 acre tract of Sec. 43, Tp. 3 S.,  
R. 2 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

**DESCRIPTION OF WORKS**

**Diversion Works—**

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_ (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_ (Timber, concrete, etc., number and size of openings)

- (c) If water is to be pumped give general description Electric pump  $\frac{1}{4}$  H. P. Motor (Size and type of pump)  
plunger type pump about 7 ft. lift to pump and about 10 ft. drop from house to  
top of pressure tank (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 300 ft. .... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? Yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use near Oregon City, Oregon

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3. S.	2. E.	2	SW $\frac{1}{4}$ SW $\frac{1}{4}$	
Abstract of Title #9725 Oregon City, Oregon A part of the Charles Walker D. L. C. No. 43 in T. 3 S., R. 2 E. of W.M. described as; Beginning at a point in the S. W. boundary line of said D.L.C. North 52° 15' W. 20.51 chs. from the most southerly corner of said claim. thence N. 34° 30' E. 11.15 chs. to center of Abernethy Creek. Thence N. 14° 30' W. 1.00 chs. Thence North 26° 10' E. 3.64 chs. thence N. 46° 30' E. 2.00 chs. thence N. 8° 50' E. 1.37 chs. thence N. 11° 15' W. 00.59 chs. to a stone on the Northerly boundary line of Hans Olesen's 30 acre tract, thence S. 37° 00' W. and parallel to S.E. line of said claim 19.15 chs. to N.W. corner of said Olesen's 30 acre tract. thence S. 52° 15' E. 2.40 chs. to the place of beginning, containing 3.50 acres more or less.				

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied 1 or 2

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 300.00
- 12. Construction work will begin on or before This work is complete
- 13. Construction work will be completed on or before and has been in
- 14. The water will be completely applied to the proposed use on or before use for a number  
..... of years.

(Sgd) Clarence Tribitt  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 5, 1947.

WITNESS my hand this 5th day of April, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant  
81

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of April 1947 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 43 of

Permits on page 17662

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 R.

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 2, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 3rd day of July, 1947

CHAS. E. STRICKLIN

STATE ENGINEER