* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, Gilbert N. Weaver (Name of applicant)
of	Myrtle Creek , County of Douglas ,
	ofOregon, do hereby make application for a permit to appropriate the
follou	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is South Umpqua River (Name of stream)
	, a tributary of Umpqua River
	2. The amount of water which the applicant intends to apply to beneficial use is
cubic	feet per second. (If water is to be used from more than one source, give quantity from each)
	*3. The use to which the water is to be applied is
	4. The point of diversion is located 420 ft. N and 1125 ft. W from the Sec.
corne	r of Sections 32, 33, 4 and 5 (Section or subdivision)
*********	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being	within the $SE_{4}^{1}SE_{4}^{1}$ of Sec. 32 , Tp. 29 S (Give smallest legal subdivision)
R	5. W, W. M., in the county of Douglas
	5. The Pipeline to be 960 (Miles or feet)
in len	agth, terminating in the $NE_{4NE_{4}}^{\pm}$ of Sec. 5 , Tp. 30.S , (N. or S.)
	5. W., W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diver	rsion Works—
	6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and	d brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description 1. centrifugal pump
dire	(Size and type of pump) act connected to a 5 HP electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

 $[\]ensuremath{^{\bullet}}\xspace A$ different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal	System	or Pip	e Line—
-------	--------	--------	---------

3	ayare. wain o	n top (at water	r line)	feet; width on bottom
feet; depth of water thousand feet.			feet; grade	feet fall per one
(b) At	····	miles from	headgate: width on top (at wat	er line)
•••••	feet; width	on bottom	feet; depth of ı	vater feet;
grade	f	eet fall per on	e thousand feet.	
(c) Lengtl	of pipe,	960fi	t.; size at intake,8"	in.; size at ft.
from intake	in	.; size at place	of use8" in.; di	fference in elevation between
intake and place	of use,	30 ft. ft.	Is grade uniform?	Estimated capacity,
1	sec. ft.			,
8. Locatio	n of area to be	irrigated, or p	place of use	·······
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 .S	5 W	32	SE ¹ SE ¹	18-5
			$SW_{\frac{1}{4}}SW_{\frac{1}{4}}^{1}$	
			NW\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
		5	NE LANE LA	3.0
				27.0
			ituate in the County of	Douglas, State of Oregon
nd on the East fillamette Mer ipe; thence N OO feet to the o the North 1	st line of D idian, to ar North 30° 22 me center of ine of DLC.	L.C. No. 37 n iron pipe; West 361.0 the South U No. 40, in	the South, Range Five West, in Township Thirty Southence North 62° 26'West feet to an iron pipe; tempqua River; thence Nort Township Twenty-nine Sou	th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of
nd on the East 11amette Meripe; thence No feet to the othe North I he Willamette O to the place	st line of D didan, to ar North 30° 22 he center of ine of DIC. Meridian; he of beginn	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng;	in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t impqua River; thence Nort	of the Willamette Meric th, Range Five West of t t 2,443.7 feet to an iro hence North 30° 22! West h 44° 55! East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks)
ind on the East illamette Mer pipe; thence Mer pipe; thence Mer pipe; thence Mer pipe in the Willamette (O to the place (a) Chara	st line of D didian, to ar North 30° 22 he center of ine of DIC. Meridian; he of beginning	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space)	in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t mpqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem	of the Willamette Meric th, Range Five West of t t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks)
ind on the East fillamette Meripe; thence Moore to the Oorth I he Willamette Oo to the place (a) Chara (b) Kind	st line of Didian, to ar lorth 30° 22 le center of ine of DIC. Meridian; the of beginning of crops raised	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space)	in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t impqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet)	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks)
ind on the East Filamette Meripe; thence Meripe; thence Meripe Thence Meripe The North I have been dead to the place (a) Chara (b) Kind Power or Mining	st line of D. didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised as Purposes—	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space) River Bottom pastur	in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t impqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet)	of the Willamette Meric th, Range Five West of t t 2,443.7 feet to an iro hence North 30° 22! West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks)
ind on the East illamette Meripe; thence Merico the North I che Willamette (a) Chara (b) Kind (Power or Mining 9. (a) To	st line of Didian, to ar lorth 30° 22 le center of ine of DIC. Meridian; to ar lore of center of soil	L.C. No. 37 I iron pipe; West 361.0 the South U No. 40, in Chence East ng; (H more spa-	in Township Thirty Southence North 62° 26'West feet to an iron pipe; to the part of the pa	of the Willamette Meric th, Range Five West of t t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower.
ind on the East fillamette Mer sipe; thence Mer sipe; (a) Chara (b) Kind (b) Kind (b) Quantum (b) Quantum (b) Quantum (b) Quantum (b) Quantum (b) Quantum (c) (c) Quantum (c) (d) Quantum	st line of Didian, to ar lorth 30° 22 le center of ine of DIC. Meridian; the of beginning of crops raised arount of partial amount of partial amount of partial amount of water	L.C. No. 37 if iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space) diver Bottom pastur cower to be decorate to be used for	the South, Range Five West in Township Thirty Southence North 62° 26'West feet to an iron pipe; to impula River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the Nort (Continued under Remote required, attach separate sheet) Loam	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower
ind on the East fillamette Mer sipe; thence Mer sipe;	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised arount of partity of water tal fall to be ut	L.C. No. 37 I iron pipe; West 361.0 the South U No. 40, in thence East ng; (H more space River Bottom pastur bower to be desired to be used for	the South, Range Five West in Township Thirty Southence North 62° 26'West feet to an iron pipe; to impula River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the Nort (Continued under Remote required, attach separate sheet) Loam The weloped to power	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower sec. ft.
ind on the East illamette Mer pipe; thence Mer pipe; thence Mer pipe; thence Mer pipe; thence Mer pipe; the North I pipe Willamette (a) Chara (b) Kind (b) Kind (c) To (d) The pipe (d) The	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised amount of plantity of water tal fall to be ut the nature of the	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng; (M more space liver Bottom pastur cower to be desired ilized works by me	the South, Range Five West in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t mpqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet) to Loam e veloped or power feet. (Head) cans of which the power is to be	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22! West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower sec. ft.
nd on the East fillamette Meripe; thence Mo Offeet to the OO feet to the othe North I he Willamette O to the place (a) Chara (b) Kind (b) Kind (c) To (d) The (e) Su	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised amount of partity of water tal fall to be ut the nature of the ch works to be	L.C. No. 37 I iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space) liver Bottom pastur bower to be desired as works by measure located in	the South, Range Five West in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t mpqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet) Loam e veloped r power feet. (Head) (Legal subdivision)	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22' West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower sec. ft.
nd on the East Filamette Meripe; thence No feet to the OO feet to the othe North I he Willamette O to the place (a) Chara (b) Kind (b) Kind (c) To (d) The (e) Su	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised amount of partity of water tal fall to be ut the nature of the ch works to be the of	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space liver Bottom pastur bower to be dest r to be used for ilized works by me located in L.E. or W.)	the South, Range Five West in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t mpqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet) Loam e veloped or power feet. (Head) cans of which the power is to be (Legal subdivision) M.	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22! West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower sec. ft.
nd on the East fillamette Meripe; thence No feet to the OO feet to the othe North I he Willamette O to the place (a) Chara (b) Kind (b) Kind (c) To (d) The (e) Su Tp. (No. N. or S. (f) Is a fill of the place (c) To (d) The (e) Su	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised arount of partity of water tal fall to be ut the nature of the ch works to be water to be ret	L.C. No. 37 i iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space liver Bottom pastur bower to be desert to be used for ilized works by me located in L.E. or W.) urned to any se	the South, Range Five West in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t mpqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet) Loam e veloped r power feet. (Head) (Legal subdivision)	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22! West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower sec. ft. de developed of Sec.
ind on the East fillamette Mer ipe; thence in the control of the North is the Willamette in the Willamette in the Willamette in the place (a) Chara (b) Kind (c) To (d) The (e) Suitable of the place (f) Is (g) If	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; tee of beginning the of beginning of crops raised arount of presental amount of presental fall to be utilized to be utilized for the control of the control	L.C. No. 37 if iron pipe; West 361.0 the South U No. 40, in chence East ng; (H more space aver to be dear to be used for ilized works by me located in L.E. or W.) urned to any se n and locate p	in Township Thirty Southence North 62° 26'West feet to an iron pipe; to impous River; thence North Township Twenty-nine Southence North Township Twenty-nine Southence Remover at Loam Township Twenty-nine Southence Remover	of the Willamette Meric th, Range Five West of t 2,443.7 feet to an iro hence North 30° 22! West h 44° 55' East 450.0 fee th, Range Five West of orth line of D.L.C. No. arks) theoretical horsepower. sec. ft. de developed of Sec.
mnd on the East fillamette Mer pipe; thence No pipe; thence No pipe; thence No the North I che Willamette O to the Place (a) Chara (b) Kind (c) To (d) The (e) Su (f) Is (g) If	st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised of crops raised amount of plantity of water tal fall to be ut the nature of the chemical works to be matter to be ret so, name stream	L.C. No. 37 iron pipe; West 361.0 the South U No. 40, in chence East ng; (Hemore space liver Bottom pastur cower to be decreted by the works by me located in L.E. or W.) urned to any sent and locate p mand locate p	south, Range Five West in Township Thirty Sou thence North 62° 26'Wes feet to an iron pipe; t impqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet) Loam The sequence of which the power is to be (Legal subdivision) M. Stream? (Yes or No)	of the Willamette Meric th, Range Five West of the Control of the
mnd on the East fillamette Mer pipe; thence No pipe; thence No pipe; thence No the North I che Willamette On to the place (a) Chara (b) Kind (c) To (d) The (e) Su Tp. (no No Nors (g) If (h) The pipe (h) The (h) The (h) The pipe (h) The (st line of Didian, to ar lorth 30° 22 lee center of ine of DIC. Meridian; the of beginning of crops raised of crops raised amount of plantity of water tal fall to be ut the nature of the ch works to be matter to be ret so, name stream the use to which	L.C. No. 37 iron pipe; West 361.0 the South U No. 40, in chence East ng; (Hemore space liver Bottom pastur cower to be des r to be used for ilized e works by me located in L.E. or W.) urned to any se n and locate p power is to be	the South, Range Five West in Township Thirty Sou thence North 62° 26 Wes feet to an iron pipe; t impqua River; thence Nort Township Twenty-nine Sou 2,091.0 feet along the N (Continued under Rem ce required, attach separate sheet) Loam te veloped r power (Read) cans of which the power is to be (Legal subdivision) M. stream? (Yes or No) coint of return (No. N. or S.) e applied is	of the Willamette Meric th, Range Five West of the Control of the

Municipal or Domestic Supply—
10. (a) To supply the city of
and an estimated population of in 19
(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$1500
12. Construction work will begin on or before April 1, 1948
13. Construction work will be completed on or before April 1, 1950
14. The water will be completely applied to the proposed use on or before April 1, 1950
(Cod) Cithant N Warran
(Sgd) Gilbert N Weaver (Signature of applicant)
Remarks: (Continued from Item 8)
Also, Lots Four and Five of Section Thirty-three, Township Twenty-ning South,
Range Five West of the Willamette Meridian;
I would also like to request the right to take water out from other
places along my river frontage should the need arise
(Sgd) GWW.
STATE OF OREGON,)
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194
WITNESS my hand this day of, 194, 194
,,, 10 1 10 10 10 10 10 10 10 10 10 10 10 1
STATE ENGINEER

Application	No.	22/120
Permit No.	1	7672

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No					
	This instrument was first received in the office of the State Engineer at Salem, Oregon,					
	on the <u>8th</u> day of April ,					
	194.7 at 8:30. o'clock M.					
	Returned to applicant:					
	Corrected application received:					
	Approved:					
	July 3, 1947					
	Recorded in book No 43 of					
	Permits on page 17672					
	CHAS. E. STRICKLIN STATE ENGINEER					
	Drainage Basin No16. Page30.A					
	Fees Paid					
	PERMIT					
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\						
County of Marion,						
SUBJECT TO EXISTING RI	I have examined the foregoing application and do hereby grant the same, GHTS and the following limitations and conditions: ed is limited to the amount of water which can be applied to beneficial use					
•	34 cubic feet per second measured at the point of diversion from the					
	ease of rotation with other water users, from South Umpqua River					
	· · · · · · · · · · · · · · · · · · ·					
The use to which this	vater is to be applied isirrigation					
If for irrigation, this ap	propriation shall be limited to 1/80th of one cubic foot per					
second or its equivale	nt for each acre irrigated and shall be further limited to a					
diversion of not to exc	eed 2½ acre feet per acre for each acre irrigated during the					
irrigation season of ea	ch year,					
	······································					
and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.					
The priority date of the	s permit is April 8, 1947					
Actual construction we	ork shall begin on or before July 3, 1948 and shall					
thereafter be prosecuted wit	h reasonable diligence and be completed on or before					
October 1, 1949	of the angles to the proposed was shall be made on an helper					
	of the water to the proposed use shall be made on or before					
October 1, 1950						
WITNESS my hand th	is3rd day ofJuly, 194.7.					
	CHAS. E. STRICKLIN					