CERTIFICATE NO. 20270

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I,Oregon State Game Commission(Name of applicant)
of Portland , County of Multnomah ,
State ofOregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Rock Creek (Name of stream) , a tributary of North Umpqua
2. The amount of water which the applicant intends to apply to beneficial use is .10.
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
Trout Hatchery
4. The point of diversion is located
corner of
500 East of North 4 line and 2186 North of 4 Line from South 4 Corner (If preferable, give distance and bearing to section corner)
between Sections 1 and 12 T 26 South Range 3 Willamette Meredian (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $\mathbb{N}.\mathbb{W}.\frac{1}{4}$ of $S.E^{\frac{1}{4}}$ of $S.E^{\frac{1}$
R. 3W Douglas Douglas
5. The Flume to be 1070* (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the $NE_{\frac{1}{4}}^{\frac{1}{4}}$ of $SW_{\frac{1}{4}}^{\frac{1}{4}}$ of $Sec.$ 1 , $Tp.$ 26. 5 (Smallest legal subdivision)
R
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam10 feet, length on top 108 feet, length at bottom
108 feet; material to be used and character of construction Pole and Rock (Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate Pole cribbing with rock fill, two openings (Timber, concrete, etc., number and size of openings) one 1 x 1 and another 2 x 2 t
(c) If water is to be pumped give general description(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal	System	or Pipe	Line-
-------	--------	---------	-------

	feet; depth o	f water	feet; grade	feet fall per or
ousand feet. (b) At		miles from hea	adgate: width on top (at water	line)
			feet; depth of wa	
		feet fall per one t		yor
			size at intake,i	n : sigo at
				•
			use in.; diffe	
-	•	jt. 1s (grade uniform?	Estimatea capacit
	-			
			ce of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
26 S	3. W		NE SW SW	
	(See att	ached sheet for	r legal description)	
	•			
				•
	<u> </u>		equired, attach separate sheet)	
(a) Chard	icter of soil			
(b) Kind	of crops raise	d		
ower or Minin	_			
	_	_	oped	
			power	sec. ft.
(c) To	tal fall to be	utilized	(Head)	
(d) Ti	ie nature of t	he works by mean	s of which the power is to be	developed
(e) Su	ich works to l	oe located in	(Legal subdivision)	of Sec
p(No. N. or S.	, R	, W. M	•	
(f) Is	water to be r	eturned to any stre	eam?(Yes or No)	
(g) If	so, name stre	am and locate poin	nt of return	
•	•••••	, Sec	, Tp(No. N. or S.)	., R, W.
			pplied is	
			••••••••••••	

COPY

ROCK CREEK TROUT HATCHERY

PROPERTY DESCRIPTION

Beginning at a point 50 feet south of a ½-inch iron pipe, said pipe being on the East and West mid-section line of Section 1, Township 26 south, Range 3 west, W.M., and North 87° 56' West 2620.6 feet from the East quarter corner of said Section 1; thence running from said beginning point East 51.6 feet to a point; thence South 45° 56' East 528.4 feet to a point on the right or North bank of Rock Creek, at the high water line; thence following downstream along said high water line and on the North bank of said Creek, North 89° 46' West 94.8 feet to a point, North 63° 21 West 235.8 feet to a point, and South 76° 42' West 127.2 feet to a point; thence leaving bank of said creek and running North 290.8 feet to the place of beginning, containing 1.51 acres, more or less; all the above being in the South half of Section 1, Township 26 south, Range 3 West, W.M.

Also, beginning at a point on a fence line which runs in a northeasterly and southwesterly direction, said beginning point being on the East and West mid-section line of Section 1, Township 26 south, Range 3 west, W.M., and North 87° 56' West 2880.6 feet from the East quarter corner of said section 1; thence following along said mid-section line North 87° 56' West 403.4 feet to a point on said mid-section line; thence North 71° 58' East 113.0 feet to a point; thence North 85° 48' East 245.9 feet to a point; thence South 87° 06' East 80.6 feet; thence South 25° 26' West 70.0 feet to the place of beginning, containing 0.15 acres, more or less, all being in the North half of Section 1, Township 26 south, Range 3 west, W.M.

Rock Creek Trout Hatchery Property Description

_ 2 _

Beginning at a point from which the quarter section corner between sections 1 and 12 in township 26 south range 3 west of the Willamette Meridian bears south 1957.0 feet and east 671.2 feet and a fir 24 inches in diameter bears south 55° 30' west 19.8 feet, thence along the high water line of Rock Creek North 46° 20' E. 220.6 north 49° 31' east 140.9 feet, thence north 63° 07' east 149.4 feet, thence north 72° 11' east 112.8 feet to a point from which an ash tree 14 inches in diameter bears north 38° west 19 feet marked "CS BT", thence leaving Rock Creek north 42° 15' west 264.4 feet, thence north 57° 34' west 203.6 feet to a point from which a cedar tree 24 inches in diameter bears south 21° 15' west 27.6 ft. marked "CS BT", thence south 47° 47' west 126.8 feet, thence south 15° 09' west 107.7 feet, thence south 1° 06' west 135.1 feet, thence south 1° 09' west 88.5 feet, thence south 5° 11' west 100.4 feet, thence south 29° 35' west 56.4 feet, thence south 3°24' east 89.1 feet to place of beginning, containing 3.63 acres more or less.

Rock Creek Trout Hatchery Property Description

- 3 **-**

Beginning at a ½-inch iron pipe on the East and West mid-section line of Section 1, Township 26 South, Range 3 west, W.M., said beginning point being North 87° 56' West 2620.6 feet from the East quarter corner of said Section 1; thence South 340.8 feet to a point on the right bank or North bank of Rock Creek at its high water line; thence following along said high water line downstream South 68° 09' West 230.7 feet to a point; thence leaving creek and running North426.15' West 264 being the South 15°09' to a point, North 57° 34' West 203.6 feet to a/West 107.7 feet to a point, South 1° 06' West 135.1 feet to a point, South 1° 09' West 88.5 feet to a point, South 5° 11' West 100.4 feet to a point, South 29° 35' West 56.4 feet to a 3/4-inch iron pipe, North 1° 17' West 155.6 feet to a point, North 2° 57' East 76.8 feet to a point, North 4° 42' West 276.8 feet to a point, North 0° 52' East 104.3 feet to a point on the East and West mid section line of said Section 1; thence along said mid section line South 87° 56' East 758.8 feet to the place of beginning, containing 4.96 acres, more or less, all the above being in the South half of Section 1, Township 26 south, Range 3 west, W.M., Douglas County, Oregon.

Municipal or Domestic Supply—
10. (a) To supply the city of
and an estimated population of in 19
(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$
12. Construction work will begin on or before
13. Construction work will be completed on or before
14. The water will be completely applied to the proposed use on or beforeNo. new
construction. To supplement supply already in use.
Oregon State Game Commission (Signature of applicant)
(Sgd) T. B. Hine State Game Supervisor
Remarks: Flume: Same as noted under permit 5890
^
······································
······································
£
STATE OF OREGON, County of Marion,
This is to certify that I have examined the foregoing application, together with the accompany
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with cor
tions on or before, 194
WITNESS my hand this day of, 194,
STATE ENGINE

Application	No. 221117
Permit No.	17680

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No. District N	Vo	
	This instrument was first recoffice of the State Engineer at Sa	ceived in the	
	on the 16th day of April	,	`
	194 7 at 8:30 o'clock A.	,	
	Returned to applicant:		
	Corrected application received:	·····	
	Approved:		
	July 3, 1947		
	Recorded in book No43	of	
	Permits on page17.680		
	CHAS. E. STRICKLIN ST.	ATE ENGINEER	
	Drainage Basin No. 16 Po	- 4	
	Fees Paid \$19.00		
STATE OF OREGON,	PERMIT		
SUBJECT TO EXISTING R	I have examined the foregoing a IGHTS and the following limitation ted is limited to the amount of wa	ons and conditions:	
and shall not exceed10.	OO cubic feet per second me	easured at the point of di	version from the
stream, or its equivalent in	case of rotation with other water a	users, from Rock Cre	ek
The use to which this	water is to be applied istrout	hatchery	
	ppropriation shall be limited to	•	• •
and shall be subject to such	reasonable rotation system as ma	y be ordered by the prope	r state officer.
The priority date of th	is permit is April 16, 1947		
Actual construction w	ork shall begin on or before	July 3, 1948	and shall
thereafter be prosecuted wit	h reasonable diligence and be com	pleted on or before	
October 1, 19	49	•	
• • •	of the water to the proposed use s	hall be made on or before .	
		404.5	·
WITNESS my hand th	is3rdday ofJuly		
	C	HAS. E. STRICKLIN	STATE ENGINEER