

**\* APPLICATION FOR PERMIT**

**To appropriate the Public Waters of the State of Oregon**

I, Donald W. Stryker (Name of applicant)  
of Langlois Oregon (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the  
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream (Name of stream),  
a tributary of New Lake.
2. The amount of water which the applicant intends to apply to beneficial use is .01  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
- \*\*3. The use to which the water is to be applied is Domestic and Stock  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 2010 ft. South and 450 ft. West from the NE  
corner of Section 26 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE<sup>1</sup>/<sub>4</sub> of the NE<sup>1</sup>/<sub>4</sub> of Sec. 26, Tp. 30 S.,  
(Give smallest legal subdivision) (N. or S.)  
R. 15 W., W. M., in the county of Curry  
(E. or W.)

5. The Pipe Line (Main ditch, canal or pipe line) to be 750 feet (Miles or feet)  
in length, terminating in the NE<sup>1</sup>/<sub>4</sub> of the NE<sup>1</sup>/<sub>4</sub> of Sec. 26, Tp. 30 S.,  
(Smallest legal subdivision) (N. or S.)  
R. 15 West, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**Diversion Works—**

6. (a) Height of dam 4 feet, length on top 15 feet, length at bottom  
10 feet; material to be used and character of construction Earth fill and timber  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)
  - (b) Description of headgate 1 1/2 inch pipe  
(Timber, concrete, etc., number and size of openings)
  - (c) If water is to be pumped give general description  
(Size and type of pump)
- (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 750 ..... ft.; size at intake, ..... 1 1/2 ..... in.; size at ..... 20 ..... ft. from intake ..... 1 ..... in.; size at place of use ..... 3/4 ..... in.; difference in elevation between intake and place of use, ..... 125 ..... ft. Is grade uniform? ...yes..... Estimated capacity, ..... .01 ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 S	15 W	26	NE 1/4, NE 1/4	Domestic & Stock
30 S	15 W	26	SE 1/4, NE 1/4	" "
Legal Description				
Donald W. Stryker Property				
<p>The NW 1/4 of the NW 1/4 of Section 25, and Lot I of Section 26, and that part of Lot 8 in Section 26 described as follows: Beginning at the NW corner of Lot 8 and running thence due East on the line between Lot I and Lot 8, a distance of 500 feet; thence South 75 feet; thence West 500 feet and thence North 75 feet to the place of beginning; and all being in Township 30 South, Range 15 West of the Willamette Meridian in Curry County Oregon, together with the perpetual right and privilege of taking water from the spring on that part of Lot 8 not herein granted, and conveying the same for domestic purposes over the premises of the grantor, his heirs, or assigns, in a pipe or other conveyance, with the right and liberty from time to time with workmen to enter upon said premises and to repair, cleanse and maintain the said spring and the pipes leading therefrom to the buildings of the grantee;</p>				
<p>This is a copy of the deed of record.                  (Sgd) Charles T. M. Echols 5-12-47</p>				

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) .....  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.00 new construction

12. Construction work will begin on or before New construction: May 1, 1948

13. Construction work will be completed on or before New construction: May, 1, 1949

14. The water will be completely applied to the proposed use on or before Has been in  
use for about 8 years . SEE REMARKS

(Sgd) Donald W Stryker  
(Signature of applicant)

Remarks: Water has been used from the existing system as described herein  
for the past 8 years, but apparently no application for permit had been filed. It is  
proposed to construct a low concrete dam for headworks at a point in the stream above  
the existing headworks as shown on the accompanying map.  
The existing point of diversion is South 1880 feet and West 520 feet from the  
NE corner of Section 26.  
The new point of diversion will be 2010 feet South and 450 feet West of the  
NE corner of Section 26

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

Application No. 22537

Permit No. 17751

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 16th day of May,

1947 at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 43 of

Permits on page 17751

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 4 B

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic and stock

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 3rd day of July, 1947

CHAS. E. STRICKLIN STATE ENGINEER