

* APPLICATION FOR PERMIT

24060

To appropriate the Public Waters of the State of Oregon

I, John J. McAllister & John J. McAllister, Jr.
(Name of applicant)
of Rt. 5 Box 111 Salem,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed springs and unnamed stream
(Name of stream)
, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.27
0.02 c.f.s. from spring for domestic & stock
cubic feet per second. 0.25 c.f.s. from stream for irrigation.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation, stock and domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 19, Tp. 8 S.
(Give smallest legal subdivision) (N. or S.)

R. 2 W., W. M., in the county of Marion
(E. or W.)

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec. , Tp. ,
(Smallest legal subdivision) (N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" cent. pump
(Size and type of pump)
5 h.p. Gas Engine
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
10 sprinklers 10 to 20 ft. static head

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S.	2 W.	19	SW $\frac{1}{4}$ NW $\frac{1}{4}$	16
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	4
Beginning at an iron rod on the Easterly West line of the Felix Raymond Donation Land Claim, said rod being 2752.75 feet North 0° 10' East from the Southwest corner of Section 19, which is the most Southerly Southwest corner of the Felix Raymond Donation Land Claim in Township 8 South, Range 2 West of the Willamette Meridian, Marion County Oregon; thence North 0° 10' East 1246.2 feet along the said most Easterly West line extended to an iron pipe; which is the Southwest corner of the tract of land conveyed to J. K. Cloyd by deed recorded October 28, 1946, in Vol. 357, Page 681, Deed Records for Marion County, Oregon; thence South 89° 40' East along the South line of said Cloyd tract, 1508.25 feet to an iron pipe at the Southeast corner of said Cloyd tract, which is on the East line of the Felix Raymond Donation Land Claim; thence South 0° 17' West 586.08 feet on said East line to an iron pipe; thence South 84° 17' East 726.0 feet to an iron pipe on the West line of the Herron Donation Land Claim; thence South 27° 26' West on the said West line of the said Herron Donation Land Claim, 658.85 feet to an iron bolt; thence North 89° 50' West 1927.94 feet to the point of beginning, lying in Section 19, Township 8 South, Range 2 West of the Willamette Meridian, Marion County, Oregon.				
Except that portion now used for public roadway purposes				

(If more space required, attach separate sheet)

(a) Character of soil Red

(b) Kind of crops raised Alfalfa Clover Berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00.....
- 12. Construction work will begin on or before One year after approval.....
- 13. Construction work will be completed on or before Two yrs " ".....
- 14. The water will be completely applied to the proposed use on or before 3 yrs " ".....

(Sgd) John J. McAllister & John J. McAllister, Jr.
(Signature of applicant)

By John J. McAllister Jr.

Remarks:

Unnamed spring (item 1) is the head of unnamed stream (item 1)

Water of stream sinks in ground in summer before passing off applicant's
property.

Stock and domestic water to be pumped from spring through about 325
ft. of 1 in. pipe to tank and distributed from tank to house and barn.

This application does not waive any vested right to the irrigation of
lands irrigated prior to 1909.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22638

Permit No. 17795

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 13th day of June

1947 at 1:09 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 43 of

Permits on page 17795

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 S

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed springs and unnamed stream and reservoirs to be constructed under Application No. R-22637, Permit No. R-888.

The use to which this water is to be applied is irrigation, stock and domestic, being 0.25 c.f.s. from stream for irrigation and 0.02 c.f.s. from spring for domestic and stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-888,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 13, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 3rd day of July, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER