

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, SCHUYLER L. FLETCHER (Name of applicant)
of Box 266, Hebo, Oregon (Mailing address),
State of _____, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Munson Creek (Name of stream)
_____, a tributary of Tillamook River
2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second. 0.266 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 365 ft. S. and 300 ft. W. from the NE
corner of SE $\frac{1}{4}$ NE $\frac{1}{4}$ (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE $\frac{1}{4}$ of Sec. 29, Tp. 2 S.,
(Give smallest legal subdivision) (N. or S.)
R. 9 W., W. M., in the county of Tillamook.
(E. or W.)

5. The pipe line to be 690 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 29, Tp. 2 S.,
(Smallest legal subdivision) (N. or S.)
R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" intake, centrifugal,
(Size and type of pump)
7 $\frac{1}{2}$ H. S.P. electric motor, 6 feet head.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 690 ft.; size at intake, 3 in.; size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, 6 ft. Is grade uniform? Yes Estimated capacity, 0.266 sec. ft.

8. Location of area to be irrigated, or place of use Tillamook County, State of Oregon Township 2 South of Range 9 West of WM

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	9 WWM	29	NE $\frac{1}{4}$ of the NE $\frac{1}{4}$	7.5 Acres
2 S	9 WWM	29	SE $\frac{1}{4}$ of the NE $\frac{1}{4}$	8.0 Acres
2 S	9 WWM	29	SW $\frac{1}{4}$ of the NE $\frac{1}{4}$	4.5 Acres
				20.0

State Land Board to Schuyler L. Fletcher and Agnes V. Fletcher, Husband and wife—
 Tract # 1: The Southwest quarter ($\frac{1}{4}$) of the Northeast quarter ($\frac{1}{4}$) of Section twenty-nine (29); Also a strip of land ten (10) rods wide off entire North end of the Southeast quarter ($\frac{1}{4}$) of the Northeast quarter ($\frac{1}{4}$) of said Section twenty-nine (29); Also a strip of land ten (10) rods wide off the entire West end of the Southeast quarter ($\frac{1}{4}$) of the Northeast quarter ($\frac{1}{4}$) of said Section twenty-nine (29), excepting that part included in the tract hereinbefore described; Also a strip of land immediately East of the South Forty (40) rods of the tract of land hereinbefore last described of a width sufficient to make, when added to the last described tract, a tract of land containing five (5) acres; the three (3) tracts herein last described and conveyed containing in the aggregate ten (10) acres of land, and the several parcels of land herein described containing in the aggregate fifty (50) acres of land, more or less. All of said lands being in Township two (2) South of Range nine (9) West of the Willamette Meridian, Tillamook County, State of Oregon.
 Tract #2: A strip of land sixty-six (66) feet in width off the entire South side of

(If more space required, attach separate sheet) (Continued under Remarks)

(a) Character of soil Prairie
 (b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal Subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 1050.....
- 12. Construction work will begin on or before June 10th, 1947.....
- 13. Construction work will be completed on or before June 15th, 1947.....
- 14. The water will be completely applied to the proposed use on or before June 15th, 1947.....

(Sgd) Schuyler L. Fletcher
(Sgd) Schuyler L. Fletcher
(Signature of applicant)

Remarks: (Continued from Item 8)

the Northeast quarter (1/4) of the Northeast quarter (1/4) of said Section twenty-nine (29), Township two(2) South of Range nine(9) West of the Willamette Meridian, Tillamook County, State of Oregon.

John Zurflueh and Ruth E. Zurflueh, husband and wife, to Schuyler L Fletcher and Agnes V. Fletcher, husband and wife.

Beginning at a point on the east line of section twenty nine, in township two, south of range nine, west of the Willamette Meridian, four rods north of the south-east corner northeast quarter of the northeast quarter of said section twenty-nine, and running thence north ten rods; thence west eighteen and three quarter rods; thence north ten rods; thence west thirty and one quarter rods; thence south twenty rods; thence east forty nine rods to the place of beginning, containing five acres, more or less.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 21, 1947.

WITNESS my hand this 20th day of June, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER

By (Sgd) Ed K. Humphrey

Ed K. Humphrey, Assistant dh

Application No. 22626

Permit No. 17828

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 11th day of June

1947 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 30, 1947

Recorded in book No. 144 of

Permits on page 17828

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 18

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Munson Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 11, 1947

Actual construction work shall begin on or before September 30, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 30th day of September, 1947

CHAS. E. STRICKLIN STATE ENGINEER