GENERALIE NO. 19568

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. E. Whinery, (Name of applicant)
of Rt.#2, Box 513, Grants Pass,
(Mailing address) State ofOregon, do hereby make application for a permit to appropriate
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Rogue River (Name of stream)
, a tributary of Rogue River
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Irrigation and Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 200 ft. and 2200 ft. E from the N 1
corner of Section 35 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NE 1/4 (Lot 9) of Sec. 35, Tp. 35 S (Give smallest legal subdivision) (N. or S.)
R7 W, W. M., in the county ofJosephine
5. The pipe line to be 500 feet. (Main ditch, canal or pipe line) (Miles or feet)
(Main ditch, canal or pipe line) in length, terminating in the NE 1/4 NE 1/4 of Sec. 35 , Tp. 35 S. (Smallest legal subdivision) (N. or S.)
(Smallest legal subdivision) R, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of damnone feet, length on top feet, length at bot
feet; material to be used and character of construction(Loose rock, concrete, ma
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate Valve in 1" pipe (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description l" centrifugal (Size and type of pump)
(Size and type of pump) 1/2 H. P. Electric motor. % 50 foot lift (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
(Size and type or engine or motor to be used, total head water is to be lifted, etc.)

Canal System or P	_	t anch maint of	canal where materially change	ad in size stating miles from
			-	-
_			line) none	• •
f thousand feet.	eet; depth of w	ater	feet; grade	feet fall per one
(b) At	·····	. miles from he	eadgate: width on top (at wate	r line)
j	feet; width on	bottom	feet; depth of w	pater feet;
grade	feet fa	ll per one thou	sand feet.	
(c) Length	of pipe, 50	0 ft.;	size at intake,1	in.; size at 500 ft.
rom intake 1	: in.	; size at place o	of use in.; dif	ference in elevation between
and the second			s grade uniform?no	
0.02		·	• g	
8. LOCATION Township	Range	Section	Forty-acre Tract	Number Acres
				To Be Irrigated
35 S	7. W.		NE 1/4 NE 1/4 (Lot 9)	Domestic
across the e Begin Range 7 West North and So the North li Rogue River; line of said feat, more	rip of land intire South ming at the cof the Wil outh center ne of said thence Nord Section 35 or less to t	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along thence Wes he point of	e, measured in a North a following described preer corner of Section 35 diam, Oregon and run the Section 35, 300 feet; the feet, more or less to the Westerly bank of sat along the North line of beginning.	emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of id River to the North of said Section, 2252
across the e Begin Range 7 West North and So the North li Rogue River; line of said feet, more	rip of land intire South ming at the cof the Wil outh center ne of said thence Nord Section 35 or less to t	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along therly along thence Wes he point of	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the feet, more or less to the Westerly bank of sat along the North line of beginning.	emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of aid River to the North of said Section, 2252
across the e Begin Range 7 West North and So the North Ii Rogue River; line of said feet, more	rip of land entire South ming at the conterne of said thence Nord Section 35 or less to the content of soil	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along; thence Weshe point of	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the feet, more or less to the Westerly bank of sat along the North line of beginning. Tequired, attach separate sheet)	and South direction, emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of id River to the North of said Section, 2252
across the e Begin Range 7 West North and So the North 1i Rogue River; line of said feet, more (a) Charact (b) Kind of	rip of land intire South ming at the conterne of said thence Nord Section 35 or less to the corps raised arrops raised arrows ar	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along; thence Weshe point of Sandy logarden,	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the feet, more or less to the Westerly bank of sat along the North line of beginning.	and South direction, emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of aid River to the North of said Section, 2252
across the e Begin Range 7 West North and So the North Ii Rogue River; line of said feet, more of (a) Charact (b) Kind of Power or Mining I 9. (a) Total	rip of land entire South ming at the ming at the will outh center ne of said thence Nord Section 35 or less to the section of crops raised amount of policy amo	100 feet wid side of the North quart lämette Meri line of said Section, 226 therly along; thence Weshe point of Sandy lower to be developed to the developed for the said said lower to be developed.	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the Section 35, 300 feet; the Westerly bank of sat along the North line of beginning. Trequired, attach separate sheet) The sam the separate sheet sheet sam the sam the separate sheet shee	and South direction, emises, towit: in Township 35 South, ence South along the thence East parallel wi the westerly bank of id River to the North of said Section, 2252 theoretical horsepower
across the e Begin Range 7 West North and So the North Ii Rogue River; line of said feet, more (a) Charact (b) Kind of Power or Mining I 9. (a) Tota (b) Qua	rip of land intire South ining at the control of the Wil outh center ne of said thence Nord Section 35 or less to the control of crops raised amount of pointity of water	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along; thence Weshe point of Sandy lower to be deve to be used for	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the Section 35, 300 feet; the Westerly bank of sat along the North line of beginning. Trequired, attach separate sheet) The sam Lawn, fruit	and South direction, emises, towit: in Township 35 South, ence South along the thence East parallel wi the westerly bank of id River to the North of said Section, 2252 theoretical horsepower.
across the e Begin Range 7 West North and So the North Ii Rogue River; line of said feet, more of (a) Charact (b) Kind of Power or Mining I 9. (a) Tota (b) Qua (c) Tota	rip of land intire South ining at the control of the Will outh center ine of said thence Nord Section 35 or less to the control of soil in the control of soil i	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along; thence Weshe point of Sandy lower to be deve to be used for lized	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the Get, more or less to the Westerly bank of sat along the North line of beginning. required, attach separate sheet) cam lawn, fruit	end South direction, emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of id River to the North of said Section, 2252 theoretical horsepower, ec.ft.
across the e Begin Range 7 West North and So the North Ii Rogue River; line of said feet, more of (a) Charact (b) Kind of Power or Mining I 9. (a) Tota (b) Qua (c) Tota (d) The	rip of land intire South ining at the coff the Will outh center ne of said thence Nord Section 35 or less to the copy raised amount of pointity of water of fall to be utilized in the coff the continuous of the company of the continuous of the con	100 feet wid side of the North quart lamette Meri line of said Section, 226 therly along; thence Weshe point of Sandy lo Garden, ower to be deve to be used for lized works by mean	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the Section 35, 300 feet; the Westerly bank of satt along the North line obeginning. Trequired, attach separate sheet) The section 35 and separate sheet The section 35 and separate sheet The section 35 and section and s	and South direction, emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of id River to the North of said Section, 2252 theoretical horsepower ec.ft. developed
across the e Begin Range 7 West North and So the North Ii Rogue River; line of said feet, more of (a) Charact (b) Kind of Power or Mining I 9. (a) Tota (b) Qua (c) Tota (d) The	rip of land intire South ining at the coff the Will buth center ne of said thence Nord Section 35 or less to the corps raised amount of pointity of water of fall to be utilized in works to be less t	100 feet wid side of the North quart lamette Merilamette Mesilamette Mesilamette Mesilamete Mesilamete Mesilamete Mesilamete Merilamete Merilamet	e, measured in a North a following described preer corner of Section 35 dian, Oregon and run the Section 35, 300 feet; the Section 35, 300 feet; the Westerly bank of satisfied the Westerly bank of satisfied the North line of beginning. The required, attach separate sheet) The required, attach separate sheet) The required attach separate sheet attach sheet attach separate sheet attach separa	and South direction, emises, towit: in Township 35 South, ence South along the chence East parallel wi the westerly bank of id River to the North of said Section, 2252 theoretical horsepower ec.ft. developed

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

.....

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—	
10. (a) To supply the city of	
	
and an estimated population of in 19	
(b) If for domestic use state number of families to be supplied one	.
(Answer questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$\$250.00	
12. Construction work will begin on or before July 6th, 1948	
13. Construction work will be completed on or before July 6, 1949	
14. The water will be completely applied to the proposed use on or beforeJuly 6, 1950	
(Sgd) W. E. Whinery (Signature of applicant)	•
R 2 Box 513	
Remarks:	
ł.	
	
STATE OF OREGON, County of Marion,	
This is to certify that I have examined the foregoing application, together with the accompany	jing
maps and data, and return the same for	
In order to retain its priority, this application must be returned to the State Engineer, with corr	rec-
tions on or before, 194	
WITNESS my hand this day of, 194,	
STATE ENGINE	R

Application	No22687	
Permit No.	17842	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

	WATERS OF THE STATE OF OREGON
	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 7th day of July
	1947. at 8:00 o'clock M.
	Returned to applicant:
	Corrected application received:
	Approved:
	September 30, 1947
	Recorded in book No of
	Permits on page 17842
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 15 Page 60 B
	Fees Paid\$25.00
STATE OF OREGON,)	PERMIT
County of Marion,	
SUBJECT TO EXISTING	at I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:
	anted is limited to the amount of water which can be applied to beneficial use
	2 cubic feet per second measured at the point of diversion from the
<u>-</u>	n case of rotation with other water users, from Rogue River
	is water is to be applied is irrigation and domestic, being 0.01 c.f.s
	.01 c.f.s. for domestic.
	s appropriation shall be limited to
_	lent for each acre irrigated and shall be further limited to a xceed 42 acre feet per acre for each acre irrigated during the
	m April 2, to october 31, of each year,
	ch reasonable rotation system as may be ordered by the proper state officer.
•	this permit isJuly 7, 1947
	work shall begin on or beforeSeptember 30, 1948 and shall
	with reasonable diligence and be completed on or before
•	n of the water to the proposed use shall be made on or before
•	this 30th day of September , 194.7.
·	CHAS. E. STRICKLIN STATE ENGINEER
	STATE ENGINEER