

CERTIFICATE NO. 12682
50144
57604

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Geo. W. McCollum (Name of applicant) of Route 1, Box 212 Gold Hill, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue River, a tributary of the Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is .07 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located N. 76° 42' W., 1335.0 ft. and 1/4 ft. from the E 1/4 corner of Section 24

being within the SE 1/4 NE 1/4 of Sec. 24, Tp. 36 S.

R. 1/4 W., W. M., in the county of Jackson

5. The Ditch Pipe line to be 7/8 mile 575 feet in length, terminating in the SW 1/4 NE 1/4 of Sec. 24, Tp. 36 S.

R. 1/4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate direct from stream

(c) If water is to be pumped give general description 8" Fairbanks Morris 20 H.P. electric; total lift 17 feet

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom 2 feet; depth of water 1. to 2. feet; grade 2 feet fall per one thousand feet.

(b) At $\frac{1}{2}$ miles from headgate: width on top (at water line) 2 feet; width on bottom 1.5 feet; depth of water 1.5 feet; grade 2 feet fall per one thousand feet.

(c) Length of pipe, 575 ft.; size at intake, 12 in.; size at ft. from intake in.; size at place of use 12 in.; difference in elevation between intake and place of use, 47 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	4 W.	24	SE $\frac{1}{4}$ NE $\frac{1}{4}$	15.9
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	19.2
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	13.9
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	1.8
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	2.5
				<u>53.3</u>
Property Description as copied from Deed				
Hazel Wood, W. J. Messenger & Bennett Swanton, Trustees				
For				
H. C. Messenger and Bessie L. Messenger, husband & wife				
To				
Mabel A. McCollum and Geo. W. McCollum, husband & wife.				
The South Half of the Northwest Quarter and Lots 6 and 7 in				
Section 24, Township 36 South, Range 4 West of the Willamette				
Meridian, Jackson County, Oregon				

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised Hay, pasture & vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....3,000.00.....

12. Construction work will begin on or beforeOne year from date of priority.....

13. Construction work will be completed on or beforetwo years from date of priority.....

14. The water will be completely applied to the proposed use on or beforeThree years from
date of priority.....

(Sgd) Geo. W. McCollum
(Signature of applicant)

Gold Hill Ore.
Rt. 1 Bx 212

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22702

Permit No. 17846

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of July, 1947, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

September 30, 1947

Recorded in book No. 44 of

Permits on page 17846

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 60 B

Fees Paid \$18.60

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rogue River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 16, 1947

Actual construction work shall begin on or before September 30, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 30th day of September, 1947.

CHAS. E. STRICKLIN STATE ENGINEER