

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Lloyd H. Morris (Name of applicant)
of Central Point Box 213 (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is N. Fk. Harris Creek, tributary of
(Name of stream)
Harris Creek, a tributary of Pacific Ocena

2. The amount of water which the applicant intends to apply to beneficial use is 0.10
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 650 ft. S. and 2050 ft. E. from the NW.
(N. or S.) (E. or W.)
corner of Sec. 36
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 36, Tp. 40S,
(Give smallest legal subdivision) (N. or S.)

R. 11W, W. M., in the county of Curry
(E. or W.)

5. The pipe for sprinkling system to be 1850 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NW 1/4 of Sec. 36, Tp. 40S,
(Smallest legal subdivision) (N. or S.)

R. 11W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 30 feet, length at bottom
20 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry,
spill over dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate direct
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4" cent. powered by 30 H.P.
(Size and type of pump)
Gas engine total lift 100 feet.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1850 ft.; size at intake, 4 in.; size at 150 ft. from intake 3 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? Yes Estimated capacity, sec. ft. sprinkling system

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
40S	11W	36	of Lot 12D NE 1/4 NW 1/4 Lot. 12C+ pt. 1.57 irrigation	
			SE 1/4 NW 1/4 Lot 12 D 2.17 irrigation	
				3.74
Description for Geo. R. Moore TRACT 18				
In Mooreland Subdivision of Dawson Tracts				
That certain tract of land, consisting of 1.0 acre lying in the Northeast 1/4 of the Northwest 1/4 of Fractional Section 36, Township 40 South, Range 11 West of the Willamette Meridian, in Curry County, Oregon, described as follows:				
Beginning at an iron pipe driven at a point due South 1162.0 feet from a point that bears North 88°-21' East 1366.8 feet from the Northwest corner of said Section 36.				
Thence due South 132.0 feet to an iron pipe.				
Thence North 88°-21' East 330.0 feet to an iron pipe.				
Thence due North 132.0 feet to an iron pipe.				
Thence South 88°-21' West 330.0 feet to the place of beginning.				
30 ft. wide on East side				
Also an easement/for right of way purposes to Dawson Road.				

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil sandy loam loose
 (b) Kind of crops raised bulbs & garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 2000.00.....

12. Construction work will begin on or before one year from date of priority.....

13. Construction work will be completed on or before 2 yrs. from date of priority.....

14. The water will be completely applied to the proposed use on or before 3 yrs. from date of priority.....

(Sgd) Lloyd H. Morris

(Signature of applicant)

Box 243 - Central Point, Oregon

Remarks: (Continued from Item 8)

Description for Geo. R. Moore

TRACT 19

In Mooreland Subdivision of Dawson Tracts

That certain tract of land, consisting of 2.74 acres more or less, lying in the East 1/2 of the Northwest 1/4 of fractional Section 36, Township 40 South, Range 14 West of the Willamette Meridian, in Curry County, Oregon, described as follows:

Beginning at an iron pipe driven at a point due South 1294.0 feet from a point that bears North 88°-21' East 1366.8 feet from the Northwest corner of said Section 36.

Thence due South 272.8 feet to an iron pipe.

Thence North 71°-10' East 923.3 feet to an iron pipe.

Thence South 88°-21' West 874.2 feet to the place of beginning.

Also an easement for right of way purposes to the Oregon Coast Highway.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. ...22710.....

Permit No.17849.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the22nd day of ...July.....,

1947... at 1:00 o'clock ...P. ... M.

Returned to applicant:

Corrected application received:

Approved:

September 30, 1947

Recorded in book No. ...44..... of

Permits on page ...17849.....

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. ...15..... Page 2 D

Fees Paid ...\$15.00.....

PERMIT

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed0.05..... cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from North Fork Harris Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th..... of one cubic foot per
second ...or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 22, 1947

Actual construction work shall begin on or before September 30, 1948 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1949

Complete application of the water to the proposed use shall be made on or before
October 1, 1950

WITNESS my hand this 30th day of September, 1947

CHAS. E. STRICKLIN

STATE ENGINEER