

50494  
569

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. Bert Nelson (Name of applicant) of Eagle Point (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Baker Gulch, & runoff from E.P.I.D., (Name of stream) Little Butte Creek, a tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 97 ft. S (N. or S.) and 1100 ft. E (E. or W.) from the NW 1/4 corner of Section 32 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 (Give smallest legal subdivision) of Sec. 32, Tp. 35S (N. or S.), R. 1E (E. or W.), W. M., in the county of Jackson

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the SW 1/4 SE 1/4 (Smallest legal subdivision) of Sec. 31, Tp. 35S (N. or S.), R. 1E (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 36 feet, length at bottom 25 feet; material to be used and character of construction lumber & cement with removable uprights and flashboards (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2 x 2 x 10 lumber regulation box (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... 2 ..... feet; width on bottom ..... 15 ..... feet; depth of water ..... .4 to .8 ..... feet; grade ..... 2 ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S	1 E	32	NW 1/4 SW 1/4	2 acres
		31	NE 1/4 SE 1/4	8 acres
		31	NW 1/4 SE 1/4	5 acres
		31	SW 1/4 SE 1/4	15 acres
				30
			WARRANTY DEED	
			R. W. Phillips et ux, to Bert Nelson Jackson County Deed Records, V.250, Pp 140.	
<p>The Southwest Quarter of the Northeast Quarter, and the West Half of the Southeast Quarter, and the Northeast Quarter of the Southeast Quarter, except that part deeded in Deed Book 153, Page 487, Deed Records of Jackson County, Oregon, all in Section 31, Township 35, South Range One (1) East of the Willamette Meridian, Jackson County, Oregon, Also, Commencing at the Quarter Section corner between Sections 31 and 32, running thence South 10 chains; thence in a Northeasterly direction to a point 20 feet South of the Northeast corner of the Northwest Quarter of the Southwest Quarter of Section 32,</p>				

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil ..... sticky .....

(b) Kind of crops raised ..... meadow and hay .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal Subdivision)

Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200.00 .....
- 12. Construction work will begin on or before one year from date of priority. ....
- 13. Construction work will be completed on or before 2 years from date of priority. ....
- 14. The water will be completely applied to the proposed use on or before 3 years from date of priority. ....

(Sgd) Mrs. Bert Nelson  
(Signature of applicant)

Eagle Point, Oregon.

Remarks: (Continued from Item 8) .....

Township 35 South of Range One (1) East of the Willamette Meridian, Jackson County, Oregon, thence West 20 chains to the point of beginning,

Also, beginning 288 feet East from the Northwest corner of the Southeast Quarter of the Southeast Quarter of Section 31, Township 35, South Range One (1) East, thence West 288 feet; thence South 470 feet to a road; thence East 50 feet; thence North 40 feet; thence in a Northeasterly direction along Baker Gulch, excluding said Gulch, to the point of beginning.

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

Application No. 22763

Permit No. 17868

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of August, 1947 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 30, 1947

Recorded in book No. 44 of Permits on page 17868

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 32 A.

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Baker Gulch

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 18, 1947

Actual construction work shall begin on or before September 30, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 30th day of September, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER