

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, North Bayside Cooperative Water District
(Name of applicant)
of North Bend, Oregon, L. Enard Abrams, Secretary, Rte. 1, Box 140
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named Creek
(Name of stream)
, a tributary of Coos Bay
2. The amount of water which the applicant intends to apply to beneficial use is 0.4
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic use
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of _____
(Section or subdivision)
N. 47° 23' E. 1755.0 feet from the 1/4 section corner on the south
boundary of Section 35, Twp. 24 S., Rge. 13 W., W. M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SE 1/4 of Sec. 35, Tp. 24 S.,
(Give smallest legal subdivision) (N. or S.)
R. 13 W., W. M., in the county of Coos
(E. or W.)

5. The main pipe line to be 2480 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Lot 2 of Sec. 2, Tp. 25 S.,
(Smallest legal subdivision) (N. or S.)
R. 13 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)
with two branches totalling 4225 feet in length, terminating one in Lot 2
and the other in Lot 1, both in the said Section 2.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 10 feet, length on top 36 feet, length at bottom
6 feet; material to be used and character of construction earth fill with a
(Loose rock, concrete, masonry,
timber spillway over the top on the dam
rock and brush, flmber crib, etc., wasteway over or around dam)
- (b) Description of headgate Water will be pumped up to reservoir on top of hill
(Timber, concrete, etc., number and size of openings)
from settling basin above dam
- (c) If water is to be pumped give general description 10 H.P. electric pump,
(Size and type of pump)
automatically controlled by a float in the reservoir on top of hill which will
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
be 230 feet above the dam.

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, 5700 ft.; size at intake, 6" in.; size at pump discharge, 4" in.; size at place of use, 4" in.; difference in elevation between intake and reservoir, 230 ft. Is grade uniform? No. Estimated capacity, 0.4 sec. ft. 6" line, branching into two 3" lines totalling 3225 feet, with smaller service lines branching off as required

8. Location of area to be irrigated, or place of use Lots 1, 2 and 3, and NW 1/4, NE 1/4, Section 2, Twp. 25 S., Rg. 13 W.,

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Includes handwritten location details for Northwest quarter (NW 1/4) and West one-half of the Northwest one-quarter of the Northeast one-quarter (W 1/2 - NW 1/4 - NE 1/4) of Section 2.

(If more space required, attach separate sheet)

(a) Character of soil ...
(b) Kind of crops raised ...

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.
(b) Quantity of water to be used for power ... sec. ft.
(c) Total fall to be utilized ... feet.
(d) The nature of the works by means of which the power is to be developed ...

(e) Such works to be located in ... of Sec. ...

Tp. ..., R. ..., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ...
(Yes or No)

(g) If so, name stream and locate point of return ...
Sec. ..., Tp. ..., R. ..., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is ...

(i) The nature of the mines to be served ...

Municipal or Domestic Supply—

10. (a) To supply ~~the city of~~ a part of the village of Glasgow.....
Coos County, having a present population of 70
(Name of) and an estimated population of 150 in 1950.

(b) If for domestic use state number of families to be supplied 30 if water is available in sufficient amount.
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 10000.00
- 12. Construction work will begin on or before January 1, 1948
- 13. Construction work will be completed on or before January 1, 1949
- 14. The water will be completely applied to the proposed use on or before January 1, 1949

North Bayside Cooperative Water Dist.
By, (Sgd) L. Enard Abrams Secretary
(Signature of applicant)

Remarks: The plan of the applicants herein is to construct the system outlined, making use of all of the water available from the stream filed upon, and adding members to the original group so as to use all water available. Numerous owners of tracts within the district are ready to build homes if water is available. It is probably that the amount of water requested is greater than flows in the stream during the driest season, but due to the scarcity of water in the community, they desire to develop the maximum amount available. The water will flow by gravity from the concrete reservoir to the places of use, the maximum fall being approximately 250 feet. Glasgow village is not incorporated.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22658

Permit No. 17885

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of June

1947 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 44 of

Permits on page 17885

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 10 C

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 20, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 3rd day of July, 1947

CHAS. E. STRICKLIN STATE ENGINEER