11, mon in 26283

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Andrew T. Bestul (Name of applicant)
of, (Mailing address)
(Malling address) State of, do hereby make application for a permit to appropriate th
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is North Fork of the Coquille River
(Name of stream) , a tributary of Coquille River
2. The amount of water which the applicant intends to apply to beneficial use is 0.84
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located
corner of the NE dof the Swd of Section 15, T. 28 S. R. 12 W. W. M. One inch pipe (Section or subdivision)
reference post stands 799 ft. North and 2567 ft. East from the same point.
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Lot 6 of Sec. 15 , Tp. 28 S (Give smallest legal subdivision) (N. or S.)
R. 12 W., W. M., in the county of Coos.
5. The pipe line portable to be 2250 ft (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE_{4}^{\pm} of the SW_{4}^{\pm} of Sec. 15 , Tp. 28 S. (Smallest legal subdivision) (N. or S.)
R. 12 N. W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of damnone feet, length on top feet, length at bottom
feet; material to be used and character of construction(Loose rock, concrete, mason;
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description 3 inch centrifugal pump powered (Size and type of pump)
by 30 horse gasolene engine operationg 32 sprinkler heads (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

Canal System or	Pipe Line—
-----------------	------------

dgate. At hea				•
usand feet.	feet; depth of wo	iter	feet; grade	feet fall per or
	•	miles from he	eadgate: width on top (at wo	ater line)
	feet; width on b	oottom	feet; depth o	f water fee
de	feet fall	per one thou	sand feet.	
				in.; size at2250
				difference in elevation betwee
		J b. 1	s grade unijorm:	Estimated capacit
1.1				
8. Location	n of area to be in	Section	Forty-acre Tract	Number Acres
	Range	Section	Forty-acre Tract	To Be Irrigated
28 S.	12 W.	15	Lot 7	<u>.</u> 5
28 S.	12 W.	15	Lot 6	
28 S.	12 W.	15	SE ¹ , NW ¹ / ₄	25
28 S.	12 W.	15	NE 4, SW4	23 .0 66.75
************************				66.75
	·			
		:		
······				
			required, attach separate sheet)	
(a) Charac	cter of soilsa	indy loam	•••••••••••••••••••••••••••••••••••••••	······································
(b) Kind o	of crops raised	corn, sma	ll grain, clover, past	ure.
wer or Mining	-		_	
			-	theoretical horsepow
(b) Qu	antity of water t	to be used for	power	sec. ft.
(c) Tot	al fall to be utili	zed	(Head)	
(d) The	e nature of the w	orks by mean	s of which the power is to b	e developed
(e) Suc	h works to be lo	cated in	(Year) Cub Medican	of Sec
	, R(No. E.			
			ream?	
			(Yes or No)	
				, R, W, W
(h) The	e use to which p	ower is to be	applied is	
	***************************************	***************************************		

	or Domestic Supply—
	(a) To supply the city of
(
nd an esti	mated population of in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$.4000.00
12.	Construction work will begin on or before Sept. 15, 1947
	Construction work will be completed on or before Sept. 30, 1947
	The water will be completely applied to the proposed use on or before Sept. 30, 1950
	The waren was de compressed approach to the proposed also one of cojoro
	(Sgd) Andrew T. Bestul (Signature of applicant)
Rem	arks:

	of Marion,
This	is to certify that I have examined the foregoing application, together with the accompan
aps and d	lata, and return the same forcompletion
	der to retain its priority, this application must be returned to the State Engineer, with co
	before September 27 , 194.7.
ons on or	
•	NESS my hand this 27th day of August , 1947

By Ed K. Humphrey, Assistant

Application No.	22783
Permit No	17944

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in office of the State Engineer at Salem, Ore	
	on the 25th day of August	·······
	194.7 at8:00o'clock M.	
	Returned to applicant:	
	Corrected application received:	•••••
	Approved: January 15, 1948	·······
	Recorded in book No. 144 Permits on page 17944	•
	CHAS. E. STRICKLIN STATE ENGIN	
	Drainage Basin No. 17. Page 22 Fees Paid \$20.55	<u>C</u>
STATE OF OREGON,)	PERMIT	
County of Marion, This is to certify th SUBJECT TO EXISTING	ss at I have examined the foregoing application RIGHTS and the following limitations and contents inted is limited to the amount of water which	conditions:
-	.0.84 cubic feet per second measured	• •
	n case of rotation with other water users, fro	•
The use to which th	is water is to be applied isirrigation	
second or its equival	appropriation shall be limited to1/80th Lent for each acre irrigated and sha exceed 2½ acre feet per acre for eac	11 be further limited to a
irrigation season of	each year,	
	ch reasonable rotation system as may be ord	
The priority date of	this permit is August 25, 1947	
•	work shall begin on or beforeJanuary	
	vith reasonable diligence and be completed o	
· .)	•
Complete applicatio	n of the water to the proposed use shall be n	nade on or before
•	this15th day ofJanuary	194 8
WIIITEDD ING NANA	-	
	CHAS. E. STRIC	TALLETA