* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I	, Nathan	C. Tysver		(DT					
- .	Medford	<u>1</u>		(Name of a		8			
ој		(Mailing address)							
State o	f Orego	on		, do hereby	y make aj	pplication	for a p	ermit to a	ppropriate the
followi	ng described	l public waters	of the Stat	e of Orego	n, SUBJ	ECT TO	EXISTI	NG RIGH	TS:
I	f the applica	ınt is a corporat	ion, give do	ite and pla	ce of inc	orporation	n		
1	. The sourc	e of the propose	d approprie	ıtion isp	rivate	spring	Name of str	eam)	
		c Watershed							
2	?. The amou	nt of water whi	ch the appl	icant inten	ds to app	oly to ben	eficial u	se isQ.	02
cubic fe	eet per secon	ıd	(If water	is to be used fro	m more than	one source, g	 Ive quantity	from each)	
		o which the wat			Domes	tic			c supplies, etc.)
		of diversion is					ft	. or W.)	n the E 1/4
corner	ofSec.	. 26	••••••	(Section	or subdivision	n)			
	•	If there is more than one	_	on, each must b	oe described.	Use separate s		• •	
		NWA SEA (Give sm					20	, Tp	(N. or S.)
C	E. or W.)	M., in the count					1000 0		
5	5. The	pipe line	tah canal or nin			. to be	1000 1	et (Miles or fee	
in lena	th, terminati	ing in theNW	LI, CANAL OF PIP		o	of Sec	26	Tp	37 S.
		., W. M., the prop							
			DESC	RIPTION (OF WOR	KS			
Diversi	ion Works—								
6	6. (a) Heigh	nt of dam		feet, leng	th on to	p		feet, len	gth at bottom
•	fe	et; material to b	e used and	character (of constr	uction		(Loose rock	k, concrete, masonry,
rock and b	concrete	box 4 x 3! etc., wasteway over or	by 3! dee	эр				****************	······
(b) Descript	ion of headgate							
(c) If water	is to be pumped							
		(Size and type	e of engine or mo	otor to be used,	total head wa	ter is to be lif	ted, etc.)		•••••••••••

^{*}A different form of application is provided where storage works are contemplated.

	,					
Canal System or 1 7. (a) Giv	-	t each point of	canal where materially ch	anged in size, stating miles from		
headgate. At hea	dgate: width or	n top (at water	line)	feet; width on bottom		
thousand feet.				feet fall per one		
		-	•	vater line)		
				of water feet;		
grade		_	•			
				in.; size at ft.		
				; difference in elevation between		
* ,			•	S Estimated capacity,		
***************************************	•					
				Number Acres		
Township	Range	Section	Forty-acre Tract	To Be Irrigated		
37 S.	1.W	26	NWa SEA	2 domestic uses		
	<u>LAN</u>	D DESCRIPTION	N COPIED FROM MORTGA	<u>GE</u>		
less) to the or less to said center Lots 1 and Township 37 Southeast quarter of township 37 Southeast quarter of township 370.8 feet South 51-1 said Section in said Country and the said section in said Country and the said section in said Country (a) Character (a) Character (a) Character (a) Character (b) South 51-1 said Section in said Country (a) Character (b) Character (c) C	e center of the North an line 375 fe 2, Monitor 0 South, Rang uarter of sa e 851.4 feet he tract of nty, Oregon; to the Nort L East alon n 20; thence nty Road alo apted theref n tract of 1 ian in Jacks eter of soil	the County I d South Cent et (more or rchard Trace e 1 West of id Section, thence North heasterly ling said road North on saing the East rom. Except and in Section County, County, County, County, County	Road, thence South 51 ter line of said Sect less) to the point of the less. Beginning at the the W.M. being the N and running North 88 th 00 - 07' East 1,1 and in Vol. 206 at Paper 1,1 west on the line of the County Road line 2447 feet to the id center line 375 feline of above tract, ing that part, comment on 26, Township 37 Selegon, as said tract required, attach separate sheet	n line 475 feet (more or 11' East 600 feet more ion 26, thence North along f beginning, being part of center of Section 26, in orthwest corner of the 34' East on the center 17.5 feet to the Northeast ge 607, Deed Records of a North line of said tract d known as Cherry Lane; the North and South center limet to the place of beginning which said land in said Concing at the Northwest corn buth, Range 1 West of the Walls described in that certa (Continued under Remark	ne throughing, unty er of illa-	
Power or Mining						
				theoretical horsepower.		
(b) Quantity of water to be used for power sec. ft.						
(c) Total fall to be utilized feet.						
(d) The	e nature of the	works by mean	s of which the power is to	be developed		
				of Sec,		
Tp. (No. N. or S.)						
(f) Is water to be returned to any stream?(Yes or No)						
(g) If s	so, name stream	n and locate po	int of return			
		, Sec	, Tp(No. N. or	, R, W. M. (No. E. or W.)		

(i) The nature of the mines to be served

STATE ENGINEER

Municipal or Domestic Supply—	
10. (a) To supply the city of	·····
	sent population of
and an estimated population of	
(b) If for domestic use state number of	of families to be suppliedtwo
(Answer questions 1	11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$30	00.00
12. Construction work will begin on or befo	ore one year from date of date of priority
	on or before two years from date of priority
14. The water will be completely applied to	o the proposed use on or before three years from
date of priority	
	(Sgd) Nathan C. Tysver
	(Sgd) Nathan C. 'Tysver' (Signature of applicant)
	R. 4- Box 168 A Medford
Ramarks: (Continued from Item 8)
Oregon, and from said point running the tract, 110h feet; thence Southerly, at said tract, 845 feet, more or less. to laid out. established and used as a Court	at Page 354, Deed Records of Jackson County, nce Easterly, along the Northerly line of said right angles to the said Northerly line of the Easterly side line of Cherry Lane, as now nty Road in said Section, Township and Range; storly side line of the said Cherry Lane.
1343 feet, more or less, to the point of (Some of this doesn't closs LAND DESCRIPTION) Beginning at an iron pipe monument which East of the Section corner common to Se Range 1 West of the Willamette Meridian 324.54 feet; thence South or 44 East, of the County Road (commonly known as Cluster along said Northerly line of to the point of beginning.	copied from Morrace h bears South 2607.41 feet and 2312.52 feet etion 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 51 -07' West, of road; thence North o -53' East, 95.61 feet
1343 feet, more or less, to the point of (Some of this doesn't closs LAND DESCRIPTION) Beginning at an iron pipe monument which East of the Section corner common to Se Range 1 West of the Willamette Meridian 324.54 feet; thence South 0 44 East, of the County Road (commonly known as Cluster along said Northerly line of to the point of beginning.	f beginning. e by a mile + CAS) COPIED FROM MORTGAGE th bears South 2607.41 feet and 2312.52 feet estion 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 51 -07' West, of road; thence North o -53' East, 95.01 feet
1343 feet, more or less, to the point of (Some of this doesn't closs LAND DESCRIPTION) Beginning at an iron pipe monument whice East of the Section corner common to Section the Section corner common to Section 324.54 feet; thence South 05 44 East, of the County Road (commonly known as Cluster along said Northerly line of the point of beginning.	f beginning. e by a mile + CAS) COPIED FROM MORTGAGE th bears South 2607.41 feet and 2312.52 feet estion 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 51-07' West, of road; thence North 0-53' East, 95.01 feet
1343 feet, more or less, to the point of (Some of this doesn't closs) LAND DESCRIPTION (Some of the Section corner common to Section corner common to Section corner common to Section 324.54 feet; thence South 0° 44 East, of the County Road (commonly known as Clussell feet along said Northerly line of the point of beginning.	f beginning. e by a mile + CAS) COPIED FROM MORTGAGE the bears South 2607.41 feet and 2312.52 feet etion 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 51 -07' West, of road; thence North o -53' East, 95.61 feet
1343 feet, more or less, to the point of (Some of this doesn't clos) LAND DESCRIPTION of LAND DESCRIPTION of LAND DESCRIPTION of LAND DESCRIPTION of the Section corner common to Series and the Section corner common to Series and Land of the Williamette Meridian 324.54 feet; thence South Or 141 East, of the County Road (commonly known as Characteristic along said Northerly line of to the point of beginning. STATE OF OREGON, County of Marion,	f beginning. e by a mile + CAS) COPIED FROM MORTGAGE the bears South 2607.41 feet and 2312.52 feet etion 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 51 -07' West, of road; thence North o -53' East, 95.61 feet
1343 feet, more or less, to the point of (Some of this doesn't closs) LAND DESCRIPTION (Some of the Milliam at an iron pipe monument whice East of the Section corner common to Section corner common to Section 324.54 feet; thence South Or 44 East, of the County Road (commonly known as County of the point of beginning. STATE OF OREGON, County of Marion, as Section 1.58 STATE OF OREGON, County of Marion, as Section 1.58 This is to certify that I have examined the	f beginning. e by a mile ± CAS) COPIED FROM MORTGACE the bears South 2607. 11 feet and 2312.52 feet letion 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 51 -07! West, if road; thence North 6 -53! East, 95.01 feet foregoing application, together with the accompanying
1343 feet, more or less, to the point of (Some of this doesn't clos LAND DESCRIPTION) Beginning at an iron pipe monument whice East of the Section corner common to Section the Section corner common to Section 1324.54 feet; thence South 0 let East, of the County Road (commonly known as Classical Northerly line of the point of beginning. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for	f beginning. e by a mile ± CAS) COPIED FROM MORTGACE the bears South 2607. 11 feet and 2312.52 feet letien 22, 23, 26 and 27, Township 37 South, in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry lane); run thence North 512-07! West, of road; thence North 6253 East, 95.61 feet foregoing application, together with the accompanying
1343 feet, more or less, to the point of (Some of this doesn't clos LAND DESCRIPTION) Beginning at an iron pipe monument which East of the Section corner common to Section for the Willamette Meridian 324.54 feet; thence South 0 let East, of the County Road (commonly known as Classification of the point of beginning. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for	f beginning. e by a mile ± CAS) COPIED FROM MORTGAGE th bears South 2607.41 feet and 2312.52 feet retion 22, 23, 26 and 27, Township 37 South, a in Jackson County, Oregon; run thence East, 370.53 feet to the Northerly right of way line therry Iane); run thence North 51~-07' West, of road; thence North 6~-53' East, 95.61 feet foregoing application, together with the accompanying tion must be returned to the State Engineer, with correction must be returned to the State Engineer, with correc-

Application No	22813
Permit No	17958

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	= he
	on the 10th day of September	,
	194 7 at 1:00 o'clock A. M.	
	Returned to applicant:	=
	Corrected application received:	
	Approved:	
	January 15, 1948	
	Recorded in book No. 111.	of
	Permits on page17958	
	CHAS. E. STRICKLIN STATE ENGINEER	••••
	Drainage Basin No. 15 Page 24	-
	Fees Paid \$20.00	
STATE OF OPECON)	PERMIT	
STATE OF OREGON, County of Marion,	•	•
This is to certify that SUBJECT TO EXISTING R	I have examined the foregoing application of IGHTS and the following limitations and control of the control of	ditions:
•	ted is limited to the amount of water which o	
	2 cubic feet per second measured at	
stream, or its equivalent in	case of rotation with other water users, from	a spring
The use to which this	water is to be applied isdomestic	
second	ppropriation shall be limited to	······
•	reasonable rotation system as may be ordere	
• •	is permit is September 10, 1947	
Actual construction w	ork shall begin on or beforeJanuary 15	, 1949 and shall
•	h reasonable diligence and be completed on or 1950	r before
	of the water to the proposed use shall be mad	e on or before
October 1,	1951	
WITNESS my hand th	is 15th day of January	, 194.8
.		
Permits for nower development as	CHAS, E., See subject to the payment of annual fees as provided in section	STATE ENGINEER