

22463

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ray Albright (Name of applicant) of Dayton Rt. 1 (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Yamhill River (Name of stream), a tributary of Willamette R.

2. The amount of water which the applicant intends to apply to beneficial use is 0.49 + 0.09 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2000 ft. S and 150 ft. W from the NE corner of Sec. 16, T. 4 S., R. 3 W., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 & SE 1/4 of Sec. 16, Tp. 4 S., R. 3 W., W. M., in the county of Yamhill

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" cent & 2 2" cent (Size and type of pump) 7 1/2 HP and 2 10 HP elec. motors (Size and type of engine or motor to be used, total head water is to be lifted, etc.) 30 12 gpm sprinklers

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	3 W	10	SW ¹ / ₄ SW ¹ / ₄	6
		15	NW ¹ / ₄ NW ¹ / ₄	22
			SW ¹ / ₄ NW ¹ / ₄	3
		16	NE ¹ / ₄ NE ¹ / ₄	1
			SE ¹ / ₄ NE ¹ / ₄	<u>1 1/4</u>
				46

(If more space required, attach separate sheet)

(a) Character of soil Willamette

(b) Kind of crops raised Vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3500⁰⁰
- 12. Construction work will begin on or before Has been commenced
- 13. Construction work will be completed on or before Two years after approval
- 14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) Ray Albright

(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 26, 1947.

WITNESS my hand this 26th day of August, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER

By

Ed K. Humphrey, Assistant

Application No. 22557

Permit No. 17970

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of May, 1947 at 1:40 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

January 15, 1948

Recorded in book No. 141 of

Permits on page 17970

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 86

Fees Paid \$12.40

PERMIT

STATE OF OREGON,

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.58 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 22, 1947 for 0.49 c.f.s., October 17, 1947 for 0.09 c.f.s.

Actual construction work shall begin on or before January 15, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 15th day of January, 1948

CHAS. E. STRICKLIN

STATE ENGINEER