

APPROPRIATE NO. 20071

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Edward J. Coover (Name of applicant) of 1112 S. Madison St., Silverton, Ore. (Mailing address), State of Ore., do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Silver Creek (Name of stream), a tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1127 ft. S. and 534 ft. W. from the NE 1/4 corner of Sec. 2, T. 7 S., R. 1 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 2, Tp. 7 S., R. 1 W., W.M., in the county of Marion

5. The Pipe Line to be 500 ft. in length, terminating in the of Sec. , Tp. , R. , W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 inch pump 3 sprinklers -- details not determined (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake,  $1\frac{1}{4}$  in.; size at 1 inch outlet from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	1 W	2	NE $\frac{1}{4}$ NW $\frac{1}{4}$	1 $\frac{1}{4}$
Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point where the Westerly line of Madison Street Extended intersects with the Southeasterly line of a 1.09 acre tract of land described in a deed recorded in Marion County, Oregon, Records, Book of Deeds, Volume 224, Page 32; said point being 19.49 chains South, 97 links North 55° 30' East, 40.00 feet North 33° 32' West and South 55° 30' West 380.00 feet from the quarter section corner between Sections 2 in Township 7 S. of Range 1 West and Section 35 in Township 6 South of Range 1 West of the Willamette Meridian; thence South 55° 30' West 145.00 feet; thence North 48° 55' West 90.7 feet; thence North 55° 30' East 167.7 feet to the Westerly side of said Madison Street extended; thence South 33° 32' East 88.3 feet to the place of beginning; all situate in Marion County, State of Oregon  Beginning at a point 19.49 chains South, 97 links North 55° 30' East, 40 feet North 33° 32' West and South 55° 30' West 210 feet from the Quarter Section corner between Sections two (2) in Township Seven (7) South of Range (1) West and Thirty-Five (35) in Township Six (6) South of Range One (1) West of the Willamette Meridian; thence South 55° 30' West 120 feet to the Northernly line of Madison Street extended; thence North 33° 32' West 88.3 feet; thence North 55° 30' East 120 feet; thence South (Continued under Remarks)				

(If more space required, attach separate sheet)

(a) Character of soil ..... Heavy

(b) Kind of crops raised ..... Gardens

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250<sup>00</sup>.....

12. Construction work will begin on or before One year after approval.....

13. Construction work will be completed on or before Two yrs " ".....

14. The water will be completely applied to the proposed use on or before 3 yrs " ".....

(Sgd) Edward J. Coover  
(Signature of applicant)

Remarks: This is to be used only as an irrigation system of the gardens for  
two families during dry weather.

(Continued from Item 8)  
33<sup>2</sup> 32<sup>1</sup> East 88.3 feet to the place of beginning, all situated in Marion County,  
State of Oregon.

This conveyance is made subject to any liens or encumbrances created or  
suffered by the grantees herein who held said premises by virtue of a contract of  
sale subsequent to the 24th day of December, 1945.

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for ..... completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before October 9....., 1947.

WITNESS my hand this 9th day of September, 1947.

CHAS. E. STRICKLIN  
STATE ENGINEER

By Ed K. Humphrey Assistant

Application No. 22608

Permit No. 17972

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of June, 1947 at 1:50 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 15, 1948

Recorded in book No. 44 of Permits on page 17972

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 38 I

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Silver Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 4, 1947

Actual construction work shall begin on or before January 15, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 15th day of January, 1948

CHAS. E. STRICKLIN

STATE ENGINEER