16981

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	I, Walter Berg
of	(Name of applicant)
	(Mailing address)
State	of, do hereby make application for a permit to appropriate t
follo	ring described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is Butte Creek (Name of stream)
	, a tributary of Pudding River
	2. The amount of water which the applicant intends to apply to beneficial use is $Q_*38$
cubic	feet per second(If water is to be used from more than one source, give quantity from each)
Ī	3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	4. The point of diversion is located 1300 ft. S and 500 ft. E from the NV.
corne	of Sec. 5, T. 6.S., R. 1.E., W. M. (Section or subdivision)
	(Section or subdivision)
	(If preferable, give distance and bearing to section corner)
bein	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  within the
к	(E. or W.)
	5. The
in lei	gth, terminating in the of Sec, Tp
R	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Dive	sion Works—
	No dam 6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
	brush, timber crib, etc., wasteway over or around dam)
10011 111	(b) Description of headgate
	(Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description 1: cent pump (Size and type of pump)
	(Size and type of pump)  9 HP gas engine (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  15 8 gnm snrinklers 20 ft. static head
	in in Unio Shrink lars 20 II. II. Static hoad

7. (a) Giv	e dimensions a	it each point of	canal where materially che	•
eadgate. At hea	dgate: width o	n top (at water	line)	feet; width on bottom
	feet; depth of ı	vater	feet; grade	feet fall per one
housand feet.				vater line)
		•		of water feet;
rade			, , -	·, ·····,
		-		in.; size at ft.
				difference in elevation between
		<u>-</u>		Estimated capacity,
		jo, <b>r</b>	s grade uniform.	Dountaieu capacing,
	•	irrigated or nl	lace of use	
Township	Range	Section Section	Forty-acre Tract	Number Acres To Be Irrigated
	7 F	ς	NH NW	20
			NVA NVA	<u>10</u> 30
taining 17.53 State of Oreg	acres of lagon.	rods; then	nce North 70½ rods to less, and situated in	the place of beginning, con the County of Clackamas and the Northeast corner of the
taining 17.53 State of Oreg  ALSO: Beginni West Half of East of the W thence South East Ten rods and one half	acres of lacon.  ng at a pointhe NorthWest Forty rods; thence Noracres of lacon acres of the William acres of the	rods; then and, more or twhich is truarter of thence West the sixteen of the sixt	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six and the Clackamas County of the Clackamas Co	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range One gon; thence East Twenty rods North twenty Four rods; the beginning and containing Six South and in Section Five (county, Oregon.
taining 17.53 State of Oreg  ALSO: Beginni West Half of East of the W thence South East Ten rods and one half	acres of lacon.  ng at a pointhe NorthWest Forty rods; thence Noracres of lacon acres of the William acres of the	rods; then and, more or at which is the cuarter of the cuarter of the cuarter of the cuarte was all situated	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six and the Clackamas County of the Clackamas Co	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range One gon; thence East Twenty rods North twenty Four rods; the beginning and containing Stauth and in Section Five (
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas	acres of lacon.  ng at a pointhe NorthWest Forty rods; thence Northwest of lacondary of the William acres of lacondary of the William acres of the William a	rods; then and, more or at which is st quarter of cridian, in (statement of the sixteen in all situal lamette Meri	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six and in Clackamas County, i	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range One gon; thence East Twenty rods North twenty Four rods; the beginning and containing Six South and in Section Five (county, Oregon.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac	acres of lacon.  ng at a pointhe NorthWest Forty rods; thence Northwest of Lacondaries of Lacondaries of the William Cares of Soil	rods; then and, more or the which is st quarter of thence West thence with sixteen ind, all situal lamette Meri	ten (10) rods east of Section Five in Town lackamas County, Orego to Thirty rods; thence rods, to the place of ated in Township Six and in Clackamas County at the control of the county of the control of the county of the count	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Six South and in Section Five (bounty, Oregon.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining	acres of lacon.  ng at a pointhe NorthWest Forty rods; thence Northwest of Lacondarres of Lacondarres of Lacondarres of the Willer of the Willer of crops raised.  Purposes—	rods; then and, more or twhich is st quarter of eridian, in (statement of the sixteen of the six	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six and in Clackamas County, in Clackamas County, in Clackamas County attach separate sheet)  required, attach separate sheet)  cam Willamette  berries	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Six South and in Section Five (bounty, Oregon.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Tot	acres of lacon.  Ing at a poir the NorthWest illamette Mere Forty rods is thence Northwest of the Williamett of the Williamett of the Williamett of the Williamett of soil	rods; then and, more or twhich is to the eridian, in (second the sixteen of the s	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six and in Clackamas County, in Clackamas County, in Clackamas County attach separate sheet)  required, attach separate sheet)  cam Willamette  berries	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods, the beginning and containing Stouth and in Section Five (bounty, Oregon.  theoretical horsepower.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Qua	acres of lacon.  ng at a pointhe NorthWest illamette Me Forty rods; thence Northwest of the Williameter of Ian acres of Ia	rods; then and, more or twhich is st quarter of eridian, in (street western in the sixteen in th	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six and in Clackamas County at the control of the county of the control of the county	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods, the beginning and containing Stouth and in Section Five (bounty, Oregon.  theoretical horsepower.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Total (b) Qua (c) Total	acres of lacon.  Ing at a poir the NorthWest illamette Me Forty rods; thence Noracres of laconst of the Williamett of the Willamett of the Williamett of soil	rods; then and, more or twhich is the quarter of the ridian, in (standard, in (standar	ten (10) rods east of Section Five in Town Clackamas County, Orego to Thirty rods; thence rods, to the place of ated in Township Six idian, in Clackamas County or Willamette  berries  eloped  power  feet.	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Stouth and in Section Five (punty, Oregon.  theoretical horsepower.  sec. ft.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Total (b) Qua (c) Total	acres of lacon.  Ing at a poir the NorthWest illamette Me Forty rods; thence Noracres of laconst of the Williamett of the Willamett of the Williamett of soil	rods; then and, more or twhich is the quarter of the ridian, in (standard, in (standar	ten (10) rods east of Section Five in Town Clackamas County, Orego to Thirty rods; thence rods, to the place of ated in Township Six idian, in Clackamas County or Willamette  berries  eloped  power  feet.	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods, the beginning and containing Stouth and in Section Five (bounty, Oregon.  theoretical horsepower.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Total (b) Qua (c) Total	acres of lacon.  Ing at a poir the NorthWestillamette Me Forty rods; thence Noracres of lands of the Williamette of the Williamette of soil	rods; then and, more or twhich is the quarter of the ridian, in (standard in the ridian) in (standard in the ridia	ten (10) rods east of Section Five in Town Clackamas County, Orego to Thirty rods; thence rods, to the place of ited in Township Six idian, in Clackamas County and Willamette herries  eloped feet.  (Head)  s of which the power is to	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Stouth and in Section Five (punty, Oregon.  theoretical horsepower.  sec. ft.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Total (b) Qua (c) Total (d) The	acres of land a point the Northwest illamette Me Forty rods; thence Northwest of the Williameter of Ian acres	rods; then and, more or twhich is studenter of thence West to sixteen in the clare to be dever to be dever to be used for dilized works by mean thence works by mean the clocated in t	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of ated in Township Six idian, in Clackamas County and Willamette herries  eloped feet.  (Head) feet.  (Legal Subdivision)	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Stouth and in Section Five (punty, Oregon.  theoretical horsepower.  sec. ft.
taining 17.53 State of Oreg ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Tota (b) Qua (c) Tota (d) The  (e) Suc	acres of land a point the Northwest illamette Me Forty rods; thence Northwest of the Williameter of Soil	rods; then and, more or the which is standard for thence West to Be used for to be used for the works by mean works by mean works by mean located in	ten (10) rods east of Section Five in Town lackamas County, Oregon Thirty rods; thence rods, to the place of a ted in Township Six idian, in Clackamas County and Willamette berries  eloped feet.  (Head) feet.  (Legal Subdivision)  M.	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Stouth and in Section Five (punty, Oregon.  theoretical horsepower.  sec. ft.
taining 17.53 State of Oreg  ALSO: Beginni West Half of East of the W thence South East Ten rods and one half Range One Eas  (a) Charac (b) Kind of Power or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc	acres of land a point the Northwest illamette Medicares of land acres of the water of the land acres of the land acres of the land acres of the land acres of land acres o	rods; then and, more or twhich is the quarter of the ridian, in (in thence West and, all situated Merical Silt (Merical Silt)	nce North 70½ rods to less, and situated in ten (10) rods east of f Section Five in Town Clackamas County, Oreg t Thirty rods; thence rods, to the place of ited in Township Six i idian, in Clackamas Co  required, attach separate sheet)  oam Willamette  berries  eloped  power  (Head)  s of which the power is to  (Legal Subdivision) M.  ream?  (Yes or No)	the place of beginning, con the County of Clackamas as the Northeast corner of the niship Six South of Range Ongon; thence East Twenty rods. North twenty Four rods; the beginning and containing Stouth and in Section Five (punty, Oregon.  theoretical horsepower.  sec. ft.

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—
10. (a) To supply the city of
and an estimated population of in 19
(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$ 1700 00
12. Construction work will begin on or before One year after approval
13. Construction work will be completed on or before Two yrs " "
14. The water will be completely applied to the proposed use on or before 3 " " "
11. The waver will be completely applied to the proposed wie on or object
(Sgd) Walter Berg (Signature of applicant)
(algument of application)
Remarks:
CT ATT OF ORIGINAL )
STATE OF OREGON, county of Marion,
This is to certify that I have examined the foregoing application, together with the accompany
maps and data, and return the same forcompletion.
In order to retain its priority, this application must be returned to the State Engineer, with corr
tions on or before October 9 , 1947
WITNESS my hand this 9th day of September, 194.7.
CHAS. E. STRICKLIN
STATE ENGINEE

Application	No. 22615
Permit No.	17973

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the									
Returned to applicant:									
Returned to applicant:									
Approved:									
January 15, 1948									
Recorded in book No. <u>lul</u> of									
Permits on page 17973									
CHAS. E. STRICKLIN STATE ENGINEER									
Drainage Basin No2 Page 38 I.									
Fees Paid \$10.00									
PERMIT									
STATE OF OREGON, ss									
County of Marion,  This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:									
The right herein granted is limited to the amount of water which can be applied to beneficia									
and shall not exceed	ı the								
stream, or its equivalent in case of rotation with other water users, from Butte Creek	·								
The use to which this water is to be applied isirrigation									
If for irrigation, this appropriation shall be limited to 1/80th of one cubic for second or its equivalent for each acre irrigated and shall be further limited to diversion of not to exceed 2½ acre feet per acre for each acre irrigated during irrigation season of each year,	a the								
and shall be subject to such reasonable rotation system as may be ordered by the proper state office									
The priority date of this permit isJune 6, 1947  Actual construction work shall begin on or beforeJanuary 15, 1949 and									
October 1, 1950									
Complete application of the water to the proposed use shall be made on or before	******								
WITNESS my hand this 15th day of January , 1948.									
CHAS. E. STRICKLIN									