* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

of 1724 S.W. Broadway, Portland, Oregon	I, Hichard Same Gord	(Name of applicant)
State of Gregon	of1724 S.W.Broadway, Portl	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation isUn-named orseld		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is		
1. The source of the proposed appropriation is	· · · · · · · · · · · · · · · · · · ·	
A tributary of Joe Next Slough 2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, given	e date and place of incorporation
A tributary of Joe Nex Slough 2. The amount of water which the applicant intends to apply to beneficial use isQ_Q_Q		
2. The amount of water which the applicant intends to apply to beneficial use is \$\int_{0.0}^{0.0} = 0.002\$. Cubic feet per second	1. The source of the proposed appr	
**3. The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is		a tributary of Joe Ney Slough
### A. The use to which the water is to be applied is	2. The amount of water which the	applicant intends to apply to beneficial use is
**3. The use to which the water is to be applied is	cubic feet per second.	
4. The point of diversion is located LQG. 3. ft. N. and L86. Tft. E. from the		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.W. 1 of the S.E. 1 (N. or 8.) (C. or W.) 5. The pips line to be 500 feat (Miles or feet) (Main dich, canal or pipe line) (Main dich, canal or pipe line) in length, terminating in the S.E. 1 (Smallest legal subdivision) R. 11 W. (Miles or feet) (Smallest legal subdivision) (Smallest legal subdivision) R. 11 W. (N. or 8.) R. 11 W. (N. or 8.) (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs (Coose rock, concrete, masonry, Wasteway over dam (Tuber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Stream type of pump)	5. The use to which the water is to	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.W. of the S.E. of the S.E		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.N.\$ Of the S.N.\$ Of Sec. 1. , Tp. 26.S. , (Give smallest legal subdivision) R. 11 N. , W. M., in the country of GOOS. 5. The ping Line to be 500 feet. (Main ditch, canal or pipe line) (Male or feet) (Main length, terminating in the S.N.\$ Of the S.N.\$ Of Sec. 1. , Tp. 26.S. , (Smallest legal subdivision) R. 11 N. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7. feet, length on top 18. feet, length at bottom 2. feet; material to be used and character of construction Earth and logs. (Coose rock, concrete, masonty, Wasteway over dam (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.N.\$.Of. the S.N.\$.\$.\frac{1}{4}\ of Sec. 1, Tp. 26.S, (N. or 5.) R	EXECUTE: $\frac{1}{4}$ Section Corner between	n Section 1 and Section 12 (Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.W. & Of the S.E. & Of the S.E. & Of Circ within the country of GOOS. R. Ui W. M., in the country of GOOS. 5. The Dipe line (Main ditch, canal or pipe line) to be 500. fact. (Corw.) 6. (Corw.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs. Caose rock, concrete, masonry. Wasteway over dam (b) Description of headgate two inch in the country of the concrete, etc., number and size of openings) (C) If water is to be pumped give general description (Size and type of pump)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.W. & Of the S.E. & Of the S.E. & Of Circ within the country of GOOS. R. Ui W. M., in the country of GOOS. 5. The Dipe line (Main ditch, canal or pipe line) to be 500. fact. (Corw.) 6. (Corw.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs. Caose rock, concrete, masonry. Wasteway over dam (b) Description of headgate two inch in the country of the concrete, etc., number and size of openings) (C) If water is to be pumped give general description (Size and type of pump)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.W. & Of the S.E. & Of the S.E. & Of Circ within the country of GOOS. R. Ui W. M., in the country of GOOS. 5. The Dipe line (Main ditch, canal or pipe line) to be 500. fact. (Corw.) 6. (Corw.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs. Caose rock, concrete, masonry. Wasteway over dam (b) Description of headgate two inch in the country of the concrete, etc., number and size of openings) (C) If water is to be pumped give general description (Size and type of pump)		
being within the S.W. 4 of the S.E. 4 (Give smallest legal subdivision) R. 114 W. W. M., in the county of G.O.O. (N. or S.) S. The pipe line (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the S.E. 4 of the S.W. 4 of Sec. 1 , Tp. 26.S. (N. or S.) R. 114 W. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs (Coose rock, concrete, masonry, Wasteway over dam rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings)	(If preferab	le, give distance and bearing to section corner)
R. 14 W. M., in the county of QQQS. 5. The pipe line to be 500 feet (Main dich, canal or pipe line) (Miles or feet) in length, terminating in the S. 2. 2. 0. the S. W. 1 (N. or S.) R. 14 W. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs (Loose rock, concrete, masonry, Wasteway over dam rock and brush, timber citb, etc., wasteway over or around dam) (b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings)		
(E. or W.) 5. Thepipe_line	being within the S.W. Of the S.E. (Give smallest legs	of Sec. 1, Tp. 26.S. (N. or S.)
in length, terminating in the S ₃ H.½ of the S ₄ W.½ of Sec. 1 ,Tp. 26.S ₄ (N. or S.) R. 14 W. ,W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs (Loose rock, concrete, massonry, wasteway over dam rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings)	R. W_{\bullet} , W. M., in the county of	GOOS.
in length, terminating in the S.E. 1 Of the S.W. 1 of Sec. 1 ,, Tp. 26. S, (Smallest legal subdivision) of Sec. 1 ,, Tp. 26. S, (N. or S.) R. U. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 7 feet, length on top 18 feet, length at bottom 2 feet; material to be used and character of construction Earth and logs. (Loose rock, concrete, masonry, Wasteway over dam rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings)	5. Thepipe_line	or pipe line) to be 500 feet (Miles or feet)
R, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam, feet, length on top		
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam		
Diversion Works— 6. (a) Height of dam	(E. or W.)	
6. (a) Height of dam	Di	ESCRIPTION OF WORKS
feet; material to be used and character of construction Earth and logs (Loose rock, concrete, masonry, wasteway over dam (b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	Diversion Works—	
feet; material to be used and character of constructionEarth_and_logs	6. (a) Height of dam	feet, length on top18 feet, length at bottom
wasteway over dam rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		
(b) Description of headgate two inch pipe thru dam (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		
(c) If water is to be pumped give general description(Size and type of pump)		
(c) If water is to be pumped give general description(Size and type of pump)	(b) Description of headgatet	WO inch pipe thru dam (Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give g	general description
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)		
	(Size and type of engine	e or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

Canal System or Pi	pe	Line—
--------------------	----	-------

headgate. At headgate: width on top (at water line)				
thousand feet.	feet; depth of w	ater	feet; grade	feet fall per one
•		miles from he	eadgate: width on top (at wate	r line)
			feet; depth of u	
rade			-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	•	_	·	
_		•	size at intake, one inch	
rom intake 	in.	; size at place o	of use one inch in.; dif	ference in elevation between
ntake and place o	of use,65	ft. I	s grade uniform?yes	Estimated capacity,
0.02	sec. ft.			
8. Location	n of area to be	irrigated, or pl	ace of use $S.E.\frac{1}{4}$ of the	S.W. 4 of Sec. 1.
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
26 S	14 W.	1	S.E. 4 of S.W. 4	
orner on the	line between	section one	at a point البارك feet N and section twelve of	rwp. 26 S., R. 14 W.W.M
Coos County, O maple tree b			ron pipe driven into the distant:	e-ground-from-which-pip
	Thence r	unning West	200 feet, thence runnin	g Morth to intersect th
lorth boundary Hrection to a	of Lot 11,	thence follo	wing the North boundary ‡ section line, which p	of Lot 11 in an Easter
o lots 10 and	ll of the a	foresaid sec	tion 1, thence running S	outh along the said qua
ection line b resent right			11 to the point of begind	
	<u> </u>	o oodiio, 2 oo	<u></u>	
•	*			
·				
	*			
			<u> </u>	
e e e e e e e e e e e e e e e e e e e			required, attach separate sheet)	,
(a) Charac	eter of soil			······
(b) Kind o	f crops raised			
Power or Mining	Purposes—			
	_	wer to be deve	eloped	theoretical horsepower.
(b) Que	antity of water	to be used for	power s	ec. ft.
				•
			(Head)	777
(d) The	e nature of the t	vorks by mean	s of which the power is to be o	ievelopea
		· 		
(e) Suc	h works to be l	ocated in	(Legal Subdivision)	of Sec,
Tp(No. N. or S.)				
(f) Is u	oater to be retu	rned to any st	ream?(Yes or No)	
			int of return	
		_		•
			, Tp. (No. N. or S.)	
(h) The	e use to which f	power is to be	applied is	
(1) 777		•	ed	

Municipal or Domestic Supply—	
10. (a) To supply the city of	······
	population of
and an estimated population of	in 19
(b) If for domestic use state number of fe	amilies to be suppliedone
(Answer questions 11, 12,	13, and 14 in all cases)
11. Estimated cost of proposed works, \$300.	00
12. Construction work will begin on or before.	May .15,1948
13. Construction work will be completed on or	r before May 15,1949
14. The water will be completely applied to the	e proposed use on or before May 15,1950
	(Sgd) Richard S. McCord
•	(Signature of applicant)
Remarks:	
, .	
STATE OF ORECON)	
STATE OF OREGON, County of Marion,	
	egoing application, together with the accompanying
maps and data, and return the same for	
	must be returned to the State Engineer, with correc-
tions on or before	
WITNESS my hand this day of	
WILLY EDD THY HUNG HUS duy Of	, 131
-	STATE ENGINEER

Application	No22721
Permit No.	17976

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No					
	This instrument was first received in the office of the State Engineer at Salem, Oregon,					
	on the28th day ofJuly,					
	1947 at 1:00o'clock					
	Returned to applicant:					
	Corrected application received:					
	Approved: January 15, 1948					
	Recorded in book No. 44. of					
	Permits on page17976					
	CHAS. E. STRICKLIN STATE ENGINEER					
	Drainage Basin No. 17 Page 10 C					
	Fees Paid \$20.00					
CTATE OF OPEGON Y	PERMIT					
STATE OF OREGON, \ss						
County of Marion,	I have enamined the foresteins application and do hereby grant the early					
SUBJECT TO EXISTING RI	This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use					
and shall not exceed	2 cubic feet per second measured at the point of diversion from the					
stream, or its equivalent in o	ase of rotation with other water users, from an unnamed creek					
The use to applied this a	water is to be applied isdomestic and stock, being 0.01 c.f.s. fo					
each use.						
If for irrigation, this ap	opropriation shall be limited to of one cubic foot pe					
	reasonable rotation system as may be ordered by the proper state officer.					
The priority date of the	s permit is July 28, 1947					
Actual construction we	ork shall begin on or before January 15, 1949 and shal					
	reasonable diligence and be completed on or before					
Complete application of	of the water to the proposed use shall be made on or before					
	is 15th day of January , 194 8.					
	CHAS. E. STRICKLIN					
	CHARD BUCINDED					