

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George E. Weeks (Name of applicant) of Rt. 3 Box 689 E. Salem (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed spring (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.16 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation and domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 14.66 ft. S. and 29.30 ft. E. from the NW corner of Sec. 13, T. 8 S., R. 4 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 13, Tp. 8 S., R. 4 W., W.M., in the county of Marion

5. The pipe to be about 500 feet in length, terminating in the of Sec. , Tp. , R. , W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Will enclose with concrete & stone

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Jacusi shallow wall pump H.P. ? 38 - 50 ft. static head

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 1 1/2 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S.	4 W.	13	NE 1/4 NW 1/4	10
Description of property:				
From Vol. 297 p. 523 Marion County Deed records.				
Lot 35 Riverview Park Add'n. as the same appears in vol. 8 p. 99 record of town plats for Marion County, Oregon				
SAVE AND EXCEPT the following described parcel.				
Beginning at the s.w. corner of said lot 35 in said addition thence n. 28° 15' e. 10 chains to the n.w. corner thereof; thence s. 61° 45' e. 4 chains; thence s. 28° 15' w. 10 chains; thence n. 61° 45' w. 4 chains to the point of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil black - muck

(b) Kind of crops raised decorative shrub nursery

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

..... Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.. 2000.00
- 12. Construction work will begin on or before Has been commenced
- 13. Construction work will be completed on or before Two years after approval
- 14. The water will be completely applied to the proposed use on or before 3 yrs. " "

..... (Sgd) George E. Weeks

(Signature of applicant)

Remarks: Water will be delivered from spring by gravity through 500 feet of
.....
1 1/2 in. pipe to a 3000 gallon tank for domestic use (5 ft. fall)
.....
Irrigation will be by hose, probably by gravity.
.....
Water will be pumped from tank to houses for domestic use,
.....
against a static head of 38 to 50 feet.
.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 5 , 1947

WITNESS my hand this 5th day of November , 1947

..... CHAS. F. STRICKLIN

STATE ENGINEER

By
Ed K. Humphrey, Assistant

Application No. 22793

Permit No. 17978

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of September 1947 at 1:15 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 15, 1948

Recorded in book No. 44 of

Permits on page 17978

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76 T

Fees Paid \$25.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is irrigation and domestic, being 0.13 c.f.s. for irrigation and 0.03 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 2, 1947

Actual construction work shall begin on or before January 15, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 15th day of January, 1948

CHAS. E. STRICKLIN

STATE ENGINEER