* APPLICATION FOR PERMIT

19989

To Appropriate the Public Waters of the State of Oregon

I, Geo. P. Martin (Name of applicant)	
of Rogue River , (Mailing address)	
State of, do hereby make application for a permit to appropria	ite the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is East Fk. Illinois hiver (Name of stream)	
, a tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is $\frac{1.6}{1.00}$	
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is	:tc.)
4. The point of diversion is located 1560 ft. N. and 510 ft. W. from the S	
corner of Sec. 35 (Section or subdivision)	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the $\frac{NE\frac{1}{4}}{4} \frac{SVIII}{4}$ of Sec. 35 , Tp. 39 S. (Give smallest legal subdivision) (N. or	,
R. 8 W. W. M., in the county of Josephine (E. or W.)	5.)
5. The main ditch to be appx. 2 miles (Miles or feet)	
in length, terminating in the $NE_4^{\frac{1}{2}}SE_4^{\frac{1}{2}}$ of Sec. 28 , Tp. 39 S. (Smallest legal subdivision)	, S.)
R. 8 W. W. M., the proposed location being shown throughout on the accompanying map (E. or W.) This ditch already constructed	•
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam3! feet, length on top75! feet, length at b	ottom
feet; material to be used and character of construction logs, planks & grave (Loose rock, concrete,	masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description(Size and type of pump)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	•

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

neadgate. At headgate: width on top (at water line)				feet; width on bott
	feet; depth of t	vater	feet; grade	feet fall per
ousand feet. (b) At		miles from hear	daate: width on ton (at w	ater line)
	feet; width on	bottom	feet; depth o	f water fo
ade	feet fo	all per one thousa	nd feet.	
(c) Leng	th of pipe,	ft.; si	ze at intake,	in.; size at
om intake	in	: size at place of	use in.:	difference in elevation betw
іаке апа ріас	e oj use,	jt. 18 g	raae unijorm?	Estimated capac
	sec. ft.			
8. Locat	ion of area to be	irrigated, or plac	e of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
20. d	Ø 1.7	200	cml cml	5 Supp'1.
J.7	O. W.s.	£1	ora ora	20 new 20 Supp'l.
		27	SW SE	5. New
		34	NV4 NE4	10 Supp 1.
			NE¼ NE¼	5 Supp'l. 15 New
		·		80
,				

	ì			
		<u> </u>	uired, attach separate sheet)	
(a) Char	ractor of soil	clav	loam	
	·			
(b) Kind	l of crops raised .	hay s	and grain	
wer or Minir	g Purposes—			
9. (a) T	otal amount of p	ower to be develo	ped	theoretical horsepor
(b) Q	uantity of water	r to be used for p	ower	sec. ft.
(c) T	otal fall to be ut	ilized	feet.	
				7 1 1
(d) T	he nature of the	works by means o	of which the power is to b	e developed
	uch works to be	located in	/T con 1 Cub Aladelan)	of Sec
(e) S			(Legal Subdivision)	
)(No. N. or			am?	
)(No. N. or		urned to any stree	(Yes or No)	
(f) Is	water to be ret		(,	
(f) Is	water to be ret f so, name strear	n and locate point	t of return	, R, W
(f) Is	water to be ret f so, name strear	n and locate point	t of return, Tp(No. N. or S	, R, W

(b) If for domestic use state number of families to be supplied. Character detection I. II. II. that the Education 11. Estimated cost of proposed works, \$ 12. Construction work will begin on or before	inicipal or Domestic Supply—	
in 19		
11. Estimated cost of proposed works, \$		t population of
II. Estimated cost of proposed works, \$	d an estimated population of	in 19
11. Estimated cost of proposed works, \$	(b) If for domestic use state number of f	families to be supplied
12. Construction work will begin on or before	(Answer questions 11, 12,	2, 13, and 14 in all cases)
13. Construction work will be completed on or before2_yrsfrom_date_spuroxed	11. Estimated cost of proposed works, \$	
(Sgd) Geo. P. Martin (Sgd) Geo. P. Martin (Brances of accident) Remarks: Altch and data already constructed ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctus on or before	12. Construction work will begin on or before	ditch completed
Remarks: Aitch and dam already constructed ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before 194	13. Construction work will be completed on o	or before 2 yrs. from date approved
Remarks: .ditch. and. dam.nlrasdy.constructed	14. The water will be completely applied to th	ne proposed use on or before 3 yrs. from date appro
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	,	
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before	Remarks: ditch and dam already constr	ructed
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		······································
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
CATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrects on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		<u> </u>
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before		
In order to retain its priority, this application must be returned to the State Engineer, with correc- ns on or before	County of Marion,	againg application together with the accompanying
In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before		
ns on or before, 194		
	•	
		STATE ENGINEER

Application No	22830
Permit No	17982

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instrument was office of the State Engi	•		
	on the 19th day of	·	-	
	194.7. at 1:00 o'clo	ock M		
	Returned to applicant:			
	Corrected application r	·eceived:	·······	
	Approved:	••••••	*******	
	January 15,	1948		
	Recorded in book No.	. 44	of	,
	Permits on page 17	1982		
	CHAS. E. SI	RICKLIN STATE ENGINE	ER	
	Drainage Basin No1	~ -	==	
	Fees Paid\$22.50.	_		
	PERI	MIT		
STATE OF OREGON, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	s			
SUBJECT TO EXISTING I	t I have examined the for RIGHTS and the following nted is limited to the amon	g limitations and co	onditions:	
and shall not exceed	1.60 cubic feet per	second measured o	it the point of diver	rsion from the
stream, or its equivalent in	case of rotation with oth	er water users, fro	m East Fork I	llinois Rive
The use to which this	s water is to be applied is	irrigation		
second or its equivaler from April 1st to Nov	vember 1st of each ye	gated throughouser,	ut the irrigation	n season
				·
and shall be subject to such	h reasonable rotation syste	_		
The priority date of the	his permit i s	September	19, 1947	·
Actual construction v	vork shall begin on or bej	fore Janua	ry 15, 1949	and shall
thereafter be prosecuted wi	ith reasonable diligence a	nd be completed on	or before	
	1950			
	of the water to the propo 1951	osed use shall be m	ade on or before	
	this15th day of	Tanner	101 8	
wiinedd my nana t				
Demnite for name desci-	are subject to the payment of annu	CHAS. E. ST	S'	TATE ENGINEER
Termina for bower development a	me analest me one halingut of sunt	rece us brovined iii 8	Comoins and 4, chapter 74,	Oreson Dams 1832.