To Appropriate the Public Waters of the State of Oregon

	I, Keith Mutch
of	(Name of applicant) Rt. 1 Box 256 Tigard
Stat	(Mailing address) s ofdo hereby make application for a permit to appropriate the
	wing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is Fanno Creek (Name of stream)
· · · · · · ·	, a tributary ofTualatin
	2. The amount of water which the applicant intends to apply to beneficial use is
cubi	c feet per second(If water is to be used from more than one source, give quantity from each)
	**3. The use to which the water is to be applied is
••••••	4. The point of diversion is locatedftandftfrom the
30 7 1	er of any point where Fanno Creek touches property described herein. (Section or subdivision)
 bein	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) $ y = \frac{1}{2} \frac{NV_{4}^{\frac{1}{2}}}{NV_{4}^{\frac{1}{2}}} = \frac{2.5}{NV_{1}^{\frac{1}{2}}} = \frac{2.5}{NV_{1}^{$
	(Give smallest legal subdivision) (N. or S.) 1 W, W. M., in the county of Washington (E. or W.)
	5. The to be
i 1	
r	ngth, terminating in the
	DESCRIPTION OF WORKS
Dive	rsion Works— No dam
	6. (a) Height of dam feet, length on top feet, length at bottom
• • • • • • • • • • • • • • • • • • • •	feet; material to be used and character of construction
rock a	nd brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	Will use sprinklers details not determined 15 ft. static head

^{*}A different form of application is provided where storage works are contemplated.

neadgate. At hea	dgate: width or	n top (at water	line)	feet; width on bottom
feet; depth of water			feet; grade	feet fall per one
thousand feet.		miles from he	eadaate: width on ton (at war	ter line)
				water feet;
grade	feet fa	Il per one thou	sand feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
rom intake	in.	; size at place o	of use in.; d	lifference in elevation between
ntake and place o	of use,	ft. I	s grade uniform?	Estimated capacity,
	sec. ft.			
8. Location	n of area to be	irrigated, or pl	lace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S.	1 W.	13	NW INE	6
				3
Trricetion	by means of	one stations	ry pump, located at mo	le No. 22844
				enter of bridge crossing
anno Creek. i	n Section 13	т. 2 5 Т	R. 1 W. W.M., Washingto	n County: and one
anno oreek, r	to be used a	bout 6001 de	Tonno Creek from mo	nument. Water from these
			wing described property	
	t-a-point-in	the center	lline of County foad an	
mode in Conti				d bridge crossing Fanno
		S., R. 1 W.,	, W.M., Washington Coun	ity, Oregon, thence in the
enter of said	road south	S., R. 1 W.,	W.M., Washington Coun	ty, Oregon, thence in the
enter of said	road south	S., R. 1 W.,	W.M., Washington Coun	ty, Oregon, thence in the
enter of said tone; thence	road south south 6 degr	S., R. 1 W., 60 degrees (ees 53 minu	, W.M., Washington Coun 8 minutes east 328 fee tes west 88.88 feet in	ty, Oregon, thence in the t, more or less to a the center line of County
enter of said tone; thence oad Al38 to t	road south south 6 degr he North lin	S., R. 1 W., 60 degrees (ees 53 minute of the Ore	, W.M., Washington Coun 08 minutes east 328 fee tes west 88.88 feet in egon Electric Railway r	ty, Oregon, thence in the t, more or less to a the center line of County ight of way; thence
enter of said tone; thence oad Al38 to t ollowing the	road south south 6 degr he North lin curve of sai	S., R. 1 W., 60 degrees (ees 53 minute of the Ore d right of the	W.M., Washington Coun Minutes east 328 fee tes west 88.88 feet in egon Electric Railway r way the cord of which b	ty, Oregon, thence in the t, more or less to a the center line of County ight of way; thence ears south 54 degrees 33
enter of said tone; thence oad A138 to t ollowing the inutes west 2	road south south 6 degr he North lin curve of sai 02.28 feet;	S., R. 1 W., 60 degrees (ees 53 minute of the Ore d right of thence south	W.M., Washington Coun 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway r way the cord of which b 57 degrees 05 minutes	ty, Oregon, thence in the t, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the
enter of said tone; thence oad A138 to t ollowing the inutes west 2 aid north lin	road south south 6 degree North line curve of sai 02.28 feet;	S., R. 1 W., 60 degrees (ees 53 minute of the Ore dright of thence south thence south the of way to	W.M., Washington Counce Minutes east 328 feet tes west 88.88 feet in egon Electric Railway reasy the cord of which be 57 degrees 05 minutes a point on a line dra	ty, Oregon, thence in the the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said
enter of said tone; thence oad A138 to t ollowing the inutes west 2 aid north lin ine being par	road south south 6 degree North lincurve of sai 02.28 feet; e of the rigallel and 30	S., R. 1 W., 60 degrees (ees 53 minute of the Order the Order thence south thence south thence south thence south the of way to chains eas	W.M., Washington Counce minutes east 328 feet tes west 88.88 feet in egon Electric Railway ready the cord of which be 57 degrees 05 minutes a point on a line drat of the west line of s	ty, Oregon, thence in the ct, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.3 feet on the wn north and south, said section 13; thence north
enter of said tone; thence oad A138 to t ollowing the inutes west 2 aid north lin ine being par O degrees 57	road south south 6 degree North lincurve of sai 02.28 feet; e of the rigallel and 30 minutes west	S., R. 1 W., 60 degrees (ees 53 minute of the Ord thence south thence south thence south thence south the f way to chains eas 348 feet.	W.M., Washington Councer was the cord of which be solved by the cord of which be 57 degrees 05 minutes of the west line of some or less, on said page 18 more or less	ty, Oregon, thence in the tt, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.3 feet on the wn north and south, said ection 13; thence north earallel line to the center.
enter of said tone; thence oad A138 to t ollowing the inutes west 2 aid north lin ine being par O degrees 57	road south south 6 degree North lincurve of sai 02.28 feet; e of the rigallel and 30 minutes west	S., R. 1 W., 60 degrees (ees 53 minute of the Ord thence south thence south thence south thence south the f way to chains eas 348 feet.	W.M., Washington Councer was the cord of which be solved by the cord of which be 57 degrees 05 minutes of the west line of some or less, on said page 18 more or less	ty, Oregon, thence in the tt, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.3 feet on the wn north and south, said ection 13; thence north earallel line to the center.
enter of said tone; thence oad A138 to t ollowing the inutes west 2 aid north lin ine being par O degrees 57	road south south 6 degree North lincurve of sai 02.28 feet; e of the rigallel and 30 minutes west	S., R. 1 W., 60 degrees (ees 53 minute of the Ore the ore the counter of way to chains eas 348 feet, we following Beginning	W.M., Washington Counds minutes east 328 feet tes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes a point on a line drat of the west line of smore or less, on said put the center line of Fan at the intersection of	ty, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said ection 13; thence north earallel line to the center of Creek in its meandering Boone's Ferry Road with
enter of said tone; thence oad A138 to t ollowing the inutes west 2 aid north lin ine being par 0 degrees 57	road south south 6 degree North lincurve of sai 02.28 feet; e of the rigallel and 30 minutes west	S., R. 1 W., 60 degrees (ees 53 minute of the Ore the ore the counter of way to chains eas 348 feet, we following Beginning	W.M., Washington Counds minutes east 328 feet tes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes a point on a line drat of the west line of smore or less, on said put the center line of Fan at the intersection of	ty, Oregon, thence in the tt, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.3 feet on the wn north and south, said ection 13; thence north earallel line to the center.
enter of said tone; thence oad A138 to tollowing the inutes west 2 aid north lin ine being part 0 degrees 57 ine of Fanno on the point of	road south south 6 degree North 1in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then f beginning.	S., R. 1 W., 60 degrees (ees 53 minute of the Ord thence south thence south thence south the of way to chains eas 348 feet, and the following (If more space)	W.M., Washington Counds minutes east 328 feet tes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes a point on a line drat of the west line of smore or less, on said put the center line of Fan at the intersection of	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said ection 13; thence north earliel line to the center of Creek in its meandering boone's Ferry Road with continued under Remarks)
enter of said tone; thence oad A138 to tollowing the inutes west 2 aid north lin ine being part of Fanno of the point of (a) Characteristics (a) Characteristics (b) to the contracteristics (c) the	road south south 6 degree North 1in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning.	S., R. 1 W., 60 degrees (ees 53 minute of the Ore d right of the continuation way to chains eas 348 feet, e following (M more space	W.M., Washington Counds minutes east 328 feetes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes a point on a line drat of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Cone	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said ection 13; thence north earliel line to the center of Creek in its meandering boone's Ferry Road with continued under Remarks)
center of said stone; thence load A138 to to collowing the sinutes west 2 said north linuine being particle of Fanno to the point of the collowing of the collo	road south south 6 degree North 1in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning.	S., R. 1 W., 60 degrees (ees 53 minute of the Ore d right of the continuation way to chains eas 348 feet, e following (M more space	W.M., Washington Counds minutes east 328 feet tes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes a point on a line drat of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Cone	thy, Oregon, thence in the ct, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said ection 13; thence north earliel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks)
center of said stone; thence coad A138 to to collowing the ninutes west 2 said north linuine being par collowing the point of Fanno conthe point of Character (b) Kind of Power or Mining	road south south 6 degree North 1in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. eter of soil	S., R. 1 W., 60 degrees (ees 53 minute of the Ore dright of thence south thence south thence south chains eas 348 feet, e following (H more space fin	W.M., Washington Council 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes of a point on a line drat of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Cone	thy, Oregon, thence in the ct, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said ection 13; thence north earliel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks)
enter of said tone; thence load A138 to to collowing the linutes west 2 aid north linutes being part of the point of the p	road south south 6 degree North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. Ster of soil	S., R. 1 W., 60 degrees () ees 53 minute of the Ord d right of thence south thence	W.M., Washington Council 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway report way the cord of which be 57 degrees 05 minutes of a point on a line drate of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Coneston by garden eloped	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said section 13; thence north arallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower.
center of said stone; thence load A138 to to load A138 to load	road south south 6 degree North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. Acter of soil	S., R. 1 W., 60 degrees () ees 53 minute of the Ore d right of thence south thence	W.M., Washington Council 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway report way the cord of which be 57 degrees 05 minutes of a point on a line drate of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Cone sture hay garden eloped	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said section 13; thence north arallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower.
center of said stone; thence road Al38 to to continuous the minutes west 2 said north ling line being part to degrees 57 line of Fanno to the point of the continuous (a) Character (b) Kind of the point of the poin	road south south 6 degree North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. The of soil	S., R. 1 W., 60 degrees () ees 53 minute of the Ore d right of value of the Ore thence south the	W.M., Washington Council 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway report way the cord of which be 57 degrees 05 minutes of a point on a line drate of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Conesture hay garden eloped feet. (Head)	thy, Oregon, thence in the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the whom north and south, said section 13; thence north earallel line to the center bone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft.
center of said stone; thence road Al38 to to continuous the minutes west 2 said north ling line being part to degrees 57 line of Fanno to the point of the continuous (a) Character (b) Kind of the point of the poin	road south south 6 degree North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. The of soil	S., R. 1 W., 60 degrees () ees 53 minute of the Ore d right of value of the Ore thence south the	W.M., Washington Council 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway report way the cord of which be 57 degrees 05 minutes of a point on a line drate of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Conesture hay garden eloped feet. (Head)	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the wn north and south, said section 13; thence north arallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower.
center of said stone; thence coad Al38 to to coad Al38 to coa	road south south 6 degree he North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. Iter of soil	S., R. 1 W., 60 degrees (ees 53 minute of the Ore d right of thence south thence s	W.M., Washington Counds minutes east 328 feetes west 88.88 feet in egon Electric Railway read the cord of which be 57 degrees 05 minutes a point on a line drate of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) Sture hay garden eloped power feet. (Head)	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the whom north and south, said section 13; thence north earallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft.
enter of said tone; thence load A138 to to collowing the linutes west 2 aid north linutes being part of Fanno of Fanno (a) Character (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The collowing (e) Successive (e) Successive (for the load	road south south 6 degree he North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. The rops raised amount of partity of water al fall to be utiled nature of the control o	S., R. 1 W., 60 degrees (es 53 minute of the Order the Order the Order the Counter of way to chains east 348 feet, and the Counter of the Cou	W.M., Washington Coun 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway r way the cord of which b 57 degrees 05 minutes o a point on a line dra t of the west line of s more or less, on said p the center line of Fan at the intersection of required, attach separate sheet) (Cone sture hay garden eloped power feet. (Head) s of which the power is to be (Legal Subdivision)	thy, Oregon, thence in the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the whom north and south, said section 13; thence north earallel line to the center bone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft.
enter of said tone; thence load A138 to to collowing the linutes west 2 aid north linutes being part of Fanno of Fanno (a) Character (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The collowing (e) Successive (e) Successive (for the load	road south south 6 degree he North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. The rops raised amount of partity of water al fall to be utiled nature of the control o	S., R. 1 W., 60 degrees (es 53 minute of the Order the Order the Order the Counter of way to chains east 348 feet, and the Counter of the Cou	W.M., Washington Coun 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway r way the cord of which b 57 degrees 05 minutes o a point on a line dra t of the west line of s more or less, on said p the center line of Fan at the intersection of required, attach separate sheet) (Cone sture hay garden eloped power feet. (Head) s of which the power is to be (Legal Subdivision)	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the whom north and south, said section 13; thence north earallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft.
center of said tone; thence coad A138 to to collowing the collowing the collowing the collowing the collowing part to degrees 57 ine of Fanno collower or Mining 9. (a) Total (b) Rud (c) Total (d) The collowing for the collowing	road south south 6 degree he North 1in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. eter of soil	S., R. 1 W., 60 degrees 60 degrees 63 minute of the Order of the Order of the Order of the Control of Way to chains east 348 feet, and the Control of Way to be used for lized decorated in	W.M., Washington Coun 8 minutes east 328 feet tes west 88.88 feet in egon Electric Railway r way the cord of which b 57 degrees 05 minutes o a point on a line dra t of the west line of s more or less, on said p the center line of Fan at the intersection of required, attach separate sheet) (Cone sture hay garden eloped power feet. (Head) s of which the power is to be (Legal Subdivision)	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the whom north and south, said section 13; thence north earallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft.
center of said stone; thence load A138 to to collowing the sinutes west 2 said north linuine being particular of Fanno (a) Character (b) Kind of Community (c) Total (d) The (e) Suction (f) Is use the collowing (f) Is use the collowing (f) Is use the collowing (c) Total (d) The collowing (e) Suction (f) Is use the collowing (f) Is use the collow	road south south 6 degree he North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. The of soil	S., R. 1 W., 60 degrees 60 degrees 63 minute of the Ored right of which thence south the of way to chains east 348 feet, we following Beginning (H more space find to be used for lized by works by mean ocated in	W.M., Washington Counds minutes east 328 feetes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes on a point on a line drate of the west line of smore or less, on said puthe center line of Fan at the intersection of required, attach separate sheet) (Come sture hay garden feet. (Head) feet. (Head) feet. (Legal Subdivision) M. (Tream? (Yes or No)	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.8 feet on the whom north and south, said section 13; thence north earallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft.
center of said stone; thence would also to	road south south 6 degree North 1 in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. Iter of soil	S., R. 1 W., 60 degrees 60 degrees 63 minute of the Ored right of which thence south the of way to chains east 348 feet, we following Beginning (H more space find to be used for lized by works by mean ocated in	W.M., Washington Counds minutes east 328 feetes west 88.88 feet in egon Electric Railway rway the cord of which be 57 degrees 05 minutes on a point on a line drate of the west line of smore or less, on said puthe center line of Fan at the intersection of required, attach separate sheet) (Cone sture hay garden feet. (Head) feet. (Head) feet. (Cone feet. (Head) feet.	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.3 feet on the wn north and south, said section 13; thence north earallel line to the center of Creek in its meandering Boone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft. developed
center of said stone; thence would also to the collowing the minutes west 2 said north limble being part to degrees 57 line of Fanno to the point of the collowing 9. (a) Total (b) Rund (c) Total (d) The collowing (e) Suction (f) Is use (g) If said (g) If sai	road south south 6 degree he North 1in curve of sai 02.28 feet; e of the rigallel and 30 minutes west Creek, then of beginning. Iter of soil	S., R. 1 W., 60 degrees 60 degrees 63 minute of the Ore dright of which thence south the of way to chains east 348 feet, we following Beginning (If more space find to be used for lized works by mean ocated in	W.M., Washington Counds minutes east 328 feet tes west 88.88 feet in egon Electric Railway results a point on a line drate of the west line of smore or less, on said put the center line of Fan at the intersection of required, attach separate sheet) (Cone sture hay garden feet. (Head) (Legal Subdivision) M. (Yes or No) int of return (No. N. or S.)	thy, Oregon, thence in the st, more or less to a the center line of County ight of way; thence ears south 54 degrees 33 west 671.3 feet on the wn north and south, said section 13; thence north arallel line to the center bone's Ferry Road with continued under Remarks) theoretical horsepower. sec. ft. developed of Sec.

10.	(a) To supply the city of
	timated population of in 19 in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$.350.00
12.	Construction work will begin on or before One year after approval
13.	Construction work will be completed on or before Two years " "
14.	The water will be completely applied to the proposed use on or before 3 yrs. " "
	(Sgd) Keith Mutch (Signature of applicant)
egrees (eg rees (ne half	es.W. 620 feet, to an iron pipe, in the center of said highway; thence N. 6.35 minutes E. 640.9 feet to the center of said highway, and thence S. 60 98 minutes E. 449.1 feet to the place of beginning; from which a pipe l and inches in diameter, 40 inches long is set, S. 84 degrees 04 minutes W. 51.3
regon Eloint and 2 minute aid right ron pipe endikte ounty, Corner of enter of lace of old to the Orner of the Curve	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning a running thence N. 43 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees as W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingt Dregon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the feet said highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with e of said right of way.
regon E oint and 2 minute aid righ ron pipe endikte ounty, (orner of enter of lace of old to t y the Or 00 feet he curve	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning if running thence N. 43 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees as W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtonegon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern a said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the feath highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with e of said right of way.
regon Eloint and 2 minute aid right ron pipe endikte ounty, (orner of enter of old to to ty the Or 00 feet he curve	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning if running thence N. 43 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtoregon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the final highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with e of said right of way.
regon Eloint and 2 minute aid right ron pipe endikte ounty, (orner of enter of old to to the Curve and cur	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning if running thence N. 43 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtonegon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the f. said highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company. This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with e of said right of way.
regon Eloint and 2 minute aid right ron pipe endikte ounty, Corner of enter of lace of old to the Curve of th	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning I running thence W. 43 degrees 17 minutes E. 423.9 feet, thence W. 45 degrees & W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtonegon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the final final said highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company. This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with e of said right of way.
regon Eloint and 2 minute aid right ron pipe endikte ounty, Corner of enter of lace of old to by the Orner the curve are curve.	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning in running thence N. 43 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtonegon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern for said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the said highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with a of said right of way.
regon E oint and 2 minute aid right ron pipe endikte ounty, (orner of enter of lace of old to to y the Or OO feet he curve	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning in running thence N. 43 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees SW. 450.52 feet to the east boundary of said right of way, thence, with it of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtonegon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern a said Medle tract, thence south 48 degrees 17 minutes W. 262.3 feet to the said highway, and thence S. 60 degrees 08 minutes E. 189.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with a of said right of way.
regon Elosint and 2 minute aid right ron pipe endikte ounty. Corner of enter of lace of old to the curve of t	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning in running thence "". 43 degrees 17 minutes E. 423.9 feet, thence "". 45 degrees as W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtoreon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said highway, and thence S. 60 degrees 08 minutes W. 262.3 feet to the seginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with a of said right of way. OF OREGON, you marion, see that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying its to certify that I have examined the foregoing application, together with the accompanying its together with the accompanying the certification is a second and the foregoing application, together with the accompanying the certification is a second and the foregoing application.
regon Elosint and 2 minuted aid right ron pipe endikte ounty. Corner of enter of lace of eld to by the Orner of the curve and the curve are the curve and the curve are the curve and the curve are th	tance, excepting, however, that portion thereof included in right of way of lectric Rallway, Also the tract beginning at the above described beginning I running thence N. 48 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees S. 450.52 feet to the east boundary of said right of way, thence, with at of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingt Dregon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said Medle tract, thence south 48 degrees 17 minutes N. 262.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 35 feet on the south side in accordance with a of said right of way. OF OREGON, Ss y of Marion, sis to certify that I have examined the foregoing application, together with the accompanying data, and return the same for
regon Elooint and 2 minuted aid right ron pipe endikte ounty. Corner of enter of lace of old to by the Orner of the curve and the curve are the curve and the curve are th	tance, excepting, however, that portion thereof included in right of way of lectric Railway, Also the tract beginning at the above described beginning in running thence "". 43 degrees 17 minutes E. 423.9 feet, thence "". 45 degrees as W. 450.52 feet to the east boundary of said right of way, thence, with not of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingtoreon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said highway, and thence S. 60 degrees 08 minutes W. 262.3 feet to the seginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 85 feet on the south side in accordance with a of said right of way. OF OREGON, you marion, see that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying its to certify that I have examined the foregoing application, together with the accompanying its together with the accompanying the certification is a second and the foregoing application, together with the accompanying the certification is a second and the foregoing application.
regon Electric Electr	tance, excepting, however, that portion thereof included in right of way of lectric Rallway, Also the tract beginning at the above described beginning I running thence N. 48 degrees 17 minutes E. 423.9 feet, thence N. 45 degrees S. 450.52 feet to the east boundary of said right of way, thence, with at of way, southwesterly, following a curve to the right, about 215 feet to a set at the most northern corner of the tract conveyed to Thomas and Medle by deed recorded at page 416 of Book 126, Record of deeds for Washingt Dregon, thence S. 45 degrees 52 minutes E. 177.4 feet to the most eastern of said Medle tract, thence south 48 degrees 17 minutes N. 262.3 feet to the beginning; excepting, however, that portion in the extreme northwest corner the Portland General Electric Company, This portion is bounded on the west regon Electric Company right of way, and is 100 feet long on the north by deep on the east, tapering to 35 feet on the south side in accordance with a of said right of way. OF OREGON, Ss y of Marion, sis to certify that I have examined the foregoing application, together with the accompanying data, and return the same for

Application N	o. 22844
Permit No	17983

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 26th day of September,	
	194.7. at 3:21o'clock P M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	January 15, 1948	
	Recorded in book No44 of	
	Permits on page 17983 CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No	
	Fees Paid \$15.00	
STATE OF OREGON, ss	PERMIT	
SUBJECT TO EXISTING R	I have examined the foregoing application and do hereby grant the same IGHTS and the following limitations and conditions: ted is limited to the amount of water which can be applied to beneficial a	-
-	12 cubic feet per second measured at the point of diversion from t	
	case of rotation with other water users, from Fanno Creek	
	water is to be applied is irrigation	
		.
• • • • • • • • • • • • • • • • • • • •	ppropriation shall be limited to	
	nt for each acre irrigated and shall be further limited to	
	ceed $2\frac{1}{3}$ acre feet per acre for each acre irrigated during that ach year,	
	acii y cai ş	
		· -
	reasonable rotation system as may be ordered by the proper state officer.	
-	is permit is September 26, 1947	
<u> </u>	ork shall begin on or before	
	th reasonable diligence and be completed on or before	
October 1,	of the water to the proposed use shall be made on or before	
October 1,	1951	
WITNESS my hand th	nis 15th day of January ,1948.	
	CHAS. E. STRICKLIN STATE ENGINEE	 To