

* APPLICATION FOR PERMIT

1999⁰

To Appropriate the Public Waters of the State of Oregon

I, We, REIDE W. LOCKMAN and R. A. HOLMES, (Name of applicant) of RFD 1, Box 52A, Sherwood, Oregon (Mailing address), State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation *---

- 1. The source of the proposed appropriation is (1) the Tualatin River and (2) a drainage ditch (unnamed), a tributary of Tualatin River.
2. The amount of water which the applicant intends to apply to beneficial use is (1) three-tenths (.3) cubic feet per second from the Tualatin River and nine-tenths (.9) from the ditch.
**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located (1) 1320 ft. S. and 30 ft. W. from the NE corner of Sec. 24, Township 2 S., R. 1 W. of W. M. and (2) 250' S. and 425' W. of the E. Quarter Section Corner of Sec. 24, T. 2 S., R. 1 W. of W.M.

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the (1) SE 1/4 of NE 1/4 and (2) NE 1/4 of SE 1/4 of Sec. 24, Tp. 2 S., R. 1 W., W. M., in the county of Washington

5. The pipe lines to be (1) 1200' (2) 1000' in length, terminating in the (1) SE 1/4 of NE 1/4 (2) NE 1/4 of / of Sec. 24, Tp. 2, R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

- 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(b) Description of headgate

(c) If water is to be pumped give general description (1) Fairbanks-Morse Wesco Pump No. 6830BR506, Cap. 13.8 gal. per Min. at 125' head driven by 2HP single phase, 110-220V., 1750 rpm Wagner Electric Motor at 12' head. (2) Allis Chalmers FS 1 1/2 & 1/4 DH pump, cap. 40 gal. per min. at 120' head, driven by Wagner 3 H.P. single phase 3500 rpm 110-220V. electric motor at 8' head.

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, (1) 1200 ft.; size at intake, (1) 1 1/2 in.; size at 300 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, (2) 6' ft. Is grade uniform? Yes Estimated capacity, (1) .3 second feet. (2) 9 sec. feet. sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S.	1 W.	24	(1) SE 1/4 NE 1/4	12
			(2) NE 1/4 SE 1/4	26
				38

(1) Beginning at point on the E line, Section 24, Township 2 S, Range 1 West of the Willamette Meridian. 20 chains north of the SE corner of the N 1/2 of the S 1/2 of Section 24, running thence North along the East line of said Section 20 chains to the NE corner of the donation land claim of William J. and Mary J. Barr. Thence W along the North line of said Barr donation land claim 6 chains, thence S on a line parallel with the East line of said section 20 chains to the N line of S 1/2 of said section 24. Thence E along said last line 6 chains to the place of beginning containing 12 acres of land more or less.

(2) The easterly portion of the N 1/2 of the S 1/2 of Section 24, Township 2 S, Range 1 W of the Willamette Meridian. Commencing at the SE corner of said N 1/2 of S 1/2 of said Section 24. Running thence northerly parallel with the easterly boundary of said section 80 rods, thence westerly parallel with the southerly boundary of said section 52 rods; Thence running southerly parallel with said easterly boundary line of said section 80 rods; thence running easterly parallel with the southerly boundary line of the said section to the place of beginning comprising about 26 acres excepting tract described in Deed Book 152, page 330 subject to roads, driveways, and easements as the same now exist or appear.

(If more space required, attach separate sheet)

(a) Character of soil (1) River silt; (2) Willamette Valley loam

(b) Kind of crops raised (1) permanent pasture; (2) permanent pasture and truck garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 22881

Permit No. 17994

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of October, 1947, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 15, 1948

Recorded in book No. 44 of

Permits on page 17994

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 54 B

62 0

Fees Paid \$16.20

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.48 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River and an unnamed drainage ditch, being 0.12 c.f.s. from River and 0.36 c.f.s. from drainage ditch.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 24, 1947

Actual construction work shall begin on or before January 15, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 15th day of January, 1948.

CHAS. E. STRICKLIN STATE ENGINEER