

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, O. E. Effenberger (Name of applicant) of Tillamook (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Marys Creek and Faucett Creek (Name of stream), a tributary of Tillamook River

2. The amount of water which the applicant intends to apply to beneficial use is 1.00 (one) cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Marys Crk 700 S. and 1300 ft. E. from the NW corner of Sec. 22, T. 2 S., R. 9 W. W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW SW of Sec. 22, Tp. 2 S., R. 9 W., W. M., in the county of (Give smallest legal subdivision)

5. The pipe line to be 1000 (approx) in length, terminating in the of Sec. 22, Tp. 2 S., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description No dams required (Size and type of pump)

7 1/2 H.P. electrical, G. E. Pump. Lift will be 4' from Faucett Crk. and 4' from Marys Creek. Size of intake— 3"; size of discharge— 4"; 18 sprinkler heads, 130 gallons per min. capacity

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 4" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 1 1/4 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	9 W	21	SE 1/4 NE 1/4	15.0
			NE 1/4 SE 1/4	20.5
		22	SW 1/4 NW 1/4	11.0
			NW 1/4 SW 1/4	33.5
				80.0

(If more space required, attach separate sheet)

(a) Character of soil fine texture

(b) Kind of crops raised pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....2,000.00.....
- 12. Construction work will begin on or before Have commenced.....
- 13. Construction work will be completed on or before Two years after approval.....
- 14. The water will be completely applied to the proposed use on or before Three years after approval.....

(Sgd) O. E. Effenberger
(Signature of applicant)

Remarks: Water is to be used from Fawcett Creek when available—any deficiency
to be made up from Mary's Creek

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for ...completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before October 23....., 1947..

WITNESS my hand this 23rd..... day of September....., 1947..

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant

mjo

Application No. 22691

Permit No. 18024

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 10th day of July

1947 at 11:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 1, 1948

Recorded in book No. 44 of

Permits on page 18024

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 18

Fees Paid \$22.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Faucett Creek and Mary's Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, the water to be used from Faucett Creek when available --any deficiency to be made up from Mary's Creek,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 10, 1947

Actual construction work shall begin on or before March 1, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 1st day of March, 1948

CHAS. E. STRICKLIN STATE ENGINEER