23420

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Minnie Elizebeth Ankney. (Name of applicant)				
of Fortland Rt. 2, Box 430 Skyline Boulivard , County of Multnomeh				
(Post office) Zone 10 ate ofQregon do hereby make application for a permit to appropriate th				
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:				
If the applicant is a corporation, give date and place of incorporation				
1. The source of the proposed appropriation is Springs (Name of stream) , a tributary of				
2. The amount of water which the applicant intends to apply to beneficial use isl				
cubic feet per second. (If water is to be used from more than one source, give quantity from each)				
**3. The use to which the water is to be applied is Domestic and Stock				
4. The point of diversion is located 24' ft. Southand 126 ft. Test from the N. E. (N. or S.)				
corner of Sction 22 (Section or subdivision)				
(If preferable, give distance and bearing to section corner)				
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)				
being within the NE4 of NE4 of Sec. 22 , Tp. 1 North (Give smallest legal subdivision)				
R. 1 West , W. M., in the county of Multnomah				
5. The				
in length, terminating in the of Sec, Tp(N. or S.)				
R, W. M., the proposed location being shown throughout on the accompanying map.				
DESCRIPTION OF WORKS				
Diversion Works—				
6. (a) Height of damno damfeet, length on top feet, length at bottom				
feet; material to be used and character of construction (Loose rock, concrete, masonr,				
Timber Crib, been there for years. rock and brush, timber crib, etc., wasteway over or around dam)				
(b) Description of headgate none (Timber, concrete, etc., number and size of openings)				
(c) If water is to be pumped give general description no pump. (Size and type of pump)				
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)				

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

≥adgate. At hea	dgate: width d	on top (at water li	ne)	feet; width on bottom
feet; depth of water			feet; grade	feet fall per one
ousand feet. (b) At		miles from her	adgate: width on top (at wate	er line)
			feet; depth of w	ater jeet;
		feet fall per one th		
_			size at intake, 2 inch	
			use in.; diff	
itake and place	of use,le	evel ft. Is	grade uniform?yas	Estimated capacity,
	sec. ft.			
8. Locatio	n of area to be	e irrigated, or plac	ce of use Home and Stock	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	T M.	22	NE NE T	
	·····			
			of Section 22, Twp. 1 N	
outh on the E	East line of	Section 22 a	distance of 588 feet to center of County road 3	the center of County
ience N. 53	30' W. trac	ing the center	of county road 161 fee	t to a point; thence
32 45 W.	tracing the	center of cou	nty road 311 feet to a	point on the Worth
			acing the north line of	said section 22 a
stance of 15	T leet to t	he place of be	STIMTUE.	
	•			,
			•••••	
			· · · · · · · · · · · · · · · · · · ·	
			•••••	
			equired, attach separate sheet)	
(a) Chara	cter of soil		•••••	
	•			
Power or Mining	_			47
			oped	_
(b) Qu	antity of wate	er to be used for p	power	sec. ft.
(c) To	tal fall to be u	tilized	feet.	
			s of which the power is to be	e developed
			_	-
(a) 54	ah anarka ta h	a loogted in		of Soo
			(Legal subdivision)	of Sect
'p. (No. N. or S.)	, R(N	o. E. or W.)	•	
(f) Is a	water to be re	turned to any stre	eam?(Yes or No)	
(a) If	so, name strea	m and locate poin	nt of return	
(37 -)		Saa	$T_{\mathcal{D}}$, R, W. M
-		Dec	······································	
			pplied is	

Municipal or Domestic Supply—	
• • • • • • • • • • • • • • • • • • • •	
	esent population of
and an estimated population of	
(b) If for domestic use state number of	f families to be supplied one
(Answer questions	; 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	······································
12. Construction work will begin on or before	ore
13. Construction work will be completed of	on or before
14. The water will be completely applied	to the proposed use on or before has been used
for years for family and stock by own	ner of Property.
	(Sgd) Minnie Elizbeth Ankney
	(Signature of applicant)
	Rt. 2. Box /30 Skyline Boulivarde
	Yortland Oregon.
Signed in the presence of us as witnesses:	
(1) (Sgd) Forrest E. Hulbert 4850N. Va	ngouver Ave. Portland, Oregon (Address of witness)
(2) (Sgd) R. B. Stevens R. 2 Bo)X.,432(Address of witness)
	(Address of Witness)
STATE OF OREGON, ss	
County of Marion,	
· ·	foregoing application, together with the accompanying
maps and data, and return the same forCOMP	letion
In order to retain its priority, this apple November 21	ication must be returned to the State Engineer, with 7 January 12, 1948
corrections on or before September 19	, 194.7
WITNESS my hand this19th day	y of <u>August</u> , 1947 10th December 1947
	CHAS. E. STRICKLIN STATE ENGINEER
	SIAIR ENGINEER

Application No. 22754	
Permit No. 18032	
PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	
Division No District No	
This instrument was first received in the office of the State Engineer at Salem, Oregon	
on the 14th day of August,	
194.7., at 3:00 o'clock M.	
Returned to applicant:	
Corrected application received:	
Approved:	
March 1, 1948	
Recorded in book No. 44 of	
Permits on page18032	
CHAS. E. STRICKLIN	
Drainage Basin No. 3 Page 4 A	
Fees Paid\$20,00	
PERMIT	
I have examined the foregoing application and IGHTS and the following limitations and cond	l do hereby grant the same, itions:
ed is limited to the amount of water which can	be applied to beneficial use
cubic feet per second measured at the	point of diversion from the
se of rotation with other water users, from	springs
water is to be applied is domestic and stoc	
opropriation shall be limited to	of one cubic foot per

This is to certify that .
SUBJECT TO EXISTING R. The right herein grante stream, or its equivalent in case The use to which this u for each use. If for irrigation, this ap second and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is November 24, 1947 Actual construction work shall begin on or before March 1, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950 Complete application of the water to the proposed use shall be made on or before October 1, 1951 WITNESS my hand this lst day of March , 194.8. CHAS. F. STRICKLIN
STATE ENGINEER

STATE OF OREGON

County of Marion,