

Partially ASSIGNED, See Misc. Rec. Vol. 3 Page 1020-1

Partially ASSIGNED, See Misc. Rec. Vol. 3 Page 570-1

* APPLICATION FOR PERMIT

Partially ASSIGNED, See Misc. Rec. Vol. 3 Page 605

To appropriate the Public Waters of the State of Oregon

Partially ASSIGNED, See Misc. Rec. Vol. 3 Page 1040-1

I, Clyde L. Holmes and William P. Holmes (Name of applicant) of Crow Stage Rt. Eugene, County of Lane (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the

CERTIFICATE NO. 21454 + 21565

Superseded by CERTIFICATE NO. 30864

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Long Tom, tributary of Willamette, Perkins Creek tributary of Hendricks Branch & Hendricks Branch, a tributary of Long Tom River

2. The amount of water which the applicant intends to apply to beneficial use is 0.34 cubic feet per second from each source, only one source being used at a time.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 100 ft. south and 75 ft. west from the NE corner of NW 1/4 of NW 1/4 Sec. 9, Tp. 17 S. R. 6 W. of W.M. on Hendricks branch; 89 1/2 ft. N. and 50' W. of SE corner of SW 1/4 of NW 1/4 of Sec. 9, Tp. 17 S. R. 6 W. W.M. on Perkins Creek; 258'S. & 427'E. of NE corner of SW 1/4 of NE 1/4 of Sec. 8, Tp. 17 S. R. 6 W. W. M. on Long Tom River

being within the Northeast quarter of Sec. 8 and the West half of NW 1/4 of Sec. 9, Tp. 17 R. 6 W., W. M., in the county of Lane

5. The pipe line to be 560 feet in length, terminating in the NW 1/4 of SW 1/4 NW 1/4 and the SE 1/4 of NE 1/4, Sec. 8 same Tp. & R. R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Randall-Rand Pump 1 1/2" at intake Motor 5 H.P. Westinghouse

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet. uniform throughout

(c) Length of pipe, 560 ft.; size at intake, 4" in.; size at ft. length from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? yes Estimated capacity, 0.34 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
17	6 West	9	NW $\frac{1}{4}$ of NW $\frac{1}{4}$ and	6.5 acres
		9	N $\frac{1}{2}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$	10.33 acres
		8	N $\frac{1}{2}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$	8.58 acres
		8	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	1.09 acres
		8	SW $\frac{1}{4}$ of NE $\frac{1}{4}$.50 acres
				27.00

Begin at a point 11.66 chains North of the Southwest corner of the Northeast quarter of Section 8, Township 17 South Range 6 West, run North 4.43 $\frac{1}{2}$ chains, East 60.12 chains, more or less to East line of E. Mays and wife Donation Land Claim, South 4.43 $\frac{1}{2}$ chains and West 60.12 chains to beginning containing 26- $\frac{2}{3}$ acres more or less.

Also

Beginning at the Northeast corner of Section 8, Township 17 South of Range 6 West of the Willamette Meridian, running thence West 445.5 feet to the center of the County Road, thence South 15° West 1640 feet to the center of the Long Tom River, thence East to the East line of the Southwest quarter of the Northwest quarter of Section 9 in said Township and Range, thence North to the Northeast corner of the Northwest

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil Black & Sandy Loam

(b) Kind of crops raised Hay, Pasture and garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....1376.75.....

12. Construction work will begin on or before ...Being installed.....

13. Construction work will be completed on or before ...May 1948.....

14. The water will be completely applied to the proposed use on or before
..... May 1948.....

(Sgd) Clyde L. Holmes.

(Signature of applicant)

(Sgd) William P. Holmes

Remarks: ...Water will be taken from one point of diversion at a time,
but pump will be moved from one point to an other to facilitate the
irrigation, the same pipe will be used from each point and moved when necessary.

(Continued from Item 8)

quarter of the Northwest quarter of said section 9 thence west to the
place of beginning, all in Lane County, Oregon and containing 70 acres
more or less.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same forcompletion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before ...November 21....., 1947..

WITNESS my hand this ...21st... day of ...October....., 1947..

CHAS. E. STRICKLIN

STATE ENGINEER

By
Ed K. Humphrey, Assistant

Application No. 22869

Permit No. 18052

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 15th day of October

1947 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 1, 1948

Recorded in book No. 44 of

Permits on page 18052

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 14 B.

Fees Paid \$15.00 2 11

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.34 cubic feet per second measured at the point of diversion from the

stream, or its equivalent in case of rotation with other water users, from Long Tom River and Hendricks Branch, being 0.20 c.f.s. from Long Tom River and 0.14 c.f.s. from Hendricks Branch

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 15, 1947

Actual construction work shall begin on or before March 1, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 1st day of March, 1948.

CHAS. E. STRICKLIN

STATE ENGINEER