

ASSIGNED TO NEW PERMIT NO. 3 FROM 510

* APPLICATION FOR PERMIT

CERTIFICATE NO. 24403

To appropriate the Public Waters of the State of Oregon

I, M. A. DeInap and W. E. Schwering and J. L. McBride
(Name of applicant)
of Blue River
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Elk Creek
(Name of stream)
a tributary of McKenzie River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 4" pipe
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation and domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1800 ft. N and 750 ft. W from the
(N. or S.) (E. or W.)
corner of N. W. Cor. of Sec. 29
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 19, Tp. 16 S,
(Give smallest legal subdivision) (N. or S.)
R. 4 E, W. M., in the county of Lane, 2,000 feet 2" pipe lines
(E. or W.) and

5. The pipe line to be 3,000 feet 4" pipe
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 29, Tp. 16 S,
(Smallest legal subdivision) (N. or S.)
R. 4 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of tank 1 concrete 150 gallons
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3,000 ft.; size at intake, 4" in.; size at 3,000 ft. from intake 2" in.; size at place of use 2" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
16 S	4 E	29	NE 1/4 NW 1/4	10 and domestic
			NW 1/4 NW 1/4	15 and domestic
Description of Properties				
J. L. McBride				
Beginning at a point on the south line of section 20, township 16 south, range 4 east, of Willamette Meridian 29 feet east of the south quarter section corner of said section, thence north 1320 feet, more or less to line of south half of southeast quarter of said section, thence west 1349 feet, more or less to the northwest corner of the southeast quarter of the southwest quarter of said section, thence south 2030 feet, more or less to center of county road; thence northeasterly along center of said road 1350 feet, more or less to a point due south of place of beginning, thence north 150 feet, more or less to place of beginning, containing 55 acres more or less in Lane County, Oregon.				
The 10 acres in the southwest corner of property described above is the land to be irrigated as shown on map.				
W. E. Schwering				
Beginning at a point on the east side of Elk Creek 90 feet east of the northwest corner of Section 29, in Township 16 south, range 4 east, of the Willamette Meridian, thence down the east side of Elk Creek to the mouth of the east fork of said Elk Creek, thence east to the northwest corner of McKenzie High School property in said Section 29, thence				

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil clay shot

(b) Kind of crops raised pasture, gardens, & small berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Three (3)

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3,600.00
- 12. Construction work will begin on or before April 1st 1948
- 13. Construction work will be completed on or before April 1st 1950
- 14. The water will be completely applied to the proposed use on or before May 1st 1950

(Sgd) M. A. Belnap
(Signature of applicant)
W. E. Schwering J. L. McBride

Remarks: From the point of diversion for the first 3,000 ft. we plan on using 4" pipe. At this point we plan on taking off with (3) three 2" pipes or what ever size of pipe it will take to handle the flow of water from the 4" line. One of these small lines will run to each place. Thus dividing the flow of water into 3 equal parts. As shown on the map.

(Continued from Item 8)
east on the north line of said McKenzie High School property at all angles 400 feet more or less to the northeast corner of said McKenzie High School property to the McKenzie highway, thence east on north side of McKenzie highway to McBrides corner in same section, thence north to north line of section 29, thence west to the place of beginning, all being in Section 29, township 16 south, range 4 east, Willamette Meridian in Lane County, Oregon. The 10 acres in the southeast corner of the property described above are to be irrigated as shown on map.

M. A. Belnap
Beginning at the established northeast corner of the northwest quarter of the northwest quarter of Section 29, Township 16 South, Range 4, east of the Willamette Meridian, marked by a car axle and being 1295.0 feet north 89 degrees east from the northwest corner of said Section 29 and running thence south along the east line of said northwest quarter 826.5 feet to the northerly right of way line of the McKenzie Highway; thence South 62 degrees 20 minutes west along said right of way line 100.0 feet; thence north 20 degrees 41' west 925.3 feet to the north line of said, Section 29, thence north 89 degrees east along the north line of said Section 29, 415.3 feet to the place of beginning, in Lane County, Oregon.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 15, 1947.

WITNESS my hand this 11th day of November, 1947.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant

Application No. 22891

Permit No. 18056

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of November 1947 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 1, 1948

Recorded in book No. 44 of

Permits on page 18056

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 28 C

Fees Paid \$25.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek

The use to which this water is to be applied is irrigation and domestic, being 0.32 c.f.s. for irrigation and 0.03 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 4, 1947

Actual construction work shall begin on or before March 1, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950 (Extended to Oct. 1, 1954)

Complete application of the water to the proposed use shall be made on or before

October 1, 1951 (Extended to Oct. 1, 1954)

WITNESS my hand this 1st day of March, 1948

CHAS. E. STRICKLIN

STATE ENGINEER