23305

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Karl Steiwer	(Name of	applicant)	<del>-</del>	
oflefferson				
State of	, do hereby	make application fo	or a permit to ap	propriate the
following described public waters of the Sta	te of Orego	n, SUBJECT TO EX	XISTING RIGHT	rs:
If the applicant is a corporation, give d	late and pla	ce of incorporation		
1. The source of the proposed appropri	iation is	an unnamed str	ean and reserv	voir to be
constructed under App. No. 22915	, a tributarı	y of Willametts	River	
2. The amount of water which the app	licant inten	ds to apply to benefi	icial use is	32
cubic feet per second(H water				•••••
**3. The use to which the water is to be				fish propo-
continue		(Irrigation, power, mining, r	nanufacturing, domestic	supplies, etc.)
4. The point of diversion is located	1450 1250 <b>ft</b> .	N 1600 N <b>and</b> 550	.ft from	the SE
corner of Sec. 1/. T. 9 S., 8. 3 M.	- W-M-	(N. or S.)	(E. or W.)	•
corner of Sec. 1/, T. 9.S., R. 3 H.	(Section	or subdivision)		
(If there is more than one point of divers	sion, each must b			
being within the	division)	of Sec	, Tp	9 S, (N. or S.)
R. $3 \text{ W}$ . W. M., in the county of	Marion			
5. The(Main ditch, canal or pi	ne line)	to be	(Miles or feet	······································
in length, terminating in the(Smallest leg				
R, W. M., the proposed locat	tion being sl	hown throughout on	the accompanyi	ng map.
DESC	RIPTION (	OF WORKS		
Diversion Works—				
6. (a) Height of dam	feet, leng	th on top	feet, leng	th at bottom
feet; material to be used and	l charac <b>t</b> er c	of construction	(Loose rock,	concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)				
(b) Description of headgate	(Tim	ber, concrete, etc., number an	d size of openings)	
(c) If water is to be pumped give gene	ral descript		(Size and type of pump)	
(Size and type of engine or m	notor to be used, 1	total head water is to be lifted		·····
Will use sprinklers det				

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

lgate. At hea	idgate: width or	n top (at water	line)	feet; width on bottom
upam d fact	feet; depth of u	vater	feet; grade	feet fall per one
ısand feet. (b) At		miles from he	adgate: width on top (at wate	r line)
			feet; depth of w	•
de	feet fa	all per one thous	and feet.	
			size at intake,	in.: size at ft.
			f use in.; dif	•
			s grade uniform?	
	_	Ju. 13	grade unijorni:	Estimatea capacity,
9 To	•	tuntum tad an al		
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
			``	
<u>y 5.</u>			TIE-FSA-F	
		1	M SM	
	~		Sulf Sulf	
				5
			Any SE?	
id 14. T. 9	S. R. 3 V.	W. A. Mari	on County, Oregon; Then	r of Section 11, 12,13
nd 14. T. 9 est line of crms," as the ats for Mar ruit Farms, outh 660.00 r iron pipe; cadam road;	S., R. 3 W., said Section e same is reion County, 3213.16 feet feet to the Thence S. pe; thence S.	M. A. Meri 13, 355%.00 corded on pa Oregon; Then to the Nort Southeast co th, 1321.25 54 49' E.,	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of the ce, West, along the Northeast corner of Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said	be. South along the corner of "Steiver Fruithe Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock said road, 467.30 feet prof said road, 489.00
nd 14, T. 9 est line of erms," as th lats for Mar ruit Farms, outh 660.00 r iron pipe; ecadam road; o an iron pi	S., R. 2 W., soid Section e same is reion County, 3213.16 feet feet to the Thence Wort Thence, S. pe; thence a pe; N. 63° pe; N. 63° pe;	M. 4. Meri 13, 3552.00 corded on pa Oregon; Then to the Nort Southeast co ta, 1321.25 54 49' E., 13' E., along	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11 orner of said Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said center, attach separate sheet) (Co.	corner of "Steiver Fruit corner of "Steiver Fruit te Records of Town th line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 439.00 i i roal 174.30 feet to an
nd 14, T. 9 est line of erms," as th ats for Mar ruit Forms, outh 660.00 riron pipe; cadam road; o an iron pi o an iron pi	S., R. 2 W., soid Section e. same is retion County, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence we pe; N. 63° ceter of soil	M. 4. Meri 13, 3552.00 corded on pa Oregon; Then to the Nort Southeast co th, 1321.25 1 54 49' E., 13' E., along (H more space)	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11 orner of said Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said center lin	corner of "Steiver Fruit corner of "Steiver Fruit the Records of Town the line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 a i road 174.30 feet to an ntinued under Remarks)
nd 14, T. 9 est line of erms," as the lats for Mar ruit Farms, outh 660.00 miron pipe; ecadam road; o an iron pi o an iron pi o an iron pi o (a) Charac (b) Kind c	S., R. 2 W., soid Section e. same is reion County, 3213.16 feet feet to the Thence Wort Thence, S. pe; thence wort pe; N. 63° corps raised	M. 4. Meri 13, 3552.00 corded on pa Oregon; Then to the Nort Southeast co th, 1321.25 1 54 49' E., 13' E., along (H more space)	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11 orner of said Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said center, attach separate sheet) (Co.	corner of "Steiver Fruit corner of "Steiver Fruit the Records of Town the line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 a i road 174.30 feet to an ntinued under Remarks)
nd 1/3, T. 9 est line of erms," as the lats for Mar ruit Faras, outh 660.00 r iron pipe; ecadam road; o an iron pi o an iron pi (a) Charac (b) Kind o wer or Mining	S., R. 2 W., soid Section e. same is retion County, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence worth thence, S. pe; thence worth thence, S. pe; N. 63° coe; N	M. 4. Meri 13, 3552.00 corded on pa Oregon; Then to the Nort Southeast co th, 1321.25 1 54 49' E., 13' E., along (H more space)	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11 orner of said Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said center, attach separate sheet)  (Context of the center of said center, attach separate sheet)  (Context of the center line of said center, attach separate sheet)  (Context of the center line of said center, attach separate sheet)	corner of "Steiver Fruit corner of "Steiver Fruit the Records of Town the line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 in i road 174.30 feet to an ntinued under Remarks)
nd 14, T. 9 est line of erms," as the lats for Mar ruit Forms, outh 660.00 r iron pipe; ecadam road; o an iron pi o an iron pi (a) Charac (b) Kind o wer or Mining 9. (a) Tot	S., R. 2 W., sold Section end Section County, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence were of soil	M. A. Meri 13, 3552.00 corded on pa Oregon; Then to the Nort Southeast co h; 1321.25 54 49' E., 3' E., along (H more space r he	on County, Oregon: Then feet to the Northeast ge. 5 of book no. 5 of te. to. West, along the Northeast corner of Lot 11: There of said Lot 11: There are iron pipe set along the center line of the center line of the center line of said equired, attach separate sheet)  (Co. avy black adino	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 is road 174.30 feet to anothinged under Remarks)  theoretical horsepower.
id 14, T, 9 est line of erms," as the lats for Mar ruit Farns, outh 660.00 riron pipe; ecadam road; o an iron pi	S., R. 2 W., soid Section e. same is retion County, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence were of soil	M. A. Meri 13, 3552.00 corded on pa Oregon; Then to the Nort Southeast co h, 1321.25 54 49' E., 3' E., along (Hemore space r he  ower to be deve	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said the center line of said cequired, attach separate sheet)  (Contact to the center line of said cequired, attach separate sheet)  (Contact to the center line of said cequired, attach separate sheet)  (Contact to the Northeast line of said cequired, attach separate sheet)  (Contact to the Northeast line of the center line of said cequired, attach separate sheet)	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 is road 174.30 feet to anothinged under Remarks)  theoretical horsepower.
mi 14. T. 9 est line of erms," as the lats for Mar ruit Farms, outh 660.00 riron pipe; ecadam road; o an iron pi o (a) Charac (b) Kind o wer or Mining 9. (a) Tot (b) Que (c) Tot	S., R. 2 W., soid Section e. same is retion County, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence worth thence of crops raised and amount of period and the same al fall to be utilized.	M. A. Meri 13, 3558.00 corded on pa Oregon; Then to the Nort Southeast co ta, 1321.25 1 54 49' E., 3' E., along (Hemore space) he  ower to be deve to be used for	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11 orner of said Lot 11: The feet to an iron pive set along the center line of the center line of the center line of said equired, attach separate sheet)  (Co. avy black adding the center line of said equired, attach separate sheet)  [Co. avy black adding feet.	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet of said road, 489.00 if road 174.30 feet to an intinued under Remarks)  theoretical horsepower. ec.ft.
nd 14, T. 9 est line of erms," as th lats for Mar ruit Farms, outh 660.00 miron pipe; ecadam road; o an iron pi o an iron pi o an iron pi o an iron pi o (a) Charac (b) Kind o ewer or Mining 9. (a) Tot (b) Que (c) Tot	S., R. 2 W., soid Section e. same is retion County, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence worth thence of crops raised and amount of period and the same al fall to be utilized.	M. A. Meri 13, 3558.00 corded on pa Oregon; Then to the Nort Southeast co ta, 1321.25 1 54 49' E., 3' E., along (Hemore space) he  ower to be deve to be used for	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11: The feet to an iron pipe set along the center line of the center line of the center line of said the center line of said cequired, attach separate sheet)  (Contact to the center line of said cequired, attach separate sheet)  (Contact to the center line of said cequired, attach separate sheet)  (Contact to the Northeast line of said cequired, attach separate sheet)  (Contact to the Northeast line of the center line of said cequired, attach separate sheet)	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet of said road, 489.00 if road 174.30 feet to an intinued under Remarks)  theoretical horsepower. ec.ft.
nd 14, T. 9 est line of erms," as th lats for Mar ruit Ferms, outh 660.00 m iron pipe; ecadam road; o an iron pi o an iron pi o an iron pi o an iron pi o (a) Charac (b) Kind o wer or Mining 9. (a) Tot (b) Qua (c) Tot (d) The	S., R. 2 W., soid Section e. same is relied to the feet to the Thence Worth Thence, S. pe; thence worth thence, S. pe; thence of crops raised and amount of pe antity of water al fall to be utile nature of the	M. A. Merilla, 3558.00 conded on particular to the Northeast condition of t	on County, Oregon: Then feet to the Northeast ge 5 of book no. 5 of t ce, West, along the Northeast corner of Lot 11 orner of said Lot 11: The feet to an iron pipe set along the center line of ., slong the center line of the center line of said equired, attach separate sheet)  (Contact to an iron pipe set along the center line of said equired, attach separate sheet)  (Contact to an iron pipe set along the center line of said equired, attach separate sheet)  (Contact to an iron pipe set along the center line of said equired, attach separate sheet)  (Contact to an iron pipe set along the center line of said equired, attach separate sheet)  (Contact to an iron pipe set along the center line of said equired, attach separate sheet)  (Go feet to an iron pipe set along the center line of said equired, attach separate sheet)  (Go feet to an iron pipe set along the center line of said equired, attach separate sheet)  (Go feet to an iron pipe set along the center line of said equired, attach separate sheet)  (Go feet to an iron pipe set along the center line of said equired, attach separate sheet)  (Go feet to an iron pipe set along the center line of said equired, attach separate sheet)	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 in road 174.30 feet to an antinued under Remarks)  theoretical horsepower.  ec.ft.  developed
mi 14, T. 9 est line of erms," as the lats for Mar ruit Faras, outh 660.00 riron pipe; ecadam road; o an iron pi o an iron pi o an iron pi o an iron pi o (a) Charac (b) Kind c wer or Mining 9. (a) Tot (b) Que (c) Tot (d) The	S., R. 2 W., soid Section county, 3213.16 feet feet to the Thence Worth Thence, S. pe; thence worth of crops raised and amount of peantity of water al fall to be utile nature of the ch works to be least to the ch works to be least to the country of the ch works to be least to the ch works to be least to the country of the ch works to be least to the character of	M. A. Merilla, 3552.00 conded on particular to the North Southeast condent and the North South	on County, Oregon: Then feet to the Northeast ge. 5 of book no. 5 of to ge. 6 of book no. 5 of to ge. 6 of which the power is to be content of the center line of said equired, attach separate sheet)  [Content of said lot 1]: The get to get	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 in road 174.30 feet to an antinued under Remarks)  theoretical horsepower.  ec.ft.  developed
nd 14. T. 9 est line of erms," as the ats for Markets for Mining (a) Character (b) Kind construction (b) Quality (c) Total (d) The (e) Succession (No. N. or s.)	S., R. 2 W., sold Section county, 3213.16 feet to the Thence North Thence, S. pe; thence North Thence	M. A. Merilla, 3552.00 corded on particular to the North Southeast control of the North South	on County, Oregon: Then feet to the Northeast ge. 5 of book no. 5 of to ge. 6 of book no. 5 of to ge. 6 of the corner of said bot 11: The feet to an iron pipe set along the center line of said the center line of said equired, attach separate sheet) (Co. 2007) black get. (Gead)  feet. (Head)  feet. (Head)  feet. (Legal Subdivision)  f.	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plut; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 489.00 in road 174.30 feet to an antinued under Remarks)  theoretical horsepower.  ec.ft.  developed
nd 14. T. 9 est line of erms," as the lats for Mar ruit Farns, outh 660.00 or iron pipe; ecadam road; o an iron pi o (a) Charac (b) Kind o wer or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc	S., R. 2 W., sold Section le same is re ion County, 3213.16 feet feet to the Thence Wort Thence, S. pe; thence were pe; N. 63° cter of soil cter of soil did amount of pe antity of water al fall to be utile e nature of the ch works to be le water to be retained.	ower to be deveroused in works by means to any structured to any s	on County, Oregon: Then feet to the Northeast ge. 5 of book no. 5 of te. dee, West, along the Northeast corner of Lot 11. The received and iron pipe set along the center line of the center line of the center line of said equired, attach separate sheet) (Co. avy black adino  loped	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 469.00 if road 174.30 feet to anothinged under Remarks)  theoretical horsepower.  ec. ft.  developed
ad 14. T. 9 est line of erms," as the lats for Mar ruit Farms, outh 660.00 miron pipe; ecadam road; o an iron pi o (a) Charac (b) Kind o wer or Mining 9. (a) Tot (b) Qua (c) Tot (d) The  (e) Suc (No. N. or s) (f) Is u (g) If s	S., R. 2 W., sold Section e. same is reliented in County, 3213.16 feet feet to the Thence worth Thence, S. pe; thence worth the pe; N. 63° for crops raised.  Purposes—al amount of perantity of water al fall to be utile nature of the ch works to be level water to be returned to the returned for the county of t	ower to be devered by works by means to be used for the works by means to be devered to any stranger of the the works by means to any stranger of the the works by means to any stranger of the the the the the works by means to any stranger of the the the the the the works by means the	on County, Oregon: Then feet to the Northeast ge. 5 of book no. 5 of te. ice, West, along the Northeast corner of Lot 11. The received and iron pipe set along the center line of the center line of the center line of said equired, attach separate sheet) (Co. avy black adding)  loped	corner of "Steiver Fruit corner of "Steiver Fruit ce Records of Town the line of said Steiver in said plat; Thence, ence West, 1026.90 feet in the center of a rock f said road, 467.30 feet e of said road, 469.00 if road 174.30 feet to anothinged under Remarks)  theoretical horsepower.  ec.ft.  developed
est line of erms," as the lats for Market Farms, outh 660.00 miron pipe; ecadam road; o an iron pipe an iron	S., R. 2 W., sold Section county, 3213.16 feet to the Thence Worth Thence, S., pe; thence worth the sold sector of soil	ower to be deveroused in works by means to be used for the works by means to be deveroused in works by means to be used in works by	on County, Oregon: Then feet to the Northeast ge. 5 of book no. 5 of te. dee, West, along the Northeast corner of Lot 11. The received and iron pipe set along the center line of the center line of the center line of said equired, attach separate sheet) (Co. avy black adino  loped	corner of "Steiver Fruit  The Records of Town  th line of said Steiver  in said plat; Thence,  ence West, 1026.90 feet  in the center of a rock  f said road, 467.30 feet  e of said road, 489.00  i roal 174.30 feet to an  ntinued under Remarks)  theoretical horsepower.  ec.ft.  developed  of Sec, W. M.  (No. E. or W.)

Municipal or Domestic Supply—
10. (a) To supply the city of
County, having a present population of
and an estimated population of in 19
(b) If for domestic use state number of families to be supplied
(Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$not.estimated
12. Construction work will begin on or before the year after approval
13. Construction work will be completed on or before .Two years " "
14. The water will be completely applied to the proposed use on or before 3
(S.d) Karl Steiwer
(S <sub>0</sub> d) Karl Steiwer  (Signature of applicant)
Remarks: It is possible that enough fall is available to operate sprinkler
system.
(Continued from Item 3) iron pipe; Thence S. 39 03' E., along the center line of
said road 336.90 feet to an iron pipe; Thence, leaving said road and running A. 6 12' E., 2516.30 feet to an iron pipe set on the South line of that certain tract of
land described in a deed recorded on Page 87 of Book No. 30/ of Deed Records for
Marion County, Oregon; S. 390 A6! E. along the South Line of said property 1270,23
feet to an iron pipe; Thence N. 70° 24' E., Flong the South line of said property, 1051.40 feet to an iron pipe; Thence, N. 54° 32' E. 398.53 feet to the place of
beginning and containing 325.10 acres more or less.
······································
<u></u>
STATE OF OREGON, Ss
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
naps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with correct
ions on or before, 194
WITNESS my hand this day of, 194,

STATE ENGINEER

Application No	22916
Permit No	13066

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District 1	Vo	
	This instrument was first recoffice of the State Engineer at Sc		
	on the 13th day of Novemb	er ,	
	194 7. at 3:00o'clockP.	M	
	Returned to applicant:	•	
	Corrected application received:	······	
	Approved:		
	Merch 1, 1943		
	Recorded in book No44	of	
	Permits on page13066		
	CHAS. E. STRICKLI	ATE ENGINEER	
	Drainage Basin No. 2	age 76 T	
	Fees Paid		
	· ·		
STATE OF OREGON,	PERMIT		•
County of Marion,			
SUBJECT TO EXISTING R	I have examined the foregoing a IGHTS and the following limitations of the second seco	ons and conditions	:
	ted is limited to the amount of wo		
	cubic feet per second m		-
, <b>.</b>	case of rotation with other water ucted under Application No.	•	
	water is to be applied is <u>irriga</u> irrigation, 0.01 c.f.s. for		
	TENTER LEGICALITY MANAGEMENT AND		and the state of t
	ppropriation shall be limited to		of one cubic foot per
	t for each acre irrigated f		
Limital to a diversio	$_{ m B}$ of not to exceed 2\frac{1}{2} scre	feet per acre	for each core irrigated
during the irrigation	season of each year, from	direct flow and	d storage from reservoir
to be constructed und	er Permit No. R-916.		
	······		
and shall be subject to such	reasonable rotation system as ma		
•	is permit is Nove	_	
	ork shall begin on or before		
	th reasonable diligence and be com		
	19 <b>51</b> 		
Complete application October 1	of the water to the proposed use s Exercised to Oct. 1, 1932.	hall be made on or	before
	islstday ofMarch		
	CHAS.	E. STRICKLIN	STATE ENGINEER
			STATE ENGINEER