

50138

3 480

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harney Valley Farms, Inc., of Burns, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation August 11, 1946 Reno, Nevada.

1. The source of the proposed appropriation is Poison Creek, a tributary of none.

2. The amount of water which the applicant intends to apply to beneficial use is 4.00 cubic feet per second.

**3. The use to which the water is to be applied is irrigation.

4. The point of diversion is located ft. and ft. from the corner of Section 11. (1.) 2665 feet south of the NW corner of Section 11. (2.) 482.0 feet south of the NW corner of Section 11.

being within the NW 1/4 of Sec. 11, Tp. 23 S, R. 31 E, W. M., in the county of Harney.

5. The main ditch to be 4300 feet in length, terminating in the SW 1/4 of Sec. 11, Tp. 23 S, R. 31 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction.

(b) Description of headgate Timber and plankboxes to divert water into ditches.

(c) If water is to be pumped give general description.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom 5 feet; depth of water 1.5 feet; grade 3.9 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
23 S	31 EWM	11	NW $\frac{1}{4}$ NE $\frac{1}{4}$	32
		11	NW $\frac{1}{4}$ NW $\frac{1}{4}$	14
		11	SW $\frac{1}{4}$ NE $\frac{1}{4}$	8
		11	SE $\frac{1}{4}$ NW $\frac{1}{4}$	30
		11	NW $\frac{1}{4}$ SE $\frac{1}{4}$	25
		11	NE $\frac{1}{4}$ SW $\frac{1}{4}$	15
		11	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40
		11	SW $\frac{1}{4}$ SE $\frac{1}{4}$	32
		11	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40
			Total	236

(If more space required, attach separate sheet)

(a) Character of soil Black loam, Sandy clays

(b) Kind of crops raised grain - hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 280.00
- 12. Construction work will begin on or before July 1, 1948
- 13. Construction work will be completed on or before July 1, 1950
- 14. The water will be completely applied to the proposed use on or before July 1, 1950

HARNEY VALLEY FARMS, INC.
By (Sgd) G. N. Jameson
(Signature of applicant)
Secretary

Remarks: The flood waters of Poison Creek enters this Section in the main
and side channels as designated under pg 4, Page 1 above. At the present time,
this section is undeveloped and the applicant, after clearing and levelling certain
portions, proposes to construct diversion boxes to distribute and spread the flood
waters over certain portions of this area. After application of the water, ditches
along the County roads as well as the main channel will will return the water as
shown on the attached plat.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before _____, 194_____

WITNESS my hand this _____ day of _____, 194_____

Application No. 22952

Permit No. 18087

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of December 1947, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 1, 1948

Recorded in book No. 144 of Permits on page 18087

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 12 Page 23

Fees Paid \$32.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Poison Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second for each acre irrigated up to April 20, of each year and 1/60th of one cubic foot per second for the balance of the year provided that the total quantity diverted for the year shall not exceed 3 acre feet per acre irrigated during the year, and shall be still further limited to a diversion of not to exceed 4.00 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 15, 1947 for 0.75 c.f.s. and December 26, 1947 for 3.25 c.f.s.

Actual construction work shall begin on or before March 1, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 1st day of March, 1948

CHAS. E. STRICKLIN

STATE ENGINEER