## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Charles S. Walta (Name of applicant)
of Rt. 1 Gaston (Mailing address)
State of, do hereby make application for a permit to appropriate to
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
The source of the proposed appropriation is Scroggins Creek  (Name of stream)
, a tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is $0.500$
cubic feet per second
**3. The use to which the water is to be applied is
4. The point of diversion is located 1330 ft. S and 5°35! ft. from the from the corner of T. B. Speake D.I.C. No. 51 in Two 1 S. R. J. W. W. W.
corner of T. B. Speake D.IC. No. 51 in Twp 1 S. R 4 W. W.M. (Section or subdivision)
1330 ft. S. 5° 35° W from the Corner of T. B. Speake D.L.C. No. 51
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N.E. 4 N.E. 4 Of Sec. 28 , Tp. 1 S (Give smallest legal subdivision) (N. or S.)
R. 4 W., W. M., in the county of Washington
5. The Pipe line to be 1980 ft.
(Main ditch, canal or pipe line)  in length, terminating in the Mawa 4 Me4 of Sec. 28 , Tp. 1 S  (Smallest legal subdivision) (N. or S.)
(Smallest legal subdivision)  (N. or S.)  R. $\frac{\mathbb{W}}{\mathbb{E}}$ , W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at botto
feet; material to be used and character of construction (Loose rock, concrete, mason
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description 2½" Centrifugal Pump (Size and type of pump)
20 H.P. Electric Motor 75! lift. to Highest Point.  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

18089				
Canal System or Pi	pe Line—			
7. (a) Give	dimensions a	t each point of	canal where materially ch	anged in size, stating miles fror
headgate. At head	gate: width o	n top (at water	line)	feet; width on bottor
thousand feet.	et; depth of u	vater	feet; grade	feet fall per on
•		miles from he	eadgate: width on top (at u	vater line)
fe	eet; width on	bottom	feet; depth	of water feet
grade	feet fa	ill per one thou	sand feet.	
(c) Length of	of pipe,1	980 ft.;	size at intake, 6"	in.; size at
				difference in elevation betwee
intake and place of	use,75!	(highest ft. I	nt) s grade uniform?yo	ន Estimated capacity
380 gal per min	sec. ft.			
8. Location	of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	4 W.	28	NEŻ NWŻ	7.45
1 S	4 W.	28	NW¼ NE¼	
1 S	<u>4 W</u>	28	SW1 NE1	6.5 40.5
		***************************************		
			, <u></u>	
	·		,	
		. )		
	•••••••	***************************************		
			required, attach separate sheet)	
	-			
(b) Kind of	crops raised .	vege:	tables, bulbs and pas	ture
Power or Mining P	_	ower to be deve	ploned	theoretical horsepowe
			power	•
, , ,	•	-	(Head)	800. ju.
				be developed
(u) The l	ideale of the	works og meun	s of which the power is to	be decemped
(e) Such	works to be l	located in		of Sec
				of Sec
(No. N. or S.)	•	•		
			ream? NO (Yes or No)	
		_	-	D 777 B
				No. E. or W.)
(h) The	use to which	power is to be	applied is	
		• • • • • • • • • • • • • • • • • • • •		

(i) The nature of the mines to be served .....

Municipa	l or Domestic Supply—			
10.	(a) To supply the city of			
***************************************	County, having a present population of			
	timated population of in 19			
	(b) If for domestic use state number of families to be supplied			
	(Answer questions 11, 12, 13, and 14 in all cases)			
11.	Estimated cost of proposed works, \$ 21,00.			
12.	Construction work will begin on or before April 30 1948			
13.	13. Construction work will be completed on or before Nay 1 1949			
14.	The water will be completely applied to the proposed use on or before			
	(Sgd) Charles S. Walta (Signature of applicant)			
Ren	narks:			
Beginni of the 38.08 c thence 27½ Eas thence Said So chains chains line of thence acres,  Exc by deed And Sub recorde And all in T. 1 Creek.	ng at the Southwest corner of the T. B. Speaks D.L.C. No 51 in T. 1 S R. 4 W. WILlamette Meridian and running thence North on the west line of the said DL.C. mains to angular corner of Southeast line of the Norman Martin D.L.C. No 52; South 45° West on such southeast line of D.L.C. No. 52, 7.05 chains; thence South 1.90 chains; thence South 363/4° West 2.80 chains to a post in the County Road South 50° W. 2.40 chains to center of Scroggin Creck; thence up said Creck to atheast line of the Norman Martin D.L.C. No. 52, thence South 45° West 24.57 to subdivision line; thence West 14.78 chains to a post; thence South 20.00 to a stone; thence East 60.12 chains to quarter Section Corner on the east Section 28; thence North 12.10 chains to South line of said D.L.C. No. 51; North 82½° West 15.52 chains to the place of beginning containing 150.74 more or less.  Expline from the above that certain 5.1 acres tract conveyed to Stimpson Lumber C Recorded in book 148 at page 77 of the deed records of Washington County Oregon Ject to the rights of the Southern Pacific Company as set out in instrument d in book 149 at page 86 of deed Records of Washington County, Oregon. that part or portion of the Southeast half of the Norman Martin D.L.C. No. 52 S., R. 4 V. V. M. Lying South and Southwest of the center Line of Scroggins			
STATE C	OF OREGON, ss y of Marion,			
	s is to certify that I have examined the foregoing application, together with the accompanying			
naps and	data, and return the same for			
In o	order to retain its priority, this application must be returned to the State Engineer, with correc-			
ions on o	r before, 194			
WI'	TNESS my hand this day of, 194,			
	STATE ENGINEER			

Application	No. 22954
Dormit No	18089

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 17th day of December,
	1947 at 1:00 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved: March 1, 1948
	Recorded in book No of
	Permits on page 18089
	CHAS. E. STRICKLIN
	Drainage Basin No. 2 Page 62.0
	Fees Paid \$16.65
	PERMIT
STATE OF OREGON,	L EITIVII I
County of Marion,	
This is to certify that SUBJECT TO EXISTING RE	I have examined the foregoing application and do hereby grant the same, GHTS and the following limitations and conditions:
	ed is limited to the amount of water which can be applied to beneficial use
and shall not exceedQ.50	cubic feet per second measured at the point of diversion from the
stream, or its equivalent in o	ease of rotation with other water users, from Scroggins Creek
The use to which this	water is to be applied is irrigation
	7/80+h
	propriation shall be limited to 1/80th of one cubic foot per
	t for each acre irrigated and shall be further limited to a ceed 2½ acre feet per acre for each acre irrigated during the
100000000000000000000000000000000000000	ach year.
TITTEGRIOTI BEGNOTI OT G	Acti. Aszik.
4	
and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.
The priority date of th	s permit is December 17, 1947
Actual construction we	ork shall begin on or before March 1, 1949 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed on or before
October 1, 1950	
	of the water to the proposed use shall be made on or before
October 1, 1951	
WITNESS my hand th	islstday ofNarch, 1948
The state of the s	CHAS. E. STRICKLIN STATE ENGINEER