* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1	Ernest H. Wheeler
	Camas Valley .
-	(Mailing address) f, do hereby make application for a permit to appropriate the
	ng described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
•	f the applicant is a corporation, give date and place of incorporation
1	j the applicant is a corporation, give date and place of incorporation
1	. The source of the proposed appropriation is unnamed stream (Name of stream)
	, a tributary of Middle Fork Coquille River
2	2. The amount of water which the applicant intends to apply to beneficial use is125
cubic f	eet per second(If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is
4	!. The point of diversion is located ft and ft from the from the
	of N. 76° 54' W. 2910.4 ft. from the southeast corner C. D. Rawson D.L.C.
.No3	9
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	within the SW NW Of Sec. 19, Tp. 29 S. (Give smallest legal subdivision) (N. or S.)
R8	W. W. M., in the county of Douglas.
5	. The pipeline to be 1000 ft. (Miles or feet)
	th, terminating in the $NV_{\frac{1}{4}}^{\frac{1}{4}}SV_{\frac{1}{4}}^{\frac{1}{4}}$ of Sec. 19 , Tp. 29.S. (Smallest legal subdivision)
R	W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversi	on Works—
6	6. (a) Height of dam8 feet, length on top14 feet, length at bottom
	feet; material to be used and character of construction Concrete and timber (Loose rock, concrete, masonrs
	orush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate Timber (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description 2" centrifugal pump (Size and type of pump)
	direct connected to a 7½ HP electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	· · · · · · · · · · · · · · · · · · ·

^{*}A different form of application is provided where storage works are contemplated.

_			line)	
feet; housand feet.	; depth of w	ater	feet; grade	feet fall per one
(b) At	•••••	. miles from he	eadgate: width on top (at wat	er line)
feet	; width on	bottom	feet; depth of	water feet;
rade	feet fal	ll per one thou	sand feet.	
(c) Length of j	pipe, <u>10</u>	000 ft.;	size at intake,3	in.; size at ft.
om intake	in.	; size at place o	of usein.; di	fference in elevation between
ıtake and place of us	se,	10 ft. I	s grade uniform?	Estimated capacity,
	sec. ft.			
8. Location of	area to be	irrigated, or pl	lace of use 10.2 acres	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S.	8 W.	19	SW ¹ 2NW ¹ 2	5.5
			NW <u>1</u> SW1	4.7
······································				-
Acre Tract:				W- 20 2-4
he West line of	T. 29 S.	. R. 8 W., W		79 chains. Thence
orth 12.1 chains nains to beginni		West 24.79	chains, Thence South on	the Twp. line 12.1
To gain a start o. 39 intersects hains along the f beginning. The	ting points the west South livence North	t, begin whe t line of T. ne of said D n 11 1/8 cha	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12.	nd run East 24.79 1 chains to the place ins to the center of
To gain a start to. 39 intersects chains along the of beginning. The deed Creek. Then boint directly We	ting points the west South line ence North ce down the	t, begin whe t line of T. ne of said D n 11 1/8 chance center of place of b	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 character in a souther eginning. Thence East 1	te C. B. Rawson D.L.C. and run East 24.79 I chains to the place lins to the center of esterly direction to a chains to place of ouglas County, Oregon.
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Then oint directly We eginning, all in	ting points the west South linence North ce down the est of the	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 characteristics. Reed Creek in a souther eginning. Thence East 1 J., R. 8 W., W.M. and Decrequired, attach separate sheet)	te C. B. Rawson D.L.C. and run East 24.79 1 chains to the place ins to the center of esterly direction to a chains to place of ouglas County, Oregon.
To gain a start o. 39 intersects nains along the f beginning. The eed Creek. Then oint directly We eginning, all in	ting points the west South line noe North ce down the set of the Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (M more space Creek	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 character and Creek in a souther eginning. Thence East 1 S., R. 8 W., W.M. and Decrequired, attach separate sheet)	te C. B. Rawson D.L.C. and run East 24.79 1 chains to the place ins to the center of esterly direction to a 6 chains to place of ouglas County, Oregon.
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Then oint directly We eginning, all in (a) Character	ting points the west South line noe North ce down the set of the Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (M more space Creek	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 character and Creek in a souther eginning. Thence East 1 S., R. 8 W., W.M. and Decrequired, attach separate sheet)	te C. B. Rawson D.L.C. and run East 24.79 1 chains to the place ins to the center of esterly direction to a chains to place of ouglas County, Oregon.
To gain a start o. 39 intersects hains along the of beginning. The leed Creek. Then oint directly We eginning, all in (a) Character (b) Kind of cre ower or Mining Purp	ting points the west South line noe North ce down the set of the section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (M more space Creek alfalf	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 characters are a souther eginning. Thence East 1 S., R. 8 W., W.M. and Decrequired, attach separate sheet) bottom loam a hay	te C. B. Rawson D.L.C. and run East 24.79 1 chains to the place ins to the center of esterly direction to a 6 chains to place of ouglas County, Oregon.
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Then oint directly We eginning, all in (a) Character (b) Kind of cro ower or Mining Pury 9. (a) Total an	ting points the west South limence North cendown the set of the Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (If more space Creek alfalf	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 characters are souther eginning. Thence East 1 S., R. 8 W., W.M. and Do required, attach separate sheet) bottom loam Ta hay	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place Ins to the center of esterly direction to a chains to place of ouglas County, Oregon. theoretical horsepower
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Thenco oint directly We eginning, all in (a) Character (b) Kind of cro ower or Mining Purp 9. (a) Total an (b) Quantit	ting points the west South limence North the down the set of the section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (H more space Creek alfalf ower to be deve	re the south line of the 29 S., R. 8 W., W.M. a l.L.C. Thence North 12. ins, Thence West 20 characters are souther eginning. Thence East 1 l., R. 8 W., W.M. and Down required, attach separate sheet) bottom loam The control of the	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place Ins to the center of esterly direction to a chains to place of ouglas County, Oregon. theoretical horsepower
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Thenco int directly We eginning, all in (a) Character (b) Kind of cro ower or Mining Purp 9. (a) Total an (b) Quantit	ting points the west South limence North the down the set of the section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (H more space Creek alfalf ower to be deve	re the south line of the 29 S., R. 8 W., W.M. a L.C. Thence North 12. ins, Thence West 20 characters are souther eginning. Thence East 1 S., R. 8 W., W.M. and Do required, attach separate sheet) bottom loam Ta hay	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place Ins to the center of esterly direction to a chains to place of ouglas County, Oregon. theoretical horsepower
To gain a start to. 39 intersects thains along the f beginning. The teed Creek. Then coint directly We reginning, all in (a) Character (b) Kind of cre tower or Mining Purp 9. (a) Total an (b) Quantit (c) Total fa	ting points the west South livence North the down the est of the a Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (If more space Creek alfalf ower to be deve to be used for	re the south line of the 29 S., R. 8 W., W.M. as L.C. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 18., R. 8 W., W.M. and Description of the second of the	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place Ins to the center of esterly direction to a chains to place of ouglas County, Oregon. theoretical horsepower
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Thenco int directly We eginning, all in (a) Character (b) Kind of cro ower or Mining Pury 9. (a) Total an (b) Quantit (c) Total fa (d) The nat	ting points the west South livence North the down the est of the assertion of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (If more space Creek alfalf ower to be deve to be used for lized works by mean	re the south line of the 29 S., R. 8 W., W.M. as a l.C. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 18., R. 8 W., W.M. and Down required, attach separate sheet) bottom loam The control of the control o	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place ins to the center of seterly direction to a chains to place of nuglas County, Oregon. theoretical horsepower sec. ft. developed
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Then oint directly We eginning, all in (a) Character (b) Kind of cre ower or Mining Pury 9. (a) Total an (b) Quantit (c) Total fa (d) The nat	ting points the west South limence North the down the set of the section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (H more space Creek alfalf ower to be deve to be used for lized works by mean	re the south line of the 29 S., R. 8 W., W.M. a line. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 1 S., R. 8 W., W.M. and Description of the souther loam The control of the souther large state of the souther loam The control of the souther large state sheet large sheet large state sheet large state sheet large state sheet large sheet la	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place Ins to the center of esterly direction to a Chains to place of orglas County, Oregon. theoretical horsepower sec. ft. developed
To gain a start o. 39 intersects nains along the f beginning. The end Creek. Then oint directly We end Character (a) Character (b) Kind of cre ower or Mining Pury 9. (a) Total an (b) Quantit (c) Total fa (d) The nat	ting points the west South limence North the down the set of the section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (H more space Creek alfalf ower to be deve to be used for lized works by mean	re the south line of the 29 S., R. 8 W., W.M. a line. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 1 S., R. 8 W., W.M. and Description of the souther loam The control of the souther large state of the souther loam The control of the souther large state sheet large sheet large state sheet large state sheet large state sheet large sheet la	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place ins to the center of seterly direction to a chains to place of nuglas County, Oregon. theoretical horsepower sec. ft. developed
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Then oint directly We eginning, all in (a) Character (b) Kind of cre ower or Mining Pury 9. (a) Total an (b) Quantit (c) Total fa (d) The nat (e) Such we p	ting points the west South literace North the down the set of the a Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (If more space Creek alfalf ower to be deve to be used for lized works by mean ocated in E. or W.)	re the south line of the 29 S., R. 8 W., W.M. a line. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 1 S., R. 8 W., W.M. and Description of the souther loam The control of the souther large state of the souther loam The control of the souther large state sheet large sheet large state sheet large state sheet large state sheet large sheet la	the C. B. Rawson D.L.C. Ind run East 24.79 I chains to the place ins to the center of seterly direction to a chains to place of nuglas County, Oregon. theoretical horsepower sec. ft. developed
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Thenco oint directly We eginning, all in (a) Character (b) Kind of cro ower or Mining Pury 9. (a) Total an (b) Quantit (c) Total fa (d) The nat (e) Such we p. (No. N. or S.) (f) Is water (g) If so, n	ting points the west South literace North the down the est of the a Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (H more space Creek alfalf ower to be deve to be used for lized works by mean ocated in, W. I creed to any st n and locate po	re the south line of the 29 S., R. 8 W., W.M. as al.C. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 13., R. 8 W., W.M. and Down and Down and Down are the second control of the s	the C. B. Rawson D.L.C. and run East 24.79 chains to the place ins to the center of sesterly direction to a chains to place of nuglas County, Oregon. theoretical horsepower sec. ft. developed of Sec.
To gain a start o. 39 intersects hains along the f beginning. The eed Creek. Thenco oint directly We eeginning, all in (a) Character (b) Kind of cro ower or Mining Pury 9. (a) Total an (b) Quantit (c) Total fa (d) The nat (e) Such we p. (No. N. or S.) (f) Is water (g) If so, n	ting points the west South literace North the down the est of the a Section of soil	t, begin whe t line of T. ne of said D n 11 1/8 cha ne center of e place of b 19. T. 29 S (H more space Creek alfalf ower to be deve to be used for lized works by mean ocated in, W. I creed to any st n and locate po	re the south line of the 29 S., R. 8 W., W.M. as al.C. Thence North 12. ins, Thence West 20 chas Reed Creek in a souther eginning. Thence East 13., R. 8 W., W.M. and Down and Down and Down are the second control of the s	the C. B. Rawson D.L.C. and run East 24.79 chains to the place ins to the center of sesterly direction to a chains to place of nugles County, Oregon. theoretical horsepower sec. ft. developed of Sec.

-	4-	~	_
1	81	()	ፋ

Municipa	l or Domestic Supply—
10.	(a) To supply the city of
	timated population of in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$1250.00
12.	Construction work will begin on or before Jan. 1, 1949
13.	Construction work will be completed on or before Jan. 1, 1951
	The water will be completely applied to the proposed use on or before Jan. 1 1953
	(Cad) Emport U Ilboolom
	(Sgd) Ernest H. Wheeler (Signature of applicant)
Por	narks:
ner	
•	
	······································
	OF OREGON, ss
•	y of Marion,
	s is to certify that I have examined the foregoing application, together with the accompanying
-	data, and return the same for
In o	order to retain its priority, this application must be returned to the State Engineer, with correc-
ons on o	r before, 194
WI	TNESS my hand this day of, 194,
	STATE ENGINEER

Application	No.	23004	
Permit No		18103	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No. District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the23rd day ofJanuary,	
	1948 at 1:00 o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved: March 1, 1948	
	Recorded in book No44 of	
	Permits on page18103	
	Drainage Basin No. 17 Page 22 C Fees Paid \$15.00	
STATE OF OREGON, \	PERMIT	
SUBJECT TO EXISTING R The right herein gran and shall not exceed	t I have examined the foregoing application and do hereby grant RIGHTS and the following limitations and conditions: ated is limited to the amount of water which can be applied to ben cubic feet per second measured at the point of diversion case of rotation with other water users, from an unnamed states	eficial use
The use to which this	water is to be applied isirrigation	
second or its equival diversion of not to e irrigation season of	appropriation shall be limited to1/80th of one cublent for each acre irrigated and shall be further limit exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated due each year,	ted to a
	reasonable rotation system as may be ordered by the proper state	
The priority date of th	his permit is January 23, 1948	
Actual construction u	vork shall begin on or before	. and shall
hereafter be prosecuted with October 1,	th reasonable diligence and be completed on or before	
	of the water to the proposed use shall be made on or before	
October 1,	1951	
WITNESS my hand th	hislst, 194.8	
	CHAS. E. STRICKLIN	
	STATE	ENGINEER