

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George R. D. Pettingell (Name of applicant) of 1008 S. W. 6th Ave. Portland (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Evans Creek (Name of stream) trib. of Little North Fork, a tributary of North Fork Santiam

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 + 2.75 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic including irrigation of lawns and gardens not exceeding 1/2 acre in area for each family, & power not electrical (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N and 200 ft. E from the NW corner of SW 1/4 NW 1/4 Sec. 32, T. 3 S., R. 4 E., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 32, Tp. 3 S., R. 4 E., W. M., in the county of Marion (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, 1 1/2 in.; size at ft. from intake in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	4 E	32	SW 1/4 NW 1/4	
Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at the Northwest corner of the Southwest one-fourth of the Northwest one-fourth (SW 1/4 of NW 1/4) of Section 32, in Township 8 South, Range 4 East of the Willamette Meridian, in Marion County, Oregon; thence running South 86 1/2 feet to the north line of the county road; thence following the north line of said county road in a southeasterly direction to a point 82 feet east of the west line of said Section 32; thence North 275 feet to the center of Evans Creek; thence following the center of said Evans Creek up stream to a point 200 feet east and 185 feet south of the point of beginning; thence North 185 feet; thence West 200 ft. to the point of beginning. Deed recorded in Marion County, Recorder's office Sept. 20, 1947, at 10:45 A.M., Book 376, Pg. 227.				
(If more space required, attach separate sheet)				

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed 5 theoretical horsepower.

(b) Quantity of water to be used for power 2.75 sec. ft.

(c) Total fall to be utilized 16 feet.
(Head)

(d) The nature of the works by means of which the power is to be developed overshot wheel

(e) Such works to be located in SW 1/4 NW 1/4 of Sec. 32
(Legal Subdivision)

Tp. 8 S R. 4 E W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? Yes
(Yes or No)

(g) If so, name stream and locate point of return

SW 1/4 NW 1/4, Sec. 32, Tp. 8 S, R. 4 E, W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is direct drive of hobby shop tools, wood saw and domestic tools.

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... Not estimated
- 12. Construction work will begin on or before One year after approval
- 13. Construction work will be completed on or before Two years " "
- 14. The water will be completely applied to the proposed use on or before 3" " "

(Sgd) Carl T. Pope, Atty for app.
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 22843

Permit No. 18109

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of September 1947 at 9:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 1, 1948

Recorded in book No. 44 of

Permits on page 18109

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 50 C

Fees Paid \$21.25

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.78 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Evans Creek

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre domestic lawns and gardens for each family and power not electrical, being 0.03 c.f.s. for domestic, and 2.75 c.f.s. for power,

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 26, 1947 for 0.03 c.f.s. and November 20, 1947 for 2.75 c.f.s.

Actual construction work shall begin on or before March 1, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 1st day of March, 1948.

CHAS. E. STRICKLIN

STATE ENGINEER