

17018

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

Freres Lumber Co. and

I, Mt. Jefferson Lumber Co.

(Name of applicant)

of Lyons

(Mailing address)

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Portland

1. The source of the proposed appropriation is North Santiam River

(Name of stream)

a tributary of Santiam R.

2. The amount of water which the applicant intends to apply to beneficial use is 1.34

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is to maintain proper level in 2 log ponds.

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1413 ft. N and 550 ft. E from the S 1/4

(N. or S.)

(E. or W.)

corner of Sec 18, T. 9 S., R. 2 E., W. M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 18, Tp. 9 S.,

(Give smallest legal subdivision)

(N. or S.)

R. 2 E., W. M., in the county of Linn

(E. or W.)

5. The to be

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the of Sec. , Tp. ,

(Smallest legal subdivision)

(N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 6 in cent pump (Size and type of pump)

50 HP elec motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....5500⁰⁰.....
- 12. Construction work will begin on or beforeOne year after approval.....
- 13. Construction work will be completed on or before ...2 yrs. " ".....
- 14. The water will be completely applied to the proposed use on or before 3 yrs. " ".....

(Sgd) Walt D. Miller, for Freres Lbr. Co. &
(Signature of applicant)
Mt. Jefferson Lbr. Co.

Remarks: Water under this filing for the Mt. Jefferson Lbr. Co. pond is to
supplement the supply from Trask Creek secured under Permit No. 12704 Cert. 12187.
Trask Creek supply is inadequate.
Both ponds are in gravelly formation and loss by seepage is large.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22438

Permit No. 18114

RECORDED

530 12 3-4

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 11th day of April

1947 at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1948

Recorded in book No. 44 of

Permits on page 18114

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 46

Fees Paid \$17.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.34 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Santiam River and a reservoir to be constructed under Application No. R-22437, Permit No. R-924.

The use to which this water is to be applied is supplemental supply for log ponds

If for irrigation, this appropriation shall be limited to - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 11, 1947

Actual construction work shall begin on or before April 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of April, 1948.

CHAS. E. STRICKLIN

STATE ENGINEER