

* APPLICATION FOR PERMIT

CERTIFICATE NO. 15693

To appropriate the Public Waters of the State of Oregon

I, Thos. D. Waite (Name of applicant) of 1444 East M Street, Grants Pass, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is The Drain (Name of stream), a tributary of Applegate River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 220 ft. S. and 600 ft. W. from the NE corner of the SW 1/4 of NE 1/4 of section 20 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 20, Tp. 36 S., R. 6 W., W. M., in the county of Josephine

5. The pipe line to be 200 feet in length, terminating in the SW 1/4 NE 1/4 of Sec. 20, Tp. 36 S., R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— None

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in 4" pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 inch centrifugal 22 H.P. Gas motor. 20 Foot lift. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1.5 feet; width on bottom 1.0 feet; depth of water 0.8 feet; grade 5 feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 4 in.; size at 300 ft. from intake 4 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? yes Estimated capacity, 1.5 sec. ft.

8. Location of area to be irrigated, or place of use _____

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>36 S.</u>	<u>6 W.</u>	<u>20</u>	<u>SW 1/4 NE 1/4</u>	<u>4.0</u>
Description:				
<p>Beginning at a point on the South line of Lot 10 in Section 20, Township 36 South Range 6 West of the Willamette meridian, which point is due south of a point 1.78 chains South and 15.26 chains West of the meander post on the south line of Rogue River in the line between Sections 20 and 21 in said Township and Range and run thence West 40 rods to the true point of beginning; thence running North 24° West to a point on the meander line of the original survey of Rogue River said point being on the southerly line of a certain parcel of land conveyed by the State of Oregon to J. W. Stringer by deed Vol. 60 page 323; thence westerly along said meander line and the southerly line of said land conveyed to J. W. Stringer to the Northwest corner of lot 13 in said Section 20; thence South 9.04 rods to the southwest corner of Lot 13; thence East to the true point of beginning.</p>				

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised pasture, garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____,

(Legal Subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? _____

(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500 (work partly completed)
12. Construction work will begin on or before March 17th, 1949
13. Construction work will be completed on or before March 17th, 1950
14. The water will be completely applied to the proposed use on or before March 17th, 1950

(Sgd) Thos. D. Waite
(Signature of applicant)

1444 East "M" St.
Grants Pass, Ore.

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 23089

Permit No. 18167

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of March 1948 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1948

Recorded in book No. 44 of Permits on page 18167

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 16 D

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from the drain

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 19, 1948

Actual construction work shall begin on or before April 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 30th day of April, 1948

CHAS. E. STRICKLIN

STATE ENGINEER