\*Permit No. 1817

CERTIFIG -- NO. 1884

## APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

<i>I,</i> .	James E Wicks,						
	(Name of Applicant)						
f	North Powder (Postoffice)	, County of.		Union			
tate of	Oregon , a	lo hereby make applic	ation for a p	permit to appropriate the			
ollowing	described public waters of the Stat	e of Oregon, subject	to existing r	ights:			
If	the applicant is a corporation, give	date and place of inc	corporation				
1.	The source of the proposed appropriation is(Name of stream)						
	Wolf Creek						
		tributary of		14			
2.	The amount of water which the o		pply to bene	ficial use is			
	, -		Irrigat	ion			
3.	The use to which the water is to	be applied is	applied is(Irrigation, p				
omostic su	police etc.)			·			
	The point of diversion is located	650 ft. N. 58 (Give dist NW of Sec. 16		the SW cor. of the			
2	(Main ditch, canal or pipe NE SW 4 SW 4 (Smallest legal sub	Union Union  of Sec. 10  division)	to be, Tp	1 3/4 miles in  6 S , R 39 E  No. N. or S.) (No. E. or W.)			
-	he proposed location being shown the The name of the ditch, canal or o	ther works is					
	Kelsey-Wicks' Ditch		•••••				
	DESCR	IPTION OF WORKS					
Diversio	N WORKS						
7.	(a) Height of damfee	et, length on top		feet, length at botton			
· • • • • • • • • • • • • • • • • • • •	feet; material to be used and	d character of constr	uction	(Loose rock, concrete			
nasonry, re	ock and brush, timber crib, etc., wasteway over						
(1	b) Description of headgate	(Timber, concrete, etc., num	ber and size of e	openings)			
	A different form of application is provided whe	we are appropriation to to be	made by the c	nlargement of evicting traves			

CANAL SYSTE	<b>:M</b>
8. (0	a) Give dimensions at each point of canal where materially changed in size, stating mile
rom headga	te. At headgate: Width on top (at water line)
4	feet; depth of water 2 feet; grade 7 feet fall per on
housand fee	<b>t.</b> The second of the second
(t	o) Atmiles from headgate. Width on top (at water line)
	feet; width on bottom feet; depth of water feet
	feet fall ner one thousand feet.
,,	
FILL	IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:
IRRIGATION—	
9. Th	ne land to be irrigated has a total area ofacres, located in eac
smallest lega	ıl subdivision, as follows:
	5 ac. in the SW SW SW
	(Give area of land in each smallest legal subdivision which you intend to irrigate)  30 ac. in the $SE_4^1$ $SW_4^1$ and
	4D ac. in the NET SWT Sec. 10 T 6 S R 39 E
- <del></del>	
, 114 - 15 <del>1</del>	
er entire	<u> </u>
	(If more space required, attach separate sheet)
	(If more space required, attach separate sheet)  ING, MANUFACTURING, OR TRANSPORTATION PURPOSES—
	(a) Total amount of power to be developed theoretical horsepower
, , , (i	b) Total fall to be utilizedfeet.
(	c) The nature of the works by means of which the power is to be developed
(	d) Such works to be located in of Sec
Visited Control of the Control	
(No. N. o	, R. (No. E. or W.)
<i>1</i>	e) Is water to be returned to any stream? (Yes or No)
(	
	t i it co mamp etroam and locale point of relier
(	f) If so, name stream and locate point of return, R, W. I

(h) The nature of the mines to be served.

	L SUPPLY—		al medica emiliar in			
11.	- ·		144 - 1			
(N		ving a present p	opulation of	, and an		
stimated	population of	in 191				
	(Ans	swer questions 12, 13,	14, and 15 in all cases)			
12.	Estimated cost of propo	sed works, \$ 15	500.00			
13.	Construction work will	begin on or befo	re At once			
14. Construction work will be completed on or before June 1st, 1915						
15.	Turns 3t. 202					
Dup	olicate maps of the propo	e experience	er works, prepared in accord			
he State I	Water Board, accompany	this application.	•			
				W		
			(Name of app	licant)		
Sign	ned in the presence of us	as witnesses:	·····	·		
-		•	North Powder, Ore,			
L)						
	(Name)		(Address of W	itness)		
	E A Carnes  (Name)  narks: As is shown on carry the wate	the accompan	(Address of w.  (Address of w.  ying map the Sunnyslope reek to the point of di	tiness)  Ditch is used to  version of the		
	E A Carnes  (Name)  narks:  As is shown on carry the wate  Kelsey-Wicks'	the accompan	(Address of w. (Address of w. )  ying map the Sunnyslope	tiness)  Ditch is used to  version of the		
Rem	E A Carnes  (Name)  arks: As is shown on carry the wate  Kelsey-Wicks'	the accompan r from Wolf C	(Address of w.  (Address of w.  ying map the Sunnyslope reek to the point of di	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  aarks:  As is shown on  carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of w. (Address of w. )  ying map the Sunnyslope reek to the point of dir	thess)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  arks:  As is shown on  carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of w. (Address of w. )  ying map the Sunnyslope reek to the point of dir	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  arks:  As is shown on  carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of w. (Address of w. )  ying map the Sunnyslope reek to the point of dir	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  arks:  As is shown on  carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of waying map the Sunnyslope reek to the point of direct representation of the	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  narks:  As is shown on carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of w. )  (Address of w. )  ying map the Sunnyslope reek to the point of direct real argument of the	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  narks:  As is shown on carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of waying map the Sunnyslope reek to the point of direct representation of the	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  aarks:  As is shown on carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C	(Address of w. (Addre	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  narks:  As is shown on carry the wate  Kelsey-Wicks'  volved.	the accompan r from Wolf C Ditch, howeve	(Address of w. )  (Address of	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  88	the accompan r from Wolf C Ditch, howeve	(Address of w. (Addre	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Rem	E A Carnes  (Name)  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  s is to certify that I have	the accompan r from Wolf C Ditch, howeve	(Address of wing map the Sunnyslope reek to the point of direction of the coregoing application, together	tiness)  Ditch is used to  version of the  Sunnyslope is in-		
Thi ng maps o	E A Carnes  (Name)  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  s is to certify that I have and data, and return the	the accompan r from Wolf C Ditch, however	(Address of waying map the Sunnyslope reek to the point of direction of the foregoing application, together ion or completion, as follows:	tiness)  Ditch is used to version of the Sunnyslope is in-		
Thi ng maps o	E A Carnes  (Name)  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  s is to certify that I have and data, and return the	the accompan r from Wolf C Ditch, however	(Address of wing map the Sunnyslope reek to the point of direction of the coregoing application, together	tiness)  Ditch is used to version of the Sunnyslope is in-		
Thi ng maps o	E A Carnes  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  s is to certify that I have and data, and return the	the accompan r from Wolf C Ditch, however	(Address of waying map the Sunnyslope reek to the point of direction of the foregoing application, together ion or completion, as follows:	itness)  Ditch is used to  version of the  Sunnyslope is in-		
Thing maps of	E A Carnes  (Name)  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  s is to certify that I have and data, and return the	the accompan r from Wolf C Ditch, however	(Address of waying map the Sunnyslope reek to the point of direction of the coregoing application, together ion or completion, as follows:	Ditch is used to version of the Sunnyslope is in-		
Thi ng maps o	E A Carnes  (Name)  (Name)  (Name)  As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  s is to certify that I have and data, and return the corder to retain its priorical corder to retain its priorical corder.	the accompan r from Wolf C Ditch, however e examined the f same for correct	(Address of waying map the Sunnyslope reek to the point of direction of the roll of the foregoing application, together ion or completion, as follows:	itness)  Ditch is used to version of the  Sunnyslope is in-		
Thi ng maps of	E A Carnes  (Name)  (Name)  (Name)  (Name)  (As is shown on carry the wate  Kelsey-Wicks'  volved.  F OREGON,  County of Marion  S is to certify that I have and data, and return the corder to retain its priorical, on or before	the accompan r from Wolf C Ditch, however e examined the f same for correct	(Address of waying map the Sunnyslope reek to the point of direction of the coregoing application, together ion or completion, as follows:	Ditch is used to version of the Sunnyslope is in-		

Application No. 3304 Permit No. 1817

TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

	Division No2	District No		•
<b>~</b>	The second second second second	ent was first received		
	Salem, Oregon,	the State Engineer at		
San	day of No	clock A.		
to the second state of		olicant for correction		
	Corrected ap	plication received		$(S_{k}) = a_{k}(S_{k}) = S_{k}^{(k)}.$
A Residue Const.		proved:		
	Jan 30	1914		
	Recorded in 1	Book No. 8	e de la companya de l	
$\mathcal{H} = \{ (x,y) \in \mathcal{H} \mid \mathcal{H}(y) \}$	Permits, on Pag John H Lewis			
and the	MDMcC PAC	\$12.00 State Engineer.	esser 16.3	
was a second of the second	<u> </u>			
subject to the following limitat to one-eightieth of one cubic for subject to such reasonable rotat	oot per second, or	its equivalent, for each	ch acre irriga	ted, and shall be
The amount of water app	propriated shall be	limited to the amount	which can be	applied to bene-
ficial use and not to exceed	0.75)	cubic feet per secon	d, or its equi	valent in case of
rotation. The priority date of	this permit is	N	ov 24	, 1913.
Actual construction work				
and shall thereafter be prosecu		le diligence and be con	npleted on or l	
Complete application of	the water to the v			
<del>-</del>		Oct. 1, 1		
WITNESS my hand this				
		John H Lewis	, ·	State Engineer.