

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Martha Nielson and John Nielson
(Name of applicant)
of Bandon,
(Mailing address)
State of Coos, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is what is known as Rosa Creek
(Name of stream)
Johnson Creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is to irrigate 4 1/2 acres
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 375 ft. west and 190 ft. south from the SE
(N. or S.) (E. or W.)
corner of of the East 1/2 of the northwest 1/4 of northeast 1/4 of Sec. 6, Twp. 29
(Section or subdivision)
South, Range 14 West of the Willamette Meridian in Coos County, Oregon.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the E 1/2 of W 1/2 of NE 1/4 of Sec. 6, Tp. 29 S.
(Give smallest legal subdivision) (N. or S.)
R. 14, W. M., in the county of Coos
(E. or W.)

5. The pipe line to be approximately 800 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the E 1/2 of NW 1/4 of NE 1/4 of Sec. 6, Tp. 29 S.
(Smallest legal subdivision) (N. or S.)
R. 14, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam two feet, length on top 8 feet, length at bottom 8 feet; material to be used and character of construction lumber driven into the
(Loose rock, concrete, masonry, ground to impound water and sluiceway on top to carry off surplus water. rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 H.P. Electric motor with
(Size and type of pump)
direct connected pump. Water pumped through 1 1/4 in. pipe.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied None

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$400.00.....

12. Construction work will begin on or before Now completed

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before Has been used and
project completed.....

(Sgd) Martha Nielson
(Signature of applicant)

(Sgd) John Nielson

Remarks: I have already put in and installed the electric pump, dam and pipe line
to irrigate about 3½ acres of land in which I have a garden, assorted berries,
fruit and holly orchard to which I will be adding to for several years.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before May 3....., 194 8..

WITNESS my hand this 1st day of April....., 194 8..

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant
mjo

Application No. 23099

Permit No. 18172

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 day of March 1948 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 30, 1948

Recorded in book No. 44 of

Permits on page 18172

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 17 Page 4 B

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rosa Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 29, 1948

Actual construction work shall begin on or before April 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of April, 1948.

CHAS. E. STRICKLIN

STATE ENGINEER