* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Sylvester U. Hitson (Name of applicant)
Rogue River , Route 1, Box 178 (Malling address)
g described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
the applicant is a corporation, give date and place of incorporation
The source of the proposed appropriation is
The amount of water which the applicant intends to apply to beneficial use is
t per second. (If water is to be used from more than one source, give quantity from each)
(If water is to be used from more than one source, give quantity from each) The use to which the water is to be applied is
The point of diversion is located 125 ft. N. and 10 ft. E. from the N. 125 ft. Section 32 (Section or subdivision)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) thin the SNA SNA SNA Of Sec. 29, Tp. 34.5, (Give smallest legal subdivision) (N. or S.)
(Give smallest legal subdivision) (N. or S.) W. M., in the county of Jackson
The Villiams Ditch to be $1\frac{1}{4}$ mile
(Main ditch, canal or pipe line) (Miles or feet)
(Smallest legal subdivision) (N. or S.) \mathbb{W}_{\bullet} (N. or S.) The proposed location being shown throughout on the accompanying map. E. or W.)
DESCRIPTION OF WORKS
n Works—
(a) Height of dam feet, length on top feet, length at bottom
60 feet; material to be used and character of construction Tumber and Logs (Loose rock, concrete, masonry,
sh, timber crib, etc., wasteway over or around dam)) Description of headgate 3 x 6' high and 10' long with gates
(Timber, concrete, etc., number and size of openings)

^{*}A different form of application is provided where storage works are contemplated.

	agate: wiath or	n top (at water	line) <u>3</u>	jeet; wiath on bottom
	feet; depth of u	ater	1 • feet; grade	feet fall per one
housand feet.		miles from he	adaata: width on ton (at a	water line)
	feet; width on	bottom	feet; depth	of water feet;
rade	feet fa	ll per one thous	and feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
rom intake	in.	; size at place o	f use in.	; difference in elevation between
		_	_	Estimated capacity,
	4	jt. 10	grade uniform:	Estimatea capacity,
	•			
8. Location	of area to be	irrigated, or pla	ice of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
34 S.	4 W.	33	seł nwł	12
				6
ILLIAM G. WILL TO	Vol. 266 –	Page 331		18
THANDIDIC OF IT	FOION ET OX			feet East of the west
eridian, in January of the east line in the east line in the control of the east line in th	ackson Count me of the No 44.0 feet to ter of said marter secti ter of the S	y, Oregon; trthwest Quar the northwe Section 33; on; thence Southwest Qua	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section	e-4 West of the Willamette 37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a
eridian, in Jacob the east lineare South 4, orthwest Quarter-quart cuth line of count from which least 1864. The oregon; the eet; thence South line of section of Section Oregon; the eet; thence South lineare of Section (a) Character (a) Character (b) the section of the eet; thence South lineare (a) Character (b) the east lineare (b) the east lineare (c) the eas	ackson Count me of the No 44.0 feet to ter of said marter secting ter of the Said quarter the point of the point 7 feet to the point which ion 33 in Tour counting outh 16° Wes the country we see the country ter of soil	y, Oregon; trthwest Quarthe northwest Section 33; on; thence Southwest Quarter sec of beginnin e point of beginnin s 159 feet whip 34 So North 37° 20 t 390.7 feet h (If more space r	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° We equired, attach separate sheet) 86° anite loam	37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a ' East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point
eridian, in Jacothe east line hence South 4, orthwest Quar aid quarter—quartheast Quar outh line of coint from which of East 1864. The eginning at a orner of Sect no Oregon; the eet; thence Sect 100 feet; eginning. (a) Charac	ackson Count me of the No 44.0 feet to ter of said marter secting ter of the Said quarter the point of the point 7 feet to the point which ion 33 in Tour counting outh 16° Wes the country we see the country ter of soil	y, Oregon; trthwest Quarthe northwest Section 33; on; thence Southwest Quarter sec of beginnin e point of beginnin s 159 feet whip 34 So North 37° 20 t 390.7 feet h (If more space r	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° We equired, attach separate sheet) 86° anite loam	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a ' East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point
eridian, in Jacothe east linence South 4 corthwest Quarter-quart Quarter-quart line of coint from which is a corner of Section Oregon; the eet; thence Section feet; (a) Charac (b) Kind of Cower or Mining Is a cover or M	ackson Count me of the No 44.0 feet to ter of said larter secti ter of the S said quarter ch the point 7 feet to th point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil f crops raised Purposes—	y, Oregon; trthwest Quarthe northwest Quarter Section 33; on; thence Southwest Quarter sec of beginning e point of beginning to 159 feet wiship 34. So North 37° 20 tr 390.7 feet h (If more space of the space of th	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° W equired, attach separate sheet) 86° anite loam over, grass, and gra	37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willamette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point
eridian, in Jacob the east lineare South 4. Orthwest Quarter-quart cuth line of coint from which leginning at a crner of Section Oregon; there est 100 feet; thence Section (a) Charac (b) Kind of Cower or Mining I	ackson Count me of the No 44.0 feet to ter of said larter secti ter of the S said quarter ch the point 7 feet to th point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil f crops raised Purposes—	y, Oregon; trthwest Quarthe northwest Quarter Section 33; on; thence Southwest Quarter sec of beginning e point of beginning to 159 feet wiship 34. So North 37° 20 tr 390.7 feet h (If more space of the space of th	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° W equired, attach separate sheet) 86° anite loam over, grass, and gra	37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a ' East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which line of section of Section Oregon; the eet; thence Section feet; (a) Charac (b) Kind of South line of Section of Sec	ackson Count me of the No 44.0 feet to ter of said parter sective of the Seaid quarter the hold point which point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil	y, Oregon; trthwest Quarthe northwest Section 33; on; thence Southwest Quarter sec of beginning e.point of beginning to 159 feet which 37° 20 tr 390.7 feet the Common space of the common	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° W equired, attach separate sheet) 86° anite loam over, grass, and gra	37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willamette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower.
eridian, in Jacothe east line hence South 4 orthwest Quartared quarter—quart line of count from which of East 1864. The eginning at a corner of Sect no Oregon; the eet; thence Sect 100 feet; eginning. (a) Charac (b) Kind of Cower or Mining 19. (a) Total (b) Quartare (b) Quartare (c) Quart	ackson Count me of the No 44.0 feet to ter of said parter secti ter of the S said quarter the point of feet to the point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil f crops raised Purposes— al amount of po- entity of water	y, Oregon; trinvest Quarthe northwest Section 33; on; thence Southwest Quarter sec of beginning e point of beginning to 159 feet with Common space of the common space	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West Least 700 feet; the thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and gra loped power	37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willamette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower.
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which is a second of the secon	ackson Count me of the No 44.0 feet to ter of said parter secti ter of the S said quarter the point feet to th point which ion 33 in To nce running outh 16° Wes thence Nort ter of soil f crops raised Purposes— al amount of point the fall to be utiliary	y, Oregon; trenders Guar the northwest Guar the northwest Guar on; thence Southwest Guar equarter sec of beginning e point of beginning e point of beginning to sec with 37° 20 transport feet the Common spacer of the common spacer of the common spacer to be used for lized	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and grad loped power feet. (Head)	37° 20' East 2018.3 feet "Quarter of said Section 3' theast Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willamette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower.
eridian, in Jacothe east line hence South 4, orthwest Quartared quarter-quart line of count from which of East 1864. eginning at a orner of Sect no Oregon; there eet; thence Sect 100 feet; eginning. (a) Charac (b) Kind of Court line line line line line line line line	ackson Count me of the No 44.0 feet to ter of said parter secti ter of the S said quarter the point feet to th point which ion 33 in To nce running outh 16° Wes thence Nort ter of soil f crops raised Purposes— al amount of point the fall to be utiliary	y, Oregon; trenders Guar the northwest Guar the northwest Guar on; thence Southwest Guar equarter sec of beginning e point of beginning e point of beginning to sec with 37° 20 transport feet the Common spacer of the common spacer of the common spacer to be used for lized	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and grad loped power feet. (Head)	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower. sec. ft.
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which is a corner of Section Oregon; the est 100 feet; eginning. (a) Charac (b) Kind of Cower or Mining Is 9. (a) Total (b) Quarter (c) Total (d) The	ackson Count me of the No 44.0 feet to ter of said parter secti ter of the S said quarter the point feet to th point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil f crops raised Purposes— al amount of point the fall to be utili nature of the	y, Oregon; trenders Guar the northwest Guar the northwest Guaron; thence Southwest Quarter sec of beginning e.point. of beginning e.point. of be with 37° 20 transport feet to the used for lized	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and grad loped power feet. GHead) feet.	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower. sec. ft.
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which line of count from which line of south line of south line of south line of section oregon; there exist 100 feet; est 100 feet; (a) Charac (b) Kind of Cower or Mining 19. (a) Tota (b) Quarter (c) Tota (d) The	ackson Count the of the No 44.0 feet to ter of said ter of the S said quarter the point which ion 33 in To nce running outh 160 Wes thence Nort ter of soil Purposes— al amount of point in ature of the inter of the soil intity of water if fall to be util inture of the	y, Oregon; trenders Guar the northwest Guar the northwest Guar on; thence southwest Guar equarter second beginning expoint of beginning expoint of beginning as 159 feet which Grand for the Grand for the development of the development of the development of the used for lized exponents by means ocated in	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West Least 700 feet; the thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and gra loped power feet. (Head) s of which the power is to	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower. sec. ft.
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which line of count from which line of south line of south line of south line of seginning at a crner of Section Oregon; there est 100 feet; thence seginning. (a) Charac (b) Kind of Cower or Mining 19. (a) Total (b) Quarter (c) Total (d) The (e) Such (formall formall	ackson Count me of the No 44.0 feet to ter of said parter secti ter of the S said quarter the the point of feet to the point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil mutity of water al fall to be uti nature of the h works to be l	y, Oregon; trinvest Quarthe northwest Quarther section 33; on; thence Southwest Quarter section of beginning expoint of beginning to 159 feet with 159 feet works by means ocated in works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West Least 700 feet; the thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and gra loped power feet. (Head) s of which the power is to	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower. sec. ft.
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which line of count from which line of south line of south line of south line of seginning at a crner of Section Oregon; there est 100 feet; thence seginning. (a) Charac (b) Kind of Cower or Mining 19. (a) Total (b) Quarter (c) Total (d) The (e) Such (formall formall	ackson Count me of the No 44.0 feet to ter of said parter secti ter of the S said quarter the the point of feet to the point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil mutity of water al fall to be uti nature of the h works to be l	y, Oregon; trinvest Quarthe northwest Quarther section 33; on; thence Southwest Quarter section of beginning expoint of beginning to 159 feet with 159 feet works by means ocated in works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with 150 feet works by means ocated in with 150 feet with	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West Least 700 feet; the thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and gra loped power feet. (Head) s of which the power is to	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower. sec. ft.
eridian, in Jacothe east linence South 4, orthwest Quarter-quart quarter-quart line of count from which of East 1864. eginning at a corner of Sect no Oregon; there eet; thence Sect 100 feet; eginning. (a) Charac (b) Kind of Cower or Mining 19. (a) Tota (b) Quarter (c) Tota (d) The (e) Such (f) Is we consider the constant of the country of the coun	ackson Count the of the No 44.0 feet to ter of said ter of the S said quarter the point of feet to the point which ion 33 in To nce running outh 162 Wes thence Nort ter of soil f crops raised Purposes— al amount of point the fall to be utility nature of the h works to be leader to be returned.	y, Oregon; trinvest Guar the northwest Guar the northwest Guarder second beginning ender the point of beginning ender the point of beginning and the second beginning ender the second beginning ender the second to second ender the second ender t	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West ' East 700 feet; the ; thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and gra loped power feet. (Head) feet. (Clegal Subdivision) f. ream? (Yes or No)	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of e southeast corner of the ; thence West along the extended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower. sec. ft.
eridian, in Jacothe east line hence South 4 orthwest Quaraid quarter—quart outh line of coint from which of East 1864. eginning at a orner of Sect no Oregon; there eet; thence Sect 100 feet; eginning. (a) Charac (b) Kind of Charac (b) Kind of Charac (c) Tota (d) The (e) Such (f) Is we (g) If section (g)	ackson Count me of the No 44.0 feet to ter of said parter section ter of the Section of the Section of the Section ter of the Section of the point which to ace running the section of the	y, Oregon; trinvest Quarthe northwest Quarter Section 33; on; thence Southwest Quarter sec of beginnin e point of beginnin e point of bis 159 feet wiship 34. So North 37° 20 tr 390.7 feet of the used for lized works by means ocated in	hence running North ter of the Northwest st corner of the Sou thence East 1320 fee outh 2640 feet to th rter of said Section tion (and said line g bears North 37° 20 eginning; EXCEPTING North and 96.0 feet uth, of Range 4 West Least 700 feet; the thence South 54° We equired, attach separate sheet) 86° anite loam over, grass, and gra loped power feet. (Head) feet. (Clegal Subdivision) f. ream? (Yes or No) nt of return	37° 20' East 2018.3 feet "Quarter of said Section 3' the st Quarter of the to the Northeast corner of the southeast corner of the southeast corner of the stended) 3672 feet to a East; thence North 37° therefrom the following: East of the west quarter of the Willsmette Meridian nce South 52° 40' East 100 est 200 feet; thence South West 120 feet to the point in theoretical horsepower.

(Name of) and an estimated population (b) If for domes —— 11. Estimated cost of	city of
and an estimated population (b) If for domes — 11. Estimated cost of	of in 19
(b) If for domes — 11. Estimated cost of	
11. Estimated cost of	stic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
12. Construction work	proposed works, \$ 50.00
	k will begin on or beforel_yr. from date of priority
13. Construction wor	k will be completed on or before 2 yrs. from date of priority
	completely applied to the proposed use on or before 3 yrs. from date o
	(Sgd) Sylvester C. Hitson (Signature of applicant)
	Rt. 1, Box 178, Rogue River, Ore.
Remarks:	
	······································
STATE OF OREGON, SS County of Marion,	
	I have examined the foregoing application, together with the accompanying
	he same for
	priority, this application must be returned to the State Engineer, with corre
•	, 194
WITNESS mu hand th	nis, 194, 194

Application N	Vo. 23102
Permit No	18173

Division No. District No.

٠٠,

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	This instrument was office of the State Engin	•			
	on the 30th day of		, , ,		
	1948 at 1:00 o'cloc		ŕ		
	Returned to applicant:				
	Corrected application re	eceived:			
	Approved:				
	April 30,	1948			
	Recorded in book No.	44	of		
	Permits on page 1817	3			-
	CHAS. E. STR		E ENGINEER		
	Drainage Basin No. 1	5 Page	2 42		
	Fees Paid \$15.00				
	PERM	IIT			
STATE OF OREGON, ss					
SUBJECT TO EXISTING R	I have examined the fore IGHTS and the following ted is limited to the amou	limitation	s and condition	s:	•
and shall not exceedQ	3 cubic feet per se	econd mea	sured at the p	oint of diversio	n from the
stream, or its equivalent in	case of rotation with other	water us	ers, from D	itch Creek	
The use to which this	water is to be applied is	irrigat	ion		
If for irrigation, this a second or its equivale	opropriation shall be limit				
diversion of not to exc					
irrigation season from	April 2, to October	31, of e	ach year,		·
				·	
and shall be subject to such	reasonable rotation suster	m as mau	he ordered by	the proper state	e officer
<u>-</u>	is permit i s				
	ork shall begin on or befo				
thereafter be prosecuted wit					
	of the water to the propos	sed use sha	ll be made on o	r before	
October 1, 195					
WITNESS my hand th	is30th day of	April	,	194. ⁸	
	. .	CHAS. E.	STRICKLIN		E ENGINEER