

ASSIGNED Ser. Min. Rec. Vol. 2 Page 271-2

* APPLICATION FOR PERMIT CERTIFICATE NO. 19496

To Appropriate the Public Waters of the State of Oregon

I, Fred H. Scallon
(Name of applicant)
 of Canby Rt. 1
(Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Milk Creek
(Name of stream)
 a tributary of Molalla River

2. The amount of water which the applicant intends to apply to beneficial use is 0.65
 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 49° 51' E. 508.8 ft.
(N. or S.) (E. or W.) from the W¹/₄
 corner of Sec. 12, T. 4 S., R. 1 E., W. M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW¹/₄ SW¹/₄ of Sec. 12, Tp. 4 S.
(Give smallest legal subdivision) (N. or S.)

R. 1 E., W. M., in the county of Clackamas
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the _____ of Sec. _____, Tp. _____,
(Smallest legal subdivision) (N. or S.)
 R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— No dam

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2¹/₂" cent. pump
(Size and type of pump)

9 H.P. Gas Engine
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

24 sprinklers

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	1 E.	11	NE $\frac{1}{4}$ SE $\frac{1}{4}$	16
		12	SW $\frac{1}{4}$ NW $\frac{1}{4}$	1
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	35
				52

Fred H. SCALLION DEED

County, Clackamas

State, Oregon

"Bounded and described as follows, to-wit: Beginning at a stake in the line between the Northwest quarter and the Southwest quarter of Section Twelve, Township Four, South of Range one, East of the Willamette Meridian, 4.24 chains distant from the Quarter Section corner between Sections Eleven and Twelve, T. 4 S., of R. One, East of the W.M., thence running North 5.95 chains to an angle in the county road as marked by a stone monument, thence along center of said county road as defined by stone monuments thereof South 35° 09' East 7.19 chains; thence South 53° 15' East .25 chains to line between the Northwest Quarter and the Southwest Quarter of said Section Twelve; thence West along said line 4.45 chains to place of beginning, containing 1.30 acres. Also the Northwest Quarter of the Southwest Quarter of said Section Twelve, T. 4 S., R. One East of the Willamette Meridian, containing 40 acres, more or less. Also a part of the Northeast Quarter of the Southeast Quarter of Section Eleven, Township

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil Willamette

(b) Kind of crops raised pasture hay beans

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$1500.00

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before Two yrs. " "

14. The water will be completely applied to the proposed use on or before 3 yrs. " "

(Sgd) Fred H. Scallon

(Signature of applicant)

Remarks: (Continued from Item 8) Four, South of Range One, East of the Willamette Meridian described as follows, to-wit: Beginning at the Northeast Corner of the Southeast Quarter of said Section Eleven, thence South 80 rods, thence West 2 rods and 6 links; thence in a Northwesterly direction 103 rods to a point on the North line of the Southeast Quarter of said Section Eleven, which point is 67 rods distant from the place of beginning, thence East 67 rods to the place of beginning, containing 17.28 acres, more or less. Also roadway described in deed, recorded in Vol. 164, Deeds, page 367."

STATE OF OREGON, }

County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23060

Permit No. 18202

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 2nd day of March

1948 at 2:55 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 44 of

Permits on page 18202

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 32 E

Fees Paid \$18.30

PERMIT

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.65 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Milk Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 2, 1948

Actual construction work shall begin on or before July 30, 1949 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of July, 1948.

CHAS. E. STRICKLIN

STATE ENGINEER