* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I	W. A. Th	omas				
of	Sutherli	n Rt. 1	Box 300	d applicant)		algrad (1)
i omood na State of	dane ja gji 🐠	Ealling address)	, do heret	an males amplication	m for a name	
្នស់សង្ឃៀង បែ	and British					្រាធិស៊ី ព្រឹងឃុំជូម៉ូរ៉េ
following d	lescribed pub	olic waters o	of the State of Oreg	on, SUBJECT TO	EXISTING R	GHTS:
If the	e applicant is	a corporati	on, give date and pl	ace of incorporati	on	
e general de la composition de la comp La composition de la	na a la	•	en e		************************	
1. Ti	he source of t	he proposed	d appropriation is	Calapooya Cre	ek	
			, a tributa		(Manuel or pineaut)	*
2. T)	he amount of		th the applicant inte			1.49
	er second			rom more than one source,	give quantity from each	b)
**3. T	he use to whi	ch the wate	er is to be applied is	1rrigation (Irrigation, power, mir	ing, manufacturing, do	nestic supplies, etc.)
4. T)	he point of d	iversion is l	locatedft.	(N. or S.)	The second	rost the
corner of						ng by the state.
ar	y point wh	ere Calap	ooya Creek touc	n or subdivision) hes property d	escribed here	in
	1.54					MICE EN THE
9 33 A	* * · · · · · · · · · · · · · · · · · ·					
		(IL)	preferable, give distance and	pearing to section corner)		re rational i
	•	The state of the s	point of diversion, each must			No selimina
being withi	n the NEASW	4 NW4SE4	NEASEA Sec.	2. NV 25 V 2 J. Sec.	to, T	p. 25 S, (N. or S.)
R. 4 W.	, W. M., i	n the county	y of Douglas		Nos lo rei	(a) Charac
			ch, canal or pipe line)	to be	<u> </u>	(b) Kind :
in lenath, te	erminatina in	the		of Sec.	-Leadarn V	swen or Minipad
persentanti	· · · · · · · · · · · · · · · · · · ·	M the aron	(Smallest legal subdivision) osed location being	shown throughout		(N. or S.)
(E. or	: W.)	M. Cass II		gragasi lagasi.	genosse sou no. 1911 j. nj. mal. 1911	angny map _{ij} np∩ (d)
		•	DESCRIPTION	•		
Diversion W	Vorks—		rational design of the second section of the second section is a second section of the second section of the second secon	.)	**	
			feet, len			
<u> </u>	jeetj, m	агетия го ое	used and character	of construction	(Lece	rock, concrete, mason
rock and brush,	timber crib, etc., w	asteway over or	around dam)	1 2		Care M.eM
(b) I	Description o	f headgate .	· · · · · · · · · · · · · · · · · · ·	mber, concrete) etc., numb	er and sliv of openings)	ar et (1)
			V	a decide year il ben		
(c) I	f water is to	be pumped	give general descrip	otion 2½" Cer	it. pump	· · · · · · · · · · · · · · · · · · ·
5 H.	P. elec. m	oto r	give general descrip		(size and type of p	WIND)
20	6 gpm s	(Size and type prinklers	of engine or motor to be used			out (A)
		ra. a.wa. weks.				
				* 5 - s	itan zate te zamen	

neadgate. At headgate: width on top (feet; depth of water housand feet.	at water line) .				
feet; depth of water					
		-	_		•
(b) Atmiles	from headgat	e: width	on top (at r	vater line) <u></u>
feet; width on botton	n		feet; depth	of water.	fee
rade feet fall per o			. , .	•	•
(c) Length of pipe,			-	.	ino me
rom intake in.; size o					
ntake and place of use,	ft. Is grad	e uniforn	n?	••••	Estimated capacity
sec. ft.					
8. Location of area to be irrigat	ed. or place of	use	*	ing in a	
	etion		re Tract		Number Acres To Be Irrigated
25 S. 9		SW 4 SE 4	NE.		21.2
		NE I	SW		24.2 7.1
	English to	NE4	SE#		2017
		SW 3	NW		16.5 14.9
		WI A	-SW4		9.2
				1	112.0
eginning at a point from which a Twp. 25.S., R. 4.W., W.M. be a 656.93 feet along the West rach iron pipe; thence S. 899.5 hence N. 1° 14' 30" E. 656.93 oundary of said D.L.C. #49; the the place of beginning. Exceribed as follows: Beginning a	the Northest ars. N. 890	line of 14 feet inch by 51 E. from a	45.68 feef County to a 2 i y 30 inch 1960.94 50 ft. by	e Suther the Road #19 nch by feet alo ft. he North	rlin D.L.C. #49 ce S. 1º 14! 30" d to a inch iron pipe; ipe on the North ong said D.L.C. li tract of land de
eginning at a point from which n. Twp. 25.S., R. 4.W., W.M. be 656.93 feet along the West research iron pipe; thence S. 899.5 hence N. 1° 14' 30" E. 656.93 oundary of said D.L.C. #49; the other place of beginning. Exceribed as follows: Beginning a L.C. #49; thence South 50 fee ast 100 ft. to the place of be he exception being 29.57 acres	ight of way l. W. 1960. feet to a be ence N. 890 pting theref t a point 7; t, thence We ginning. The	line of line of line of linch by 51 E. from a (fit. So est 100 ne acres	to a built in the second of th	e Suther t. Thence Road #19 neh by iron pi feet alc 100 ft. he North nee North e above	rlin D.L.C. #49 ce S. 1º 14! 30" 9 to a ½ inch by 3 30 inch iron pipe; ipe on the North ong said D.L.C. li tract of land de neast Corner of sa th 50 ft., thence tract of land les
eginning at a point from which no Twp. 25. S., and R. 4. W., W.M. be a condition pipe; thence S. 89° 5 hence N. 1° 14' 30" E. 656.93 oundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of be being 29.57 acres DESCRIPTION eginning at a point from which he exception being 29.57 acres Thomas at a point from which he condition with the place of be being 29.57 acres Thomas at a point from which he was a point from the condition with the place of being 29.57 acres the condition of the place of be being 29.57 acres the condition which was a point from which he condition the condition with the condition of the condition of the condition which he condition the condition of the condi	the Northest ars N. 890 fight of way 1 W. 1960 feet to a ½ ence N. 890 pting there it a point 7 t, thence We ginning. The more or less h iron pipe	line of the state	to a 2 in the second of the se	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North nce above	rlin D.L.C. #49 ce S. 1º 14! 30" de S. 18! 30" de S
eginning at a point from which not Twp. 25. S., and the West restricted along the West restricted as follows: Beginning a set 100 ft. to the place of being 29.57 acres DESCRIPTION eginning at a point from which he exception being 29.57 acres Thomas at a point from which he exception being 29.57 acres Thomas at a point from which he will be the manual point from the place of being 29.57 acres Thomas at a point from which he was a point from which he was the place of being 29.57 acres the plac	ight of way li W. 1960. feet to a ½ ence N. 890 pting there t a point 7 t, thence We ginning. The more or les h iron pipe	line of the separa	to a 2 in the description of the	e Suther t. There Road #19 neh by iron pi feet alc 100 ft. he North nce North nce North he above	rlin D.L.C. #49 ce S. 1º 14º 30" de S. 18º
eginning at a point from which no Twp. 25. S., and R. 4. W., W.M. be a condition pipe; thence S. 89° 5 hence N. 1° 14' 30" E. 656.93 oundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of be being 29.57 acres DESCRIPTION eginning at a point from which he exception being 29.57 acres Thomas at a point from which he condition with the place of be being 29.57 acres Thomas at a point from which he was a point from the condition with the place of being 29.57 acres the condition of the place of be being 29.57 acres the condition which was a point from which he condition the condition with the condition of the condition of the condition which he condition the condition of the condi	ight of way li W. 1960. feet to a ½ ence N. 890 pting there t a point 7 t, thence We ginning. The more or les h iron pipe	line of the separa	to a 2 in the description of the	e Suther t. There Road #19 neh by iron pi feet alc 100 ft. he North nce North nce North he above	rlin D.L.C. #49 ce S. 1º 14º 30" de S. 18º
eginning at a point from which n. Twp. 25.S., R. 4.W., W.M. be a. 656.93 feet along the West replace of the condary of said D.L.C. #49; the condary of said D.	the Northest ars N. 890 ight of way 1 W. 1960 feet to a 2 ence N. 890 pting therein ta point 7 t, thence We ginning. The more or less h iron pipe more space required, ine river be	line of the second of the seco	ner of the 45.68 fee f County to a 2 i y 30 inch 1960.94 ft. by outh of t ft., the age of the West rig	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North he above ht of wa (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 30" ce
eginning at a point from which not Twp. 25.S., and R. 4.W., W.M. be along the West response there is along the West response to the pipe; thence S. 899.5 oundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of beginning at a lineh by Thomas at a lineh by Thomas (a) Character of soil (b) Kind of crops raised	the Northest ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting therein the point 7 t, thence We ginning. The more or less the iron pipe more space required, ine river be lifalfa. Lifalfa.	line of the second of the seco	ner of the 45.68 fee of County to a 2 inch 1960.94 for the age of the west rig	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North he above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 30" ce
eginning at a point from which n. Twp. 25.S., a. 4.W., W.M. be a. 656.93 feet along the West research iron pipe; thence S. 899.5 hence N. 1° 14' 30" E. 656.93 oundary of said D.L.C. #49; the other place of beginning. Exceribed as follows: Beginning at a. L.C. #49; thence South 50 feet ast 100 ft. to the place of be he exception being 29.57 acres DESCRIPTION eginning at a inch by Thomas a inch by Thomas for the control of t	the Northest ars N. 890 ight of way 1 W. 1960 feet to a 2 ence N. 890 pting therein ta point 7 t, thence We ginning. The more or less the iron pipe more space required, ine river be lifalfa. Lifalfa.	line of the second of the seco	ner of the 45.68 fee f County to a 2 i y 30 inch 1960.94 for the age of the west right was the county of the age of the west right was the county of the cou	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North he above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" 9 to a inch by 3 30 inch iron pipe; ipe on the North ong said D.L.C. li tract of land de neast Corner of sa th 50 ft., thence tract of land les ay line of County ued under Remarks)
eginning at a point from which n. Twp. 25. S., a. 4. W., W.M. be a. 656.93 feet along the West representation of the control of the place of beginning. Excertised as follows: Beginning at a. L.C. #49; thence South 50 feet ast 100 ft. to the place of be being 29.57 acres DESCRIPTION eginning at a mind at a mind by Thomas (a) Character of soil	the Northest ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting therein the point 7 t, thence We ginning. The more or less the iron pipe more space required, ine river be be developed	line of the second of the seco	ner of the 45.68 fee of County to a 2 i y 30 inch 1960.94 for the byouth of t ft., the age of the west rig	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North nce North e above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 3
eginning at a noint from which no Twp. 25. S., and R. 4. W., W.M. be a condition pipe; thence S. 39° 5 hence N. 1° 14' 30" E. 656.93 oundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of beginning a L.C. #49; thence South 50 fee ast 100 ft. to the place of be he exception being 29.57 acres DESCRIPTION eginning at a inch by 50 inc (a) Character of soil	ight of way li W. 1960. feet to a ½ ence N. 890 pting therei t a point 7 t, thence We ginning. The more or les h iron pipe more space required, ine river be lifalfa Life be developed used for power	line of the second of the seco	ner of the 45.68 fee f County to a 2 i y 30 inch 1960.94 for ft. by outh of t ft., the age of the West rig	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North e above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 3
eginning at a point from which now Twp. 25.S., and which he wast respondence of the last of the place of beginning. Exception being 29.57 acres as to 100 ft. to the place of be as to 100 ft. to 100	the Northese ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting therein the point 7 t, thence We ginning. The more or less he iron pipe more space required, inc river be be developed used for power than the property of the content of the property of the content of the	line of the second of the seco	feet.	e Suther t. There Road #19 nch by iron pi feet alc 100 ft. he North nce North nce North c above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 3
eginning at a noint from which nown. 25. S., and which he wast respectively. Thence S. 899.5 hence N. 1º 14! 30" E. 656.93 oundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of be ast 100 ft. to the place of be he exception being 29.57 acres DESCRIPTION eginning at a mind inch by To in	the Northese ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting therein the point 7 t, thence We ginning. The more or less he iron pipe more space required, inc river be be developed used for power than the property of the content of the property of the content of the	line of the second of the seco	feet.	e Suther t. There Road #19 nch by iron pi feet alc 100 ft. he North nce North nce North c above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 3
eginning at a point from which n. Twp. 25.S., a. 4.W., W.M. be a. 656.93 feet along the West received inch iron pipe; thence S. 899.5 hence N. 1º 14! 30" E. 656.93 oundary of said D.L.C. #49; the control of beginning. Exceribed as follows: Beginning at a.L.C. #49; thence South 50 fee ast 100 ft. to the place of be he exception being 29.57 acres DESCRIPTION eginning at a inch by Thomas inch by Thomas inch by Thomas 2 inch by Thomas 3 inch by Thomas 4 inch by Thomas 2 inch by Thomas 3 inch by Thomas 4 inch by Thomas 4 inch by Thomas 4 inch by Thomas 4 inch by Thomas 5 inch by Thomas 6 inch by Thomas 7 inch by Thomas 6 inch by Thomas 6 inch by Thomas 7 inch by Thomas 6 inch by Thomas 7 inch by Tho	the Northese ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting therein the point 7 t, thence We ginning. The more or less he iron pipe more space required, inc river be be developed used for power than the property of the content of the property of the content of the	line of the second of the seco	feet.	e Suther t. There Road #19 nch by iron pi feet alc 100 ft. he North nce North nce North c above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 3
eginning at a noint from which nown. 25. S., and which he wast response to the place of beginning. Excerbed as follows: Beginning at a l.C. #49; thence South 50 fee ast 100 ft. to the place of be he exception being 29.57 acres DESCRIPTION eginning at a linch by Thomas inch by Color of the last and the color of the last and the color of the last and the l	the Northese ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting thereis to a point 7 t, thence We ginning. The more or less the iron pipe more space required, inc river be lifalfa. Less be developed used for power by means of with the second secon	line of the second of the seco	feet. power is to	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North ce above (Continue) sec. ft.	rlin D.L.C. #49 ce S. 1º 14! 30" ce on the North cong said D.L.C. li ce tract of land de ce tract of land les ce tract of land le
eginning at a point from which not two. 25.5., along the West rach iron pipe; thence S. 892.5 hence N. 12 14 30" E. 656.93 oundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of beginning at a linch by 30 inc. (a) Character of soil	the Northese ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting thereit a point 7 t, thence We ginning. The more or less he iron pipe more space required, ine river be be developed used for power by means of with the control of the control	line of the feet inch by 51 E. from a for the set 100 ne acres attach separation adding the first term adding term adding term adding the first term adding the first term addin	feet. power is to	e Suther t. Thence Road #19 nch by iron pr feet alco 100 ft. he North nce North ce above (Continue) sec. ft.	rlin D.L.C. #49 ce S. 1º 14! 30" ce on the North cong said D.L.C. li ce tract of land de ce tract of land les ce tract of land le
reginning at a point from which in Twp. 25 S., R. 4 W., W.M. be along the West rechence N. 1° 14' 30" E. 656.93 foundary of said D.L.C. #49; thence S. Beginning a coundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of be he exception being 29.57 acres DESCRIPTION leginning at a inch by 70 inc. (a) Character of soil	ight of way li W. 1960. feet to a 2 ence N. 890 pting therei t a point 7: t, thence We ginning. The more or les h iron pipe hore space required, ine river be lifalfa Lif be developed used for power by means of with in	line of the solution of the so	feet. power is to the special state of the special	e Suther t. There Road #19 nch by iron pi feet alc 100 ft. he North nce North e above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 1º 14! 4" ce S. 14! 4"
eginning at a n. Twp. 25.S., R. 4.W., W.M. be a complete thence N. 1° 14' 30" E. 656.93 thence N. 1° 14' 30" E. 656.93 to the place of beginning. Exception being 29.57 acres be exception being 29.57 acres beginning at a linch by To linc (a) Character of soil	ight of way light	line of the feet inch by from a form	ner of the 45.68 feet founty to a 2 i y 30 inch 1960.94 for the age of the west right was the end of the power is to be a section of the power is to be a sect	e Suther t. There Road #19 nch by iron pr feet alco 100 ft. he North nce North ce above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 1º 14! 40 ce S. 1º 14! 40 ce S. 10!
(a) Character of soil	ight of way light	line of the feet inch by from a form	ner of the 45.68 feet of County to a 2 i y 30 inch 1960.94 for the age of the west right was the edge of the west right of the age of the west right of the age of the west right of the edge of	e Suther t. There Road #19 nch by iron pr feet alco 100 ft. he North nce North ce above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 1º 14! 40 ce S. 1º 14! 40 ce S. 10!
eginning at a n. Twp. 25.S., R. 4.W., W.M. be a condition pipe; thence S. 899.5 bence N. 1º 14! 30" E. 656.93 coundary of said D.L.C. #49; thence South 50 fee ast 100 ft. to the place of be ast 100 ft. to the place of beginning as 100 ft. The ast 100 ft. to the place of beginning as 100 ft. The ast 100 ft. to the place of beginning as 100 ft. The ast 100 ft. to the place of beginning as 100 ft. The ast 100 ft. to the place of beginning as 100 ft. The ast 100 ft	the Northese ars N. 890 ight of way 1960 feet to a 2 ence N. 890 pting thereis to a point 7 to the point 9 to t	line of the second of the seco	feet. power is to the special state of the special	e Suther t. There Road #19 nch by iron pi feet alc 100 ft. he North nce North e above (Continu	rlin D.L.C. #49 ce S. 1º 14! 30" ce S. 10! 30" ce S

	n skylinger andebut	Application Vo. 23111	182
	l or Domestic Supply—	Permit No. 13-17	ya wa w
10.	(a) To supply the city of		······································
	(Name of)	, having a present population of	
and an est	imated population of	in 19	
	(b) If for domestic use	state number of families to be supp	olied
		(Answer questions 11, 12, 15, and 14 in all cases)	
11.	Estimated cost of propose	ed works, \$, 2000,00	
			ter approval
			years " "
14.	The water will be comple	etely applied to the proposed use or	or before 3"
	······································	(Sgd) W.	A. Thomas (Signature of applicant)
	4.00	The second secon	the control of
therlin	D.L.C. #49 in Two. 2	5 S. R. A W. W. M. bears N	e Northeast Corner of the
ence alo	ong said right of way	line S. 1º 14' 30" W. 24.9	1 feet, thence S. 19 18! 30" thence following said curve,
echord	of which bears S. 15	22! 30" W. 260.94 feet, t	o its intersection with the
			e center line of said river a
8.90 fee	et, S. 79° 55' W. 177	.25 feet, S. 799 50' W. 186	.93 feet, N. 79° 21' 30" W.
0.67 fee	et, N. 50° 451 30" W.	269.32 feet. Thence leavi	ng said center line and runni .20 feet to a { inch by 30
ch iron	pipe; thence N. 89	51' E. 1960.94 ft. to the p	.20 feet to a g inch by 30 lace of beginning, containing
.29 acre		The state of the s	
	es more or less.		
ESCRIPTI	ON Thomas		Charles Andrews Commence of the Commence of th
ESCRIPTI ginning e Suther	ON Thomas at a ½ inch by 30 in lin D.L.C. #49 in Tw	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The	s Northwest Interior Corner o
ESCRIPTI ginning e Suther undary c rked by	at a ½ inch by 30 in lin D.L.C. #49 in Tw f said D.L.C. #49 lo a l inch by 36 inch	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, t	s Northwest Interior Corner once North along the West corner of said D.L.C. #49 hence N. 899 51 E. along the
ESCRIPTI ginning e Suther undery c rked by orth bour	on Thomas at a ½ inch by 30 in clin D.L.C. #49 in Tw of said D.L.C. #49 10 a l inch by 36 inch adary of said D.L.C.	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, t. #29 1334.60 feet to a 1 inc	s Northwest Interior Corner once North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the by 30 inch iron pipe, thence
escripti ginning e Suther undary c rked by orth bour 10 14' 506.20	at a ½ inch by 30 inclin D.L.C. #49 in Twof said D.L.C. #49 10 a 1 inch by 36 inch adary of said D.L.C. 30" W. 656.93 feet to feet to a point; the	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, two 1334.60 feet to a 1/2 inch on a 1/2 inch by 30 inch iron once S. Q. 44 30 W. 186.42	e Northwest Interior Corner once North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the heby 30 inch iron pipe, thence pipe; thence S. 8° 41° 30° fact to the center of the
escripti ginning e Suther undary c rked by rth bour 1° 14' 506.20 lapooia	at a ½ inch by 30 in lin D.L.C. #49 in Twof said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet the River; thence downst	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a ½ inc. o a ½ inch by 30 inch iron once S. 0° 44' 30" W. 186.42 ream along the center line	s Northwest Interior Corner once North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30° fact to the center of the of said river as follows: N.
escripti ginning e Suther undary o rked by rth bour 1º 14' 506-20 lapooia 0' 45' W.	at a ½ inch by 30 in lin D.L.C. #49 in Twof said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet t feet to a point; the River; thence downst 102.81 feet, N. 80° 0" W. 367.85 feet, S.	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, t. 29 1334.60 feet to a 1/2 inch or a 1/2 inch by 30 inch iron mee S. 00 44! 30" W. 186.42 aream along the center line 00 30" W. 309.54 ftr, S. 48° 33' 30" W. 365.18 feet	s Northwest Interior Corner once North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30° feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S. N. 83° 27' 30" W. 283.01 fe
e Suther undary or rked by the hour 10 14' 506.20 lapooia 0 45' W. 73° 12'	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80° W. 367.85 feet, S. 30" W. 247.94 feet,	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a ½ inch by 30 inch iron once S. 0° 44! 30" W. 186.42 ream along the center line 00! 30" W. 309.54 ft; S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 Fe	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30° feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., 8., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89
e Suther undary or the bour 10 14' 506.20 lapooia 0 45' W. 0 32' 30' 12' et, N. 5	at a ½ inch by 30 in lin D.L.C. #49 in Twof said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 50° W. 677.23 feet to a point of the said Normal Said Norm	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a 1 inch by 30 inch iron one S. 0° 44! 30" W. 186.42 ream along the center line 00° 30" W. 309.54 ft; S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said
e Suther undary or the bour 10 14' 506.20 lapooia 0 45' W. 0 32' 30' 12' et, N. 5	at a ½ inch by 30 in lin D.L.C. #49 in Twof said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 50° W. 677.23 feet to a point of the said Normal Said Norm	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a 1 inch by 30 inch iron one S. 0° 44! 30" W. 186.42 ream along the center line 00° 30" W. 309.54 ft; S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said
escripti ginning e Suther undary of rked by rth bour 1º 14' 506.20 lapooia 0º 45' W. 0° 32' 30' 73° 12' et, N. 5 0' 49; it ginning,	at a ½ inch by 30 in lin D.L.C. #49 in Twof said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, 30° 59° W. 677.23 feet thence along said Nor containing 55.13 ac	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a 1 inch by 30 inch iron once S. 0° 44! 30" W. 186.42 ream along the center line 00° 30" W. 309.54 ft; S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the hence N. 89° 51' E. along the hence S. 8° 41' 30" fact to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 fe et, N. 72° 05' 30" W. 174.89 the North boundary of said
escripti ginning e Suther undary o rked by rth bour 1º 14' 506.20 lapooia 0 45' W. 0 32' 30 73° 12' set, N. 5 Graning,	at a ½ inch by 30 in lin D.L.C. #49 in Twof said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet t feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 247.94 feet, S. containing 55.13 ac	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a 1 inch by 30 inch iron once S. 0° 44! 30" W. 186.42 ream along the center line 00° 30" W. 309.54 ftr, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or the hour 10 14' 506.20 lapooia 0 45' W. 0 32' 30' 12' et, N. 50' ginning,	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 in Twoff said D.L.C. 30" W. 656.93 feet the feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, 30° 59° W. 677.23 feet thence along said Normalization of the said said said said said said said said	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a \frac{1}{2} inch by 30 inch iron once S. 0° 44! 30" W. 186.42 ream along the center line 00' 30" W. 309.54 ft1, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 Feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30° feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or the hour 10 14' 506.20 lapooia 0 45' W. 0 32' 30' 12' et, N. 50' ginning,	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 in Twoff said D.L.C. 30" W. 656.93 feet the feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, 30° 59° W. 677.23 feet thence along said Normalization of the said said said said said said said said	ch iron pipe which marks the p. 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a \frac{1}{2} inch by 30 inch iron once S. 0° 44! 30" W. 186.42 ream along the center line 00' 30" W. 309.54 ft1, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 Feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30° feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or rked by the hour 10 14' 506.20 lapooia 0 45' W. 0 32' 30' 73' 12' et, N. 5 C #49; tginning,	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80° W. 367.85 feet, S. 30" W. 247.94 feet, 30° 59° W. 677.23 feet thence along said Nor containing 55.13 ac	ch iron pipe which marks the 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, t 29 1334.60 feet to a ½ inc. o a ½ inch by 30 inch iron nee S. 0° 44' 30" W. 186.42 ream along the center line 00' 30" W. 309.54 ftr, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" fact to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 fe et, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or the hour 1° 14' 506.20 lapooia ° 45' W. ° 32' 30' 73° 12' et, N. 5 ginning,	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 10 a l inch by 36 inch adary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80° W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 247.94 feet, S. 30" W. 677.23 feethence along said Nor containing 55.13 ac	ch iron pipe which marks the 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to 29 1334.60 feet to a 1 inc. o a 1 inch by 30 inch iron nee S. 00 44 30 W. 186.42 ream along the center line 00 30 W. 309.54 ftr, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30 W. 342.72 feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" fact to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or the hour 1° 14' 506.20 lapooia ° 45' W. ° 32' 30' 73° 12' et, N. 5 c #49; t ginning,	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 10 a l inch by 36 inch adary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80° W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 247.94 feet, S. 30" W. 677.23 feet thence along said Nor containing 55.13 ac for Marion, see the said Nor containing 55.13 ac	ch iron pipe which marks the 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, the 49 1334.60 feet to a 1/2 inch by 30 inch iron once S. 00 44 30" W. 186.42 ream along the center line 00 30" W. 309.54 ftr, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the hey 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" fact to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
ESCRIPTI ginning e Suther undary of rked by rth hour 1° 14' 506.20 lapooia 0° 45' W. 0° 32' 30' 73° 12' et, N. 0° 32' 30' ct, N. 0° 32' 30' This	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 10 a l inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80° W. 367.85 feet, S. 30" W. 247.94 feet, 30° 59° W. 677.23 feet to a point of the Containing 55.13 accontaining 55.13 accontaining 55.13 accontaining 55.14 accontaining 55.15 according that I have	ch iron pipe which marks the 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, to a 1 inch by 30 inch iron nee S. 00 44 30" W. 186.42 ream along the center line 00 30" W. 309.54 ftr, S. 48° 33' 30" W. 365.18 feet N. 68° 48'30" W. 342.72 feet to its intersection with the boundary S. 88° 54' E. 1 res more or less.	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" fact to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 fe et, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
ESCRIPTI ginning e Suther undary of rked by rth bour 1° 14' 506.20 lapooia ° 45' % ° 32' 30 73° 12' ret, N. 5 C #49; t ginning, STATE O County This maps and	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 10 a l inch by 36 inch adary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 247.94 feet, S. 30" W. 677.23 feethence along said Nor containing 55.13 ac containing 55.13 ac sisto certify that I have data, and return the same data, and return the same	ch iron pipe which marks the 25 S., R. 4 W., W.M. The 34.56 feet to the Northwest shaft with gear attached, the 429 1334.60 feet to a 1 inc. o a 1 inch by 30 inch iron mee S. 00 44 30 W. 186.42 ream along the center line 00 30 W. 309.54 ftr, S. 48° 33' 30 W. 365.18 feet N. 68° 48'30 W. 342.72 feat to its intersection with the boundary S. 88° 54' E. 1 res more or less.	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the hence N. 89° 51' E. along the hence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or rked by the hour 10 14' 506.20 lapooia 0 45' W. 0 32' 30' 12' et, N. 50' ginning, STATE Of County This maps and In o	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 in Twoff said D.L.C. #49 10 a 1 inch by 36 inch dary of said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 247.94 feet, G. 53° 59° W. 677.23 feethence along said Nor containing 55.13 ac containing 55.13 ac data, and return the same order to retain its priority	examined the foregoing application of this application must be returned, the same the same at the same	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the h by 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or rked by the hour 10 14' 506.20 lapooia 0 45' W. 506.20 lapooia 0 45' W. 506.20 lapooia or 73° 12' set, N. 50 ginning, This maps and In or tions on or other than the sum of the sum	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 in Twoff said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 677.23 feethence along said Nor containing 55.13 ac data, and return the same order to retain its priority r before	examined the foregoing application of forest of the state	e Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the hence N. 89° 51' E. along the hence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of
e Suther undary or rked by the hour 10 14' 506.20 lapooia 0 45' W. 506.20 lapooia 0 45' W. 506.20 lapooia or 73° 12' set, N. 50 ginning, This maps and In or tions on or other than the sum of the sum	at a ½ inch by 30 inclin D.L.C. #49 in Twoff said D.L.C. #49 in Twoff said D.L.C. 30" W. 656.93 feet to a point; the River; thence downst 102.81 feet, N. 80°)" W. 367.85 feet, S. 30" W. 247.94 feet, S. 30" W. 677.23 feethence along said Nor containing 55.13 ac data, and return the same order to retain its priority r before	examined the foregoing application of this application must be returned, the same the same at the same	s Northwest Interior Corner of nce North along the West corner of said D.L.C. #49 hence N. 89° 51' E. along the hence N. 89° 51' E. along the hey 30 inch iron pipe, thence pipe; thence S. 8° 41' 30" feet to the center of the of said river as follows: N. 74° 25' 30" W. 153.41 ft., S., N. 83° 27' 30" W. 283.01 feet, N. 72° 05' 30" W. 174.89 the North boundary of said 194.65 feet to the place of to the state Engineer, with correct to the State Engineer to the Sta

Application	No.	.23111	
Permit No		18217	

a graph off a pull a deglerous

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE

	WA'	OF OREGON			William Control
	Division No.	District No.			
	This instru	iment was first receiv State Engineer at Saler	ved in the		
		day of April		e e e e	y
		:28 o'clock A.			
	Returned to a	applicant:	* - e*.		* %
	Corrected and	plication received:			; ·
	Approved:	- 20 10/9			
· · · · · · · · · · · · · · · · · · ·	***************************************				
		n book No45	of		
· · · · · · · · · · · · · · · · · · ·	;	age 18217			,
· · · · · · · · · · · · · · · · · · ·	Of the second se	AS. E. STRICKLIN	EENGINEER		and the second of
	Drainage Ras	sin No. 16 Page	, 3		
en de la companya de La companya de la co	Fees Paid	The second secon			
	rees Paiar				
		PERMIT		, 0	
ATE OF OREGON,)	1981 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 1983 - 1984 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982 - 1982		,		
IBJECT TO EXISTING 1 The right herein gran	RIGHTS and the nted is limited to	o the amount of water	s and condition r which can b	is: e applied to l	beneficial use
This is to certify tha IBJECT TO EXISTING I The right herein gran d shall not exceed	RIGHTS and the steel is limited to select the steel is limited to select the selection of the selection in the selection is a selection of the selection in the selection is a selection of the selection in the selection is a selection in the selection in the selection is a selection in the selection in the selection in the selection is a selection in the selecti	e following limitations o the amount of water c feet per second meas n with other water use	s and condition which can be sured at the pers, from	ns: e applied to looint of divers Calapooya C	beneficial use sion from the reek
This is to certify tha IBJECT TO EXISTING I The right herein gran d shall not exceed	RIGHTS and the nted is limited to40 cubic case of rotation	e following limitations o the amount of water c feet per second meas n with other water use	s and condition which can be sured at the pers, from	ns: e applied to lead	beneficial use sion from the reek
This is to certify tha IBJECT TO EXISTING I The right herein gran d shall not exceed	RIGHTS and the nted is limited to40 cubic case of rotation water is to be a	e following limitations of the amount of water efeet per second meas n with other water use applied isirrigati	s and condition which can be sured at the pers, from	e applied to looint of divers	beneficial use sion from the reek
This is to certify tha IBJECT TO EXISTING I The right herein gran d shall not exceed	RIGHTS and the nted is limited to40 cubic case of rotation water is to be a	e following limitations of the amount of water efeet per second meas n with other water use applied is irrigati	s and condition which can be sured at the pers, from	ns: e applied to lead of diverse Calapooya C	beneficial use sion from the reek
This is to certify that IBJECT TO EXISTING I The right herein grand shall not exceed	RIGHTS and the sted is limited to subject to the cubic case of rotation water is to be a	e following limitations of the amount of water of feet per second meas with other water use applied is irrigation.	s and condition which can be sured at the pers, from	e applied to looint of divers	beneficial use sion from the reek
This is to certify that IBJECT TO EXISTING IT The right herein grand shall not exceed	RIGHTS and the nted is limited to40 cubic case of rotation water is to be a appropriation sh	e following limitations of the amount of water efeet per second meas n with other water use applied is irrigation all be limited to	s and condition r which can b sured at the p ers, from	ns: e applied to lead	beneficial use sion from the reek
This is to certify that BJECT TO EXISTING I The right herein grand shall not exceed	RIGHTS and the sted is limited to show the cubic case of rotation water is to be a suppropriation shout for each in	e following limitations of the amount of water c feet per second meas n with other water use applied is irrigation call be limited to acre irrigated and	s and condition which can be sured at the pers, from	e applied to lead to l	beneficial use sion from the reek
This is to certify that BJECT TO EXISTING I The right herein grand shall not exceed	RIGHTS and the sted is limited to40 cubic case of rotation water is to be a separation shappropriation sha	e following limitations o the amount of water c feet per second meas n with other water use applied is irrigation all be limited to acce irrigated and feet per acce for	s and condition r which can be sured at the p ers, from 1/80th i shall be r each acre	of one further lim	beneficial use sion from the reek cubic foot per ited to a during the
This is to certify that IBJECT TO EXISTING I The right herein grand shall not exceed	RIGHTS and the sted is limited to	e following limitations of the amount of water c feet per second meas n with other water use applied is irrigation all be limited to acre irrigated and feet per acre for d shall be subject	s and condition r which can be sured at the pers, from 1/80th i shell be r each acre t to such re	of one further lim	cubic foot per ited to a during the otation
This is to certify that IBJECT TO EXISTING IT The right herein grand shall not exceed	RIGHTS and the sted is limited to show that cubic case of rotation water is to be a superpropriation should for each seed $2\frac{1}{2}$ acressed by the property of the property	e following limitations of the amount of water cfeet per second meas a with other water use applied is irrigation all be limited to acre irrigated and feet per acre for d shall be subject oper state officer	s and condition r which can be sured at the pers, from	of one further lim irrigated easonable r	cubic foot per ited to a during the otation bution of
This is to certify that IBJECT TO EXISTING I The right herein grand a shall not exceed	RIGHTS and the sted is limited to show that cubic case of rotation water is to be a second second 2 acres and year,	e following limitations of the amount of water of the amount of water of feet per second measurement with other water use applied is irrigated and feet per acre for d shall be subject oper state officer all headgatex and	and condition which can be sured at the pers, from	of one further lime irrigated easonable relatives, the	cubic foot per ited to a during the otation bution of e applicant
This is to certify that IBJECT TO EXISTING I The right herein grand ashall not exceed	appropriation she case of year, and the case of rotation appropriation she cased 2½ acresed by the property to instruct the street will in the street will be street will	e following limitations of the amount of water of feet per second measure with other water use applied is irrigated and feet per acre for d shall be subject oper state officer all headgates and be required to instantial or interfere with	and condition which can be sured at the pers, from	of one further lime irrigated easonable reasonable reas	cubic foot per ited to a during the otation bution of e applicant to restrict
This is to certify that BJECT TO EXISTING I The right herein grand shall not exceed	appropriation she case of year, and the case of rotation appropriation she cased 2½ acresed by the property to instruct the street will in the street will be street will	e following limitations of the amount of water of feet per second measure with other water use applied is irrigated and feet per acre for d shall be subject oper state officer all headgates and be required to instantial or interfere with	and condition which can be sured at the pers, from	of one further lime irrigated easonable reasonable reas	cubic foot per ited to a during the otation bution of e applicant to restrict
This is to certify that BJECT TO EXISTING I The right herein grand shall not exceed shall not exceed to make the same of the use to which this shall be subject to such that the same of the successor in its equivalent in the same of the successor in its enatural channel of the cation and plans of the same of the subject to such the subject to su	appropriation she case of rotation appropriation she cased $2\frac{1}{2}$ acresed by the property to instruct will these structs are cased rotation.	e following limitations of the amount of water of the amount of water of feet per second measured is a with other water use applied is a irrigated and feet per acre for d shall be subject oper state officer all headgates and be required to insor interfere with ures shall be apprenticed by a state of the per state of the continues of the per state of the per sta	s and condition r which can be sured at the pers, from	of one further lim irrigated easonable r the district the water e State Eng	cubic foot per ited to a during the otation bution of e applicant to restrict therein.
This is to certify that BJECT TO EXISTING I The right herein grand shall not exceed	appropriation sheart for each seary to instanted by the property the stream of these structs are searched by the property to instanted by the property to instanted by the stream of these structs are searched by the stream of these structs are searched by the property to instanted by the stream of these structs are searched by the stream of the stream	e following limitations of the amount of water of the amount of water is feet per second measured is irrigated and feet per acre for dishall be subject oper state officer all headgates and be required to insort interfere with ures shall be appression system as may be appreciation system as may be appreciation.	and condition which can be sured at the pers, from	oint of divers calapooya C cal	cubic foot per ited to a during the otation bution of e applicant to restrict therein.
This is to certify that BJECT TO EXISTING I The right herein grand shall not exceed	appropriation she acted 2½ acresch year, and the stream these structs to be acted to the stream these structs the stream the structs the structs the structs the structs the stream the structs the stream the structs	e following limitations to the amount of water of the amount of water of feet per second measured is a with other water use applied is irrigated and feet per acre for d shall be subject oper state officer all headgates and be required to insor interfere with ures shall be apprenticed by the subject of the shall be apprenticed to insort interfere with the shall be apprenticed by the shall be	and condition which can be sured at the pers, from	of one further lim irrigated easonable r the district Eng	cubic foot per ited to a during the otation bution of e applicant to restrict therein. ineer prior
This is to certify that BJECT TO EXISTING I The right herein grand of shall not exceed the earn, or its equivalent in the use to which this send or its equivalent in the use to which this earn of not to extract as may be ordered that successor in its enterest channel of the earliest of the priority date of the earliest of the priority date of the earliest of the e	appropriation shaper to just a stream to just a stream these structures to be a stream these structures work shall beging the reasonable of the stream the structures work shall beging the reasonable of the stream the structures work shall beging the reasonable of the stream the structures work shall beging the reasonable of the stream the structures work shall beging the reasonable of the stream the structures work shall beging the reasonable of the stream the structures work shall beging the structures work shall beging the structures where the structures were structures whe	e following limitations to the amount of water of the amount of water if feet per second measured in with other water use applied is irrigated and feet per acre for dishall be subject oper state officer all headgates and be required to insor interfere with ures shall be appreciation system as may be applied to the appreciation of the system as may be applied to the appreciation of the system as may be applied to the appreciation of the system as may be applied to the appreciation of the system as may be applied to the appreciation of the system as may be applied to the appreciation of the system as may be applied to the appreciation of the system as may be applied to the system.	and condition which can be sured at the pers, from	of one further lim irrigated easonable r the district Eng	cubic foot per ited to a during the otation bution of e applicant to restrict therein.
This is to certify that IBJECT TO EXISTING I The right herein grand of shall not exceed	RIGHTS and the sted is limited to a 40 cubic case of rotation water is to be a specific properties and seed 2\frac{1}{2} acresed by the properties will be a these structures these structures work shall begin ith reasonable of the stresh work shall begin ith reasonable defined.	e following limitations to the amount of water of the amount of water if feet per second measured in with other water use applied is irrigated and feet per acre for dishall be subject oper state officer all headgates and be required to insor interfere with ures shall be appreciation system as may be applied to the appreciation of the state of the appreciation of the appreciation of the state of the appreciation of the	and condition which can be sured at the pers, from	of one further lim irrigated easonable r the districes. the so as not for the proper state English the proper state of the pro	cubic foot per ited to a during the otation bution of e applicant to restrict therein. ineer prior and shall
This is to certify that IBJECT TO EXISTING IT The right herein granted shall not exceed and ream, or its equivalent in The use to which this If for irrigation, this cond for its equivalent in the use to which this iversion of not to extract it becomes necessor in its excessor in its exact it becomes necessor in its exact in and plans of construction. Actual construction recent the priority date of the Actual construction recent the prosecuted with the construction of the construction of the priority date of the construction of the const	appropriation she act for each year, and the stream these structs the permit is work shall begin ith reasonable do of the water to	e following limitations to the amount of water of the amount of water is feet per second measured in with other water use applied is irrigated and feet per acre for dishall be subject oper state officer all headgates and be required to insort interfere with ures shall be apprended by the proposed use shall in the proposed use shall interfere with the interfere with the shall be apprended to the proposed use shall interfere with the proposed use shall be apprended to the proposed use shall the proposed use shall be apprended to the proposed to the proposed use shall be apprended to the proposed to the propos	and condition which can be sured at the pers, from	of one further lim irrigated easonable r the district so as not for the proper state and the proper state or before	cubic foot per ited to a during the otation bution of e applicant to restrict therein. Inser prior the officer.
This is to certify that IBJECT TO EXISTING IT The right herein grant of shall not exceed and ream, or its equivalent in The use to which this If for irrigation, this cond or its equivalent in the use to which this is excession of not to extern as may be ordered that successor in its excessor in its ex	appropriation she act for each year, and the stream these structs to be act these structs the permit is work shall begin ith reasonable do of the water to	e following limitations to the amount of water of the amount of water is feet per second measured in with other water use applied is irrigated and feet per acre for dishall be subject oper state officer all headgates and be required to insort interfere with ures shall be apprended by the proposed use shall in the proposed use shall interfere with the interfere with the shall be apprended to the proposed use shall interfere with the proposed use shall be apprended to the proposed use shall the proposed use shall be apprended to the proposed to the proposed use shall be apprended to the proposed to the propos	and condition which can be sured at the pers, from	of one further lim irrigated easonable r the district extension the proper state and the prop	cubic foot per ited to a during the otation bution of e applicant to restrict therein. Ineer prior and shall