* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	A D Dudo
	I, A. P. Dudg. (Name of applicant)
of	Rt. 1 Mt. Angel , (Mailing address)
	of, do hereby make application for a permit to appropriate the
follor	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is Pudding River
	(Name of stream)
	, a tributary of Molalla River
	2. The amount of water which the applicant intends to apply to beneficial use is
cubic	feet per second.
	feet per second. (If water is to be used from more than one source, give quantity from each)
*	*3. The use to which the water is to be applied is
	4. The point of diversion is located $\frac{1400}{(N. \text{ or S.})}$ and $\frac{2385}{(E. \text{ or W.})}$ from the $\frac{N_{\frac{1}{4}}}{4}$
corne	r of Sec. 16, T. 6 S., R. 1 W., W.M. (Section or subdivision)
	(Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being	within the SW NW Of Sec. 16, Tp. 6 S. (Give smallest legal subdivision)
R	1. Wa, W. M., in the county of Marion
	(E. or W.)
	5. The
in ler	gth, terminating in the of Sec, Tp
R	W. M., the proposed location being shown throughout on the accompanying map.
	(E. or W.)
	DESCRIPTION OF WORKS
7 5.	
Diver	sion Works— No Dam
	6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
,	(Loose reck, concrete, masonry
rock an	I brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate
	21 cont num
	(c) If water is to be pumped give general description 3" cent. pump (Size and type of pump)
	15 hp elec. motor (Size and type of engine or motor to be used, total head water is to be lifted, sto.)
	24 8 gpm sprinklers

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7 (a) Cia	Pipe Line—			PARA ANTE
in tal Git	ve dimensions a	t each point of	canal where materially chang	ed in size, stating miles from
headgate. At hea	idgate: width or	n top (at water	line)	feet; width on bottom
thousand feet. (b) At	· · · · · · · · · · · · · · · · · · ·	miles from he	feet; grade	r line)
Sand Marie	feet; width on	bottom	feet; depth of u	pater feet;
grade	feet fa	ll per one thou	sand feet.	
(c) Length	ı of pipe,	ft.;	size at intake,	in.; size at ft.
from intake	in.	; size at place o	of use in.; dij	ference in elevation between
Sec. Sec.	sec. ft.	The second second		and the second of the second o
8. Locatio	n of area to be		ace of use	Number Acres To Be Irrigated
			Forty-acre Tract	
6 S.	76 .1 W	16	NE NW	27.0
			SEA NWA	3.6
applicant as f Section 16, To County, Dregon North 89° 10' of said stream South 87° West 7.60 chains; t	bllows Beg wnship 6 Sou thence Sou West 30.00 c North 10° E 2.30 chains nence North	inning at the the Range 1 the 7. E. 40. hains to the ast 1.80 change from the contract of the	is a part of that more equarter section corne West of the Willamette 22 chains to the center center of Pudding Rive ins; thence North 319 West 6.80 chains	r on the North side of eridian, in Marion of Section 16; thence of the centers thence stated thence thence North 60° West
thence North 3 19° 15' West 9 26.13 chains t in the center road 2.25 chai Section 16 to Township 6 Sou	East 1.70 4 links; the 5 an iron be 6 the Count ns to an iro the point of th, Range 1	o' East 7.70 chains; the nce leaving r; thence No y Road; then n bar; thence beginning, West of the	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45° East 4.08° cace North 60° 3° West allee South 89° 18' East alle and heing situated in Swillamette Meridian in required, attach separate sheet)	8.70 chains; thence Nor- North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon.
thence North 3 19° 15' West 9 26.13 chains t in the center road 2.25 chai Section 16 to Township 6 Sou	East 1.70 4 links; the 5 an iron ba of the Count ns to an iro the point of th, Range 1	chains; the nce leaving r; thence No y Road; then heginning, West of the	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45' East 4.08 cace North 60° 3' West allee South 89° 18' East alle and heing situated in Swillamette Meridian in required, attach separate sheet)	9° East 3.00 chains; 8.70 chains; thence Nor North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon.
thence North 3 19° 15' West 9 26.13 chains t in the center road 2.25 chai Section 16 to Township 6 Sou (a) Charac (b) Kind o	East 1.70 4 links; the 5 an iron be 6 the Count ns to an iro the point of th, Range 1 cter of soil	o' East 7.70 chains; the nce leaving r; thence No y Road; then heginning, West of the Of more spaces Don't kno	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45' East 4.08 conce North 60° 3' West alse South 89° 18' East alse and heing situated in Swillamette Meridian in required, attach separate sheet)	9° East 3.00 chains; 8.70 chains; thence Nor- North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon.
thence North 3 19° 15' West 9 26.13 chains t in the center road 2.25 chai Section 16 to Township 6 Sou (a) Charac (b) Kind c Power or Mining 9. (a) Tot	East 1.70 L links; the control the Countrol the Countrol the Point of the Range 1 Countrol the point of the Point of the Point of the Point of crops raised arount of point of	o' East 7.70 chains; the nce leaving r; thence No y Road; then beginning, West of the Don't kno Pasture	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45' East 4.08 core North 60° 3' West alse South 89° 18' East alsand heing situated in Swillamette Meridian in sequired, attach separate sheet) Sugar beets	9° East 3.00 chains; 8.70 chains; thence Nor North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon. theoretical horsepower.
thence North 3 19° 15' West 9 26.13 chains to the center road 2.25 chains section 16 to Township 6 South (a) Character (b) Kind of Power or Mining 9. (a) Total (b) Quantum (b) Quantum (b) Quantum (b) Quantum (c) Quantum (d) Quantum (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	East 1.70 4 links; the 5 an iron ba of the Count ns to an iro the point of the Range l cter of soil Purposes— cal amount of po	o' East 7.70 chains; the nce leaving r; thence No y Road; then heginning, West of the Don't kno Pasture ower to be deve to be used for	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45° East 4.08° conce North 60° 3° West alse South 89° 18° East alse and heing situated in Swillamette Meridian in Sugar beets Sugar beets eloped	9° East 3.00 chains; 8.70 chains; thence Nor's North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon. theoretical horsepower.
thence North 3 19° 15' West 9 26.13 chains to the center road 2.25 chains to the center forward for the center (a) Character (b) Kind of the center (b) Kind of the center (b) Control (c) Totology (c)	East 1.70 4 links; the ban iron be of the Count as to an iron the point of the Purposes— al amount of postantity of water al fall to be utile nature of the control of the	o' East 7.70 chains; the nce leaving r; thence No y Road; then heginning, West of the Don't kno Pasture ower to be deve to be used for lized	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45' East 4.08 core North 60° 3' West alse South 89° 18' East alsand heing situated in Swillamette Meridian in sequired, attach separate sheet) Sugar beets	9° East 3.00 chains; 8.70 chains; thence Nor North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon. theoretical horsepower. ec. ft.
thence North 3 19° 15' West 9 26.13 chains to the center road 2.25 chains to the center road 2.25 chains to the center for the center road 2.25 chains to the center for th	East 1.70 4 links; the 5 an iron ba of the Count ns to an iro the point of the Range 1 cter of soil Purposes— cal amount of po antity of water cal fall to be utile e nature of the	o' East 7.70 chains; the nce leaving r; thence No y Road; then heginning, West of the Don't kno Pasture ower to be deve to be used for lized works by mean	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45° East 4.08 care North 60° 3° West alse South 89° 18° East alsand heing situated in Swillamette Meridian in Swillamette Meridian in Swillamette South 89° 18° East alsand heing situated in Swillamette Meridian in Swillamette Meridian in Swillamette South 89° 18° East alsand heing situated in Swillamette Meridian in Swillamette Meridian in Swillamette Separate sheet) Sugar beets eloped power soft feet. Geed sof which the power is to be soft which the power is to be	Po East 3.00 chains; 8.70 chains; thence Nor North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon. theoretical horsepower. ec. ft. developed
thence North 3 19° 15' West 9 26.13 chains to in the center road 2.25 chains Section 16 to Township 6 South (a) Character (b) Kind of the Control (b) Quantity (c) Total (d) The Control (d) The Control (d) The Control (d) Is to the Control (d) Is	the Count of the Purposes— al amount of potentity of water to be returned to the count of the count of the point. The count of the point of the point of the point of the count of potentity of water to be utilized to	chains; the nce leaving r; thence No y Road; then he beginning, West of the Don't know Pasture ower to be deve to be used for lized works by mean ocated in	chains; thence North 8 ence North 12° 15° East said river and running orth 45° 45° East 4.08 clice North 60° 3° West alse South 89° 18° East alse and heing situated in Swillamette Meridian in Swillamette Meridian in Swillamette Meridian in Swillamette South 89° 18° East alse and heing situated in Swillamette Meridian	9° East 3.00 chains; 8.70 chains; thence Nor- North 54° 51' East hains to an iron bar ong the center of said ong the North line of ections 16 and 17 in Marion County, Oregon. theoretical horsepower. ec. ft. developed of Sec.

and the state of the control of the state of

Application	No	23112
Permit No.		18218

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in to office of the State Engineer at Salem, Orego	
	on the 5th day of April	en get de verge en gete de le gleine en e
	194 8, at 2:50 o'clock P. M.	
	Returned to applicant:	
		······································
,	Corrected application received:	
And the second s		·····
and the second second	Approved: July 30, 1948	
18	Recorded in book No. 45	of
	Permits on page 18218 CHAS. E. STRICKLIN	 gawa arif
V.	STATE ENGINEER	3 <u> </u>
	Drainage Basin No2 Page34.A	·····
	Fees Paid \$15.15	
	PERMIT	•
STATE OF OREGON,		
County of Marion, \int_{0}^{ss}		
SUBJECT TO EXISTING R	I have examined the foregoing application IGHTS and the following limitations and conted is limited to the amount of water which	iditions:
and the second s		
	case of rotation with other water users, from	
The use to which this	water is to be applied is irrigation	
second or its equivale	ppropriation shall be limited to 1/80th ent for each acre irrigated and shall	l be further limited to a
	eed 21 acre feet per acre for each	
irrigation season of ea	ch year,	
and shall be subject to such	reasonable rotation system as may be ordered	ed by the proper state officer.
The priority date of th	ris permit is	18 :
Actual construction u	oork shall begin on or before July 30	, 1949 and shall
	th reasonable diligence and be completed on c	
October 1, 1	950	, , , , , , , , , , , , , , , , ,
	of the water to the proposed use shall be made	
October 1, 1	951	Land Brown Carry
WITNESS my hand th	ris 30th day of July	, 194 <u>8</u> .
mining (sana sarah sal)	CHAS. E. ST	RTCKLIN
Permits for power development a	re subject to the payment of annual fees as provided in sec	STATE ENGINEER