

Part Interest
ASSIGNED Ser. Use Rec. Vol. 3 Page 451

* APPLICATION FOR PERMIT

CERTIFICATE NO. 21269

To appropriate the Public Waters of the State of Oregon

We, Wm. Haglund, Earl Rencehausen and Harry Frost
(Name of applicant)
of Route No. 2, Coos Bay, Oregon
(Mailing address),

State of _____, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is two un-named creeks
(Name of stream)
_____, a tributary of Coos Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.12
cubic feet per second. 0.04 c.f.s. from Pt. No. 2 and 0.08 c.f.s. from Pt. No. 1
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation of cranberry bogs
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of No. 1. N. 38° 24' E. 2921.0 feet, No. 2. N. 38° 08' E., both from the
(Section or subdivision)
Southwest corner of Section 1, Township 26 South, Range 14 West of Willamette
Meridian.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 5 of Sec. 1, Tp. 26 S.
(Give smallest legal subdivision) (N. or S.)
R. 14 W., W. M., in the county of Coos
(E. or W.)

5. The two ditches to be 2500 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Lot 2 of Sec. 1, Tp. 26 S.
(Smallest legal subdivision) (N. or S.)
R. 14 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— See Remarks

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Description of property owned by Harry Frost.

1. West end of cranberry bog.

Beginning at a point on the easterly boundary of the right of way of the Cape Arago section of the Oregon State Highway through Section 1, Township 26 South, Range 14 West of Willamette Meridian, from which point, the Northeast corner of Lot 33 of the Plat of Barview bears S. $83^{\circ} 57'$ W. a distance of 87.72 feet; and also from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the northwest corner of Lot 1 of the said Section 1 bears N. $1^{\circ} 56 \frac{1}{3}'$ W. a distance of 2673.54 feet, said point being the northwest corner of the tract heretofore deeded to J. A. Long:- and running thence N. $18^{\circ} 11'$ E. along the easterly boundary of the State Highway right of way for a distance of 106.15 feet to the point of beginning of a curve to the left of 398.1 foot radius; thence along the said curve through a central angle of $40^{\circ} 35'$ for a distance of 281.90 feet; thence S. $71^{\circ} 53 \frac{1}{2}'$ E. for a distance of 441.65 feet; thence S. $35^{\circ} 20'$ W. for a distance of 360.0 feet; thence N. $76^{\circ} 59'$ W. for a distance of 240.78 feet to the point of beginning.

Containing 2.55 acres, more or less, and being a portion of the Southeast quarter of the Northwest quarter and of Lots 2, 3 and 5, all in Section 1, Township 26 South, Range 14 West of Willamette Meridian

Also: Description of center tract facing on Wilshire Boulevard.

Beginning at a point on the southerly boundary of Wilshire Boulevard in the Plat of Hollywood, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the northwest corner of Lot 1 of Section 1, Township 26 South, Range 14 West of Willamette Meridian bears N. $28^{\circ} 45 \frac{1}{2}'$ W. a distance of 2583.38 feet;- and running thence S. $18^{\circ} 06 \frac{1}{2}'$ W. for a distance of 314.99 feet; thence S. $89^{\circ} 13'$ W. for a distance of 105.70 feet; thence N. $18^{\circ} 06 \frac{1}{2}'$ E. for a distance of 349.21 feet to a point on the said southerly boundary of Wilshire Boulevard; thence S. $71^{\circ} 53 \frac{1}{2}'$ E. along the said boundary of Wilshire Boulevard for a distance of 100.00 feet to the point of beginning. Containing 0.76 acres, more or less, and being a portion of the Southeast quarter of the Northwest quarter and of Lot 5, both in Section 1, Township 26 South, Range 14 West of Willamette Meridian.

Description of property owned by Earl Rencehausen.

Center portion of cranberry bog.

Beginning at a point in Lot 3 of Section 1, Township 26 South, Range 14 West of Willamette Meridian, from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the Northwest corner of Lot 1 of the said Section 1 bears N. $6^{\circ} 48'$ W. a distance of 2745.55 feet:- and running thence N. $35^{\circ} 20'$ E. for a distance of 360.0 feet; thence S. $71^{\circ} 53 \frac{1}{2}'$ E. for a distance of 242.00 feet; thence S. $35^{\circ} 20'$ W. for a distance of 371.30 feet; thence N. $62^{\circ} 35'$ W. for a distance of 8.10 feet; thence N. $69^{\circ} 00'$ W. for a distance of 67.20 feet; thence S. $15^{\circ} 04'$ E. for a distance of 100.0 feet; thence S. $74^{\circ} 56'$ W. for a distance of 129.74 feet; thence N. $12^{\circ} 05 \frac{1}{2}'$ W. for a distance of 187.65 feet; thence N. $76^{\circ} 59'$ W. for a distance of 15.37 feet to the point of beginning.

Containing 2.35 acres, more or less, and being a portion of the Southeast quarter of the Northwest quarter and of Lots 2, 3 and 5, all in Section 1, Township 26 South, Range 14 West of Willamette Meridian.

Also; Description of westerly tract facing on Wilshire Boulevard.

Beginning at a point on the southerly boundary of Wilshire Boulevard in the Plat of Hollywood, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the northwest corner of Lot 1 of Section 1, Township 26 South, Range 14 West of Willamette Meridian bears N. $24^{\circ} 59 \frac{1}{2}'$ W. a distance of 2491.91 feet:- and running thence S. $71^{\circ} 53 \frac{1}{2}'$ E. along the said southerly boundary of Wilshire Boulevard for a distance of 100.0 feet; thence S. $18^{\circ} 06 \frac{1}{2}'$ W. for a distance of 349.21 feet; thence S. $89^{\circ} 13'$ W. for a distance of 87.32 feet; thence N. $9^{\circ} 47'$ W. for a distance of 53.67 feet; thence N. $18^{\circ} 06 \frac{1}{2}'$ E. for a distance of 326.70 feet to the point of beginning.

Description of property owned by Earl Rencehausen. (Continued)

Containing 0.83 acres, more or less, and being a portion of the Southeast quarter of the Northwest quarter and of Lot 5, both in Section 1, Township 26 South, Range 14 West of Willamette Meridian

Description of property owned by Wm. Haglund.

East end of cranberry bog.

Beginning at a point in Lot 5 of Section 1, Township 26 South, Range 14 West of Willamette Meridian, from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the northwest corner of Lot 1 of the said Section 1 bears N. $11^{\circ} 02 \frac{5}{8}'$ W. a distance of 2863.76 feet:- and running thence N. $35^{\circ} 20'$ E. for a distance of 371.30 feet; thence S. $71^{\circ} 53 \frac{1}{2}'$ E. for a distance of 197.83 feet; thence S. $9^{\circ} 47'$ E. for a distance of 252.00 feet; thence S. $64^{\circ} 51'$ E. for a distance of 62.30 feet; thence S. $23^{\circ} 00'$ W. for a distance of 84.00 feet; thence S. $12^{\circ} 00'$ W. for a distance of 100.0 feet; thence N. $62^{\circ} 35'$ W. for a distance of 460.60 feet to the point of beginning.

Containing 3.03 acres, more or less, and being a portion of the Southeast quarter of the Northwest quarter and of Lot 5, both in Section 1, Township 26 South, Range 14 West of Willamette Meridian.

Also: Description of east tract facing on Wilshire Boulevard.

Beginning at a point on the southerly boundary of Wilshire Boulevard in the Plat of Hollywood, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the northwest corner of Lot 1 of Section 1, Township 26 South, Range 14 West of Willamette Meridian bears N. $28^{\circ} 45\frac{1}{2}'$ W. a distance of 2583.38 feet:- and running thence S. $71^{\circ} 53\frac{1}{2}'$ E. along the said boundary of Wilshire Boulevard for a distance of 90.85 feet to a point on the westerly boundary of Broadway Street; thence S. $0^{\circ} 47'$ E. along the said boundary of Broadway Street for a distance of 268.61 feet; thence S. $89^{\circ} 13'$ W. for a distance of 187.94 feet; thence N. $18^{\circ} 06\frac{1}{2}'$ E. for a distance of 314.99 feet to the point of beginning.

Containing 0.91 acres, more or less, and being a portion of the Southeast quarter of the Northwest quarter and of Lot 5, both in Section 1, Township 26 South, Range 14 West of Willamette Meridian.

Description of Un-divided ownership of Haglund, Frost & Rencehausen.

Beginning at a point in Lot 5 of Section 1, Township 26 South, Range 14 West of Willamette Meridian, from which point the iron pipe at the Meander Corner on the easterly shore of Coos Bay at the Northwest corner of Lot 1 of the said Section 1 bears N. $17^{\circ} 34\frac{1}{2}'$ W. a distance of 3170.82 feet:- and running thence N. $12^{\circ} 00'$ E. for a distance of 100.00 feet; thence N. $23^{\circ} 00'$ E. for a distance of 84.00 feet; thence N. $64^{\circ} 51'$ W. for a distance of 62.30 feet; thence N. $0^{\circ} 47'$ W. for a distance of 198.33 feet; thence N. $89^{\circ} 13'$ E. for a distance of 380.96 feet to a point on the west boundary of Broadway Street; thence S. $0^{\circ} 47'$ E. along the said boundary of Broadway Street for a distance of 400.0 feet; thence S. $89^{\circ} 13'$ W. for a distance of 380.96 feet to the point of beginning.

Containing 3.39 acres, more or less, and being a portion of Lot 5 of Section 1, Township 26 South, Range 14 West of Willamette Meridian.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 600.00

12. Construction work will begin on or before May 1, 1948

13. Construction work will be completed on or before December 31, 1949

14. The water will be completely applied to the proposed use on or before Dec. 31, 1949

(Sgd) Wm. Haglund
(Signature of applicant)
Earl Rencehausen
Harry Frost

Remarks: The applicants herein have divided up the bog as shown so that each owner has one third of the bog area, and plan to construct in partnership a ditch around both side of the entire bog, allowing both creeks to drain into this ditch at the upper end at the points of diversion, and turning the water back into the creek at the lower end of the bog. Along the ditch at suitable points, there will be constructed flash board weirs, allowing them to raise the water to the desired level to either flood or sub-irrigate the bogs as required. There will also be dikes across the flat at the boundary lines between the individual tracts, so that each owner can control the water on his bog individually. It is believed that no other works will be necessary for the proper irrigation of these lands. Each owner is to have a one third interest in this water right, and will all share alike in case of a shortage of water at any time.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23137

Permit No. 18231

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of April, 1948, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of Permits on page 18231

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 10 C

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed creeks being 0.04 c.f.s. from north creek and 0.08 c.f.s. from south creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 0.1 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre-foot for each acre irrigated in any 30-day period and shall be still further limited to a diversion of not to exceed 6 acre-feet per acre during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.12 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 16, 1948

Actual construction work shall begin on or before July 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950 Extended to Oct. 1, 1951

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 30th day of July, 1948.

CHAS. E. STRICKLIN STATE ENGINEER