

## \* APPLICATION FOR PERMIT

## To appropriate the Public Waters of the State of Oregon

I, We, Ennis R. and Frances Ann Keizer

(Name of applicant)

of Maryland & Sherman, North Bend

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The source of the proposed appropriation is un-named stream

(Name of stream)

, a tributary of Ten Mile Lake2. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1230.0 ft. S. and 60.7 ft. W. from the

(N. or S.)

(E. or W.)

~~nearest~~ U.S. Witness Corner at the N.E. corner of Section 19 of Twp. 23 S., R.

(Section or subdivision)

12 W.W.M., said Witness Corner being 227.0 feet West from the place of the section corner, which is in the waters of Ten Mile Lake.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.E. 1/4 of the N.E. 1/4 of Sec. 19, Tp. 23 S.

(Give smallest legal subdivision)

(N. or S.)

R. 12 W., W. M., in the county of COOS.

(E. or W.)

5. The pipe line to be 800

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the S.W. 1/4 of the N.W. 1/4 of Sec. 20, Tp. 23 S.

(Smallest legal subdivision)

(N. or S.)

R. 12 W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

## DESCRIPTION OF WORKS

## Diversion Works—

6. (a) Height of dam No dam feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_

feet; material to be used and character of construction \_\_\_\_\_

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 3" x 4" galvanized iron flume 10 feet long set on bedrock  
feeding galvanized weir 18" x 18" x 18" with 4" overflow, 3/4" pipe outlet and 3/4" drain pipe. 50 feet down the supply line, is 320 gallon iron reservoir 4' x 4', 2 feet 8" deep.

(c) If water is to be pumped give general description \_\_\_\_\_

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 800 ..... ft.; size at intake, 3/4" ..... in.; size at ..... ft. from intake ..... in.; size at place of use 3/4" ..... in.; difference in elevation between intake and place of use, 30 ..... ft. Is grade uniform? yes ..... Estimated capacity, 0.025 ..... sec. ft. 3/4" copper tubing throughout.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
23 S.	12 W.	20	S.W. 1/4 of N.W. 1/4	1.25
Being Tracts 1, 2, 3, & 4 of "SUNNYSIDE Plat on South Ten Mile Lake" more particularly described as follows: Beginning on the 1/4 section line at an iron pipe set 380.0 feet, more or less, N. 88° 0' E. from the 1/4 corner on the line between section 19 and section 20, Twp 23 S., R. 12 W. W.M., Coos County, Oregon, said 1/4 corner being the N.W. corner of the S.W. 1/4 of the N.W. 1/4 of Section 20, thence running S. 5° 15' E. 60.0 feet, thence S. 42° 15' E. 248.0 feet, thence N. 75° 20' E. 190.0 feet, more or less, to the low water line of Ten Mile Lake, thence Northeasterly along said low water line 350.0 feet, more or less to the 1/4 line, thence along said line S. 88° 0' W 150.0 feet, more or less, to the place of beginning, containing 1.25 acres, more or less, located in the S.W. 1/4 of the N.W. 1/4 of section 20.				

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....



Application No. 23216.....

Permit No. 18264.....

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. .... District No. ....

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 8th day of June

1948 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of

Permits on page 18264

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 17 Page 4 B

Fees Paid \$20.00

**PERMIT**

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per  
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1948

Actual construction work shall begin on or before July 30, 1949 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of July, 1948.

CHAS. E. STRICKLIN  
STATE ENGINEER