

CERTIFICATE NO. 19606

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Raymond Eastwood (Name of applicant)

of Route 2, Tillamook, Oregon (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Individual

1. The source of the proposed appropriation is Anderson Creek (Name of stream)

(indirectly) (see map), a tributary of Tillamook River

2. The amount of water which the applicant intends to apply to beneficial use is 4 to 8 cubic feet per second. See remarks (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation of dairy pasture (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 818.88 ft. N and 393.88 ft. W from the SE corner of Section 6 Twp. 2 South, Range 9 West of the Willamette Meridian (Section or subdivision)

Tillamook County, Oregon

(N 25° 41' W, 908.65 ft. from the SE corner said Section 6)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the SE 1/4 of Sec. 6, Tp. 2 South, R. 9 W., W. M., in the county of Tillamook (Give smallest legal subdivision) (N. or S.) (E. or W.)

9 W., W. M., in the county of Tillamook (E. or W.)

5. The none (Main ditch, canal or pipe line) to be _____ (Miles or feet)

in length, terminating in the _____ of Sec. _____, Tp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____ (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____ (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description pump driven by (Size and type of pump)

5 hp single phase electric motor approximately 5 ft. lift as land is (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

very flat.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	9 West	Sec. 6	SE 1/4 of SE 1/4	20 acres
Beginning at a point that is seven rods south of the Northeast corner of the Southeast quarter of the Southeast quarter of Section six; thence South on the Section line 53 rods; thence West 80 rods; thence North 60 rods; thence East 70 rods; thence South 5 rods; thence Southeasterly to the place of beginning; all in the Southeast quarter of the Southeast quarter of Section 6, Township 2 South, Range 9 West of the Willamette Meridian, Tillamook County, Oregon, containing 29 2/3 acres more or less.				
ALSO:				
Beginning at the Northeast corner of the Southeast quarter of the Southeast quarter of said section 6; thence West along sixteenth section line 10 rods; thence south 5 rods; thence Southeasterly to a point seven rods south of the place of beginning; thence North seven rods to the place of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil 18 inches black clay loam full gravel subsoil

(b) Kind of crops raised dairy pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal Subdivision)

Tp. _____, R. _____, W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____
_____, Sec. _____, Tp. _____, R. _____, W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500/00 _____

12. Construction work will begin on or before June, 1948 _____

13. Construction work will be completed on or before June, 1949 _____

14. The water will be completely applied to the proposed use on or before 1949 and each
year thereafter. _____

(Sgd) Raymond Eastwood
(Signature of applicant)

Remarks: Expect to use 22 to 26 sprinkler heads with a 4 inch main
pipe (sectional) with 2 and 3 inch laterals.

Re: Item 2. As sprinklers have not been purchased the exact size is
unknown. Local dealer was consulted and stated that that particular
system (Wiss Coupler) had heads rated at 7 to 15 gpm.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before _____, 194 _____

WITNESS my hand this _____ day of _____, 194 _____

STATE ENGINEER

Application No. 23126

Permit No. 18267

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of June, 1948 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of

Permits on page 18267

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 18

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Anderson Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 14, 1948

Actual construction work shall begin on or before July 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of July, 1948

CHAS. E. STRICKLIN STATE ENGINEER