Townson See West Res. Vol. 3 Page 227-90

* APPLICATION FOR PERMIT CERTIFICATE NO. 2399/

To Appropriate the Public Waters of the State of Oregon

	I, Ernest D. Con	le y	Mana as abullanus	
of			'	•••••
	Mohawk (Mailing		•	
State	oforegon	, do l	hereby make applica	tion for a permit to appropriate the
follou	ving described public	waters of the State of	Oregon, SUBJECT	TO EXISTING RIGHTS:
	If the applicant is a co	orporation, give date a	nd place of incorpora	ition
	1. The source of the p	proposed appropriation	is Mohawk River	, McKenzie River (Name of stream)
		, a tr	ibutary of	
	2. The amount of wat	er which the applicant	tintends to apply to	beneficial use isQ.45
cubic	feet per second.	/If water is to be	used from more than one sour	rea dive quantity from each
	J. The use to which t	ne water is to be appu	(Irrigation, power, 1	mining, manufacturing, domestic supplies, etc.)
	4. The point of diver	sion is located900	ft. South and	1100 ft. West. from the
corne	r ofSection 26,	Twp. 165, R2 WWM	(Souther or orbitalism)	

		· •		• • • • • • • • • • • • • • • • • • • •
	·····	\$ ~		
		(If preferable, give distar	ice and bearing to section corne	er)
			- ·	
1	the second control of	re than one point of diversion, eac		
being	within the	(Give smallest legal subdivision	of Sec.	, Tp,
R	, W. M., in th	e county ofLan	e	
	5. The	Pipe line (Main ditch, canal or pipe line)	to be	1400 ft.
in len	gth, terminating in the	(Smallest legal subd	of Sec.	26 , Tp. 168 (N. or S.)
R	2 W , W. M., t	he proposed location b	eing shown througho	out on the accompanying map.
		הבפרפוסיו	TION OF WORKS	•
		DESCRITT	TON OF WORLD	
Diver	sion Works—			
				feet, length at bottom
	feet; mater	rial to be used and char	acter of construction	(Loose rock, concrete, masonry,
TOUR MIN				
		auguve		mber and size of openings)
	, _, _, _, _, _, , , , , , , , , , , ,			(Size and type of pump)
	(Siz	te and type of engine or motor to	be used, total head water is to	be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

	idgate: width o	n top (at water	line) none	feet; width on botto
	feet; depth of u	vate r	feet; grade	feet fall per o
housand feet. (b) At	None	m i les f rom he	adgate: width on top (at u	pater line)
The second secon		· ·		of water fee
rade				,, ,, ,, ,
	•	_	-	in.; size at2020
				difference in elevation betwe
A		је. 18	s grade unijorm?±e	S Estimated capacit
0.33	•			
	1	(ace of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
168	2WWN	23	swł, seł	2 acres
16S	2WWM	26	NW4, NE4	23 acres
168	2WWM	26	NE ¹ , NE ¹	ll acres
			and the second s	36
cowan D.LiC asterly Right . 51° 40' E. illiam Allen o a point 27 . 44° 40' W rn Pacific Co . 66° 00' W.	No. 13, Tw of Way of 1291.0 feet D.L.C. No. 13 feet S. 279.0 feet to mpany Railre 500.8 feet, 1.00 feet, S	the Southern thence N. 3. 11, thence a 35' E.of a point on ad, thence S. 65° 15' V.	Pacific Company Rail Pacific Company Rail Pacific Company Rail Pacific Company Rail Company Rail Long said south line the S.W. corner of so the Southeasterly ri along said right of wa W. 208.1 feet, S. 62° 100.0 feet, S. 56° 4	road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thence ght of way of the South- ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 54°
coowan D. Lico asterly Right . 51° 40' E. illiam Allen o a point 27' . 44° 40' W rn Pacific Co . 66° 00' W . 100.0 B.2 feet to ane County, lse beginnin f the Robit	No. 13, Tw t of Way of 1291.0 feet D.L.C. No. 13 feet S. 279.0 feet to mpany Railr 500.8 feet, 1.00 feet, S feet, S. 522 the point of regon. g at a point	the Southern thence N. 39 11, thence a so 35' E.of a point on oad, thence s. 65° 15' W. 13' W. 100.0 beginning, 15534.6 feet	Pacific Company Rail Rail Rail Rail Rail Rail Rail Rail	to the south line of the N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thence of way of the Southay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in teast of the S.W. cornett of the W. M. and runninued under Item 8)
coowan D. Lico asterly Right . 51° 40' E. illiam Allen o a point 27' . 44° 40' W rn Pacific Co . 66° 00' W . 0° 51' W. 100 5' W. 100.0 B.2 feet to ane County, lso beginnin f the Rob't	No. 13, Tw t of Way of 1291.0 feet D.L.C. No. 13 feet S. 279.0 feet to mpany Railr 500.8 feet, 1.00 feet, S feet, S. 529 the point of regon. g at a point cter of soil	the Southern thence N. 39 11, thence a so 35' E.of a point on oad, thence s. 65° 15' W. 18' W. 100.0 beginning, of the space of the spa	Pacific Company Rail Rail Rail Rail Rail Rail Rail Rail	to the south line of the N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thence of way of the Southay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in teast of the S.W. cornett of the W. M. and running under Item 8)
lcCowan D. Licovan Allen Allen D. Licovan Pacific Co. 66° 00' W. 100.5' W. 100.0' W. 100.	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 179.0 feet tompany Railrough Seet, S. 529 the point of Cregon. Seet a point of crops raised of crops raised.	the Southern thence N. 39 11, thence a so 35' E.of a point on oad, thence s. 65° 15' W. 18' W. 100.0 beginning, of the space of the spa	Pacific Company Rail Rail Rail Rail Rail Rail Rail Rail	to the south line of the N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thence of way of the Southay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in teast of the S.W. corne to the W. M. and runninued under Item 8)
icCowan D. Licowan Allen Allen D. Chara (b) Kind Cower or Mining	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 179.0 feet to mpany Railrough feet, S. 529 the point of Cregon. Seet a point of crops raised Purposes—	the Southern thence N. 39 11, thence al 89 35' E.of a point on oad, thence S. 65° 15' V 13' W. 100.0 beginning, 15534.6 feet No. 13, To	Pacific Company Rail Pacific C	being on the South- road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South- ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corne t of the W. M. and runni nued under Item 8)
icCowan D. LiCowan Cowan	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 129.0 feet to mpany Railrows feet, S. 522 the point of regon. 129 the point of crops raised the point of crops raised the point of purposes—tal amount of p	the Southern thence N. 39 the Southern thence N. 39 thence also a point on oad, thence s. 65° 15' W. 100.0 beginning, state of the space of the state of the space of the state of the space of the spac	Pacific Company Rail Pacific C	being on the South- road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South- ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corns t of the W. M. and runninued under Item 8) truck crops, theoretical horsepow
iccowan D. Licowan Allen Allen Allen Allen Allen Pacific Co. 66° 00' W. 100.0 M. 2 feet to ane County, lso beginning the Robit (a) Chara (b) Kind (b) Kind (c) Quanto (b) Quanto (c) Quanto	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 179.0 feet to mpany Railrows feet, S. 529 the point of pregon. 1500.8 feet, S. 529 the point of pregon. 1500 feet feet of soil 1500 feet feet feet feet feet feet feet fe	the Southern thence N. 39 11, thence al 35 E.of a point on ad, thence al 58 49 W. 100.0 beginning, 15534.6 feet No. 113, Tour more space. Silty clay lower to be dever to be used for	Pacific Company Rail Pacific C	being on the South- road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South- ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corns t of the W. M. and runninued under Item 8) truck crops, theoretical horsepow
leGowan D. LiG asterly Right. 51° 10° E. 1111am Allen o a point 271 111	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 179.0 feet to mpany Railro 500.8 feet, S. 520 the point of pregon. 1500 feet at a point of crops raised of crops raised and amount of predominant of predominant of the control	the Southern thence N. 39 11, thence al 89 35 E.of a point on oad, thence S. 65 15 V. 13 W. 100 (beginning, 15534.6 feet No. 113, Tr (M. more space) Silty clay 10 Hay, grain, ower to be deve	Pacific Company Rail Pacific C	being on the South- road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South- ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corns t of the W. M. and runninued under Item 8) theoretical horsepow sec. ft.
coowan D. Lice asterly Right . 51° 10° E. illiam Allen o a point 27° . 14° 10° W rn Pacific Co 66° 00° W. 0° 51° W. 100. 5° W. 100. 6° 51° W. 100. 6° 6° 00° W. 6° 70° 00° 00° 00° 00° 00° 00° 00° 00° 00	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 179.0 feet to mpany Railro 500.8 feet, S. 520 the point of pregon. 1500 feet at a point of crops raised of crops raised and amount of predominant of predominant of the control	the Southern thence N. 39 11, thence al 89 35 E.of a point on oad, thence S. 65 15 V. 13 W. 100 (beginning, 15534.6 feet No. 113, Tr (M. more space) Silty clay 10 Hay, grain, ower to be deve	Pacific Company Rail Pacific C	being on the South— road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thence the of way of the South— ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corne t of the W. M. and runni nued under Item 8) theoretical horsepow sec. ft.
coowan D. Lice asterly Right . 51° 40° E. illiam Allen o a point 27° . 44° 40° W rn Pacific Co . 66° 00° W. 0° 51° W. 100. 5° W. 100. 6° E. 2 feet to ane County; lso beginning f the Rob't (a) Chara (b) Kind (c) Tot (d) Th	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 129.0 feet to mpany Railrows feet, S. 522 the point of regon. 129 crops raised for the point of partity of water al fall to be utile nature of the	the Southern thence N. 39 11, thence a so 35 E.of a point on oad, thence s. 65° 15' W. 13' W. 100.0 beginning, so the second of the second sec	Pacific Company Rail Pacific C	being on the South— road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South— ay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corne to the W. M. and runninued under Item 8) theoretical horsepow sec. ft. be developed
coowan D. Lice asterly Right . 51° 40° E. illiam Allen o a point 27° . 44° 40° W rn Pacific Co. 66° 00° W. 0° 51° W. 100. 5° W. 100. 6° W. 100.	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 129.0 feet to mpany Railrows feet, S. 522 the point of regon. 129 the point of regon. 129 the point of regon. 129 the point of regon. 120 ferops raised for the rail amount of pantity of water tal fall to be utilized to the works to be the works to be the region of the regon. 129 the rail amount of pantity of water tal fall to be utilized to be utilized to be utilized to be utilized.	the Southern thence N. 39 11, thence al 39 35 E.of a point on oad, thence S. 65° 15' W. 13' W. 100.0 beginning, 15534.6 feet No. 13 To We more space. Silty clay lo Hay, grain, ower to be deve	Pacific Company Rail Pacific C	being on the South— road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South— ay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corne to the W. M. and runninued under Item 8) theoretical horsepow sec. ft. be developed
leGowan D. Life asterly Right. 51° 10° E. 111iam Allen o a point 27° 1. 111 10° W rn Pacific Co. 66° 00° W. 10° 51° W. 10° 5° W. 100.0 1. 2 feet to ene County, 1. a) Chara (b) Kind (c) Tot (d) The (e) Such (d) The (e) Such (e) Such (e) Such (for ene County) (f	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 129.0 feet to mpany Railrows feet, S. 522 the point of regon. 13 feet of soil 14 feet of soil 15 feet of soil 15 feet of soil 16 ferops raised for the mature of the mature of the ch works to be seen, R. (No. 1891.00)	the Southern thence N. 39 11, thence al 39 35 E.of a point on oad, thence S. 65 15 V. 13 W. 100.0 beginning, Silty clay lo Hay, grain, ower to be deve to be used for ilized works by mean located in Located in W. I.	Pacific Company Rail Pacific C	being on the South— road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South— ay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corne to the W. M. and runninued under Item 8) theoretical horsepow sec. ft. be developed
lectowan D. Life asterly Right. 51° 140° E. Milliam Allen o a point 271 . 111° 10° W. In Pacific Co. 66° 00° W. 10° 51° W. 100.0 18.2 feet to ane County, 11so beginning f the Robet. (a) Chara (b) Kind of the Robet. (b) Quantity (c) Total (d) The County (d	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 129.0 feet to mpany Railrows feet, S. 522 the point of Pregon. 129 feet at a point of crops raised of crops raised and the feet feet feet feet feet feet feet	the Southern thence N. 39 11, thence al 89 35 E.of a point on oad, thence S. 65 15 V. 13 W. 100 (beginning, S534.6 feet No. 13, Tr (H more space) Silty clay lo Hay, grain ower to be deve to be used for ilized works by mean located in Located in Located in Located to any str	Pacific Company Rail Pacific C	being on the South— road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South— ay 10 courses, as follow 53' W. 100.00 feet, S. 7' W. 100.0 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corns t of the W. M. and runninued under Item 8) theoretical horsepow sec. ft. be developed of Sec. of Sec.
asterly Right 5.51° 16° E. Milliam Allen o a point 27% Lyly 10° W orn Pacific Co 6.66° 00° W. 60° 51° W. 100.0 E.2 feet to ane County, lso beginning f the Rob't (a) Chara (b) Kind (c) To (d) Th (e) Su (f) Is (g) If	No. 13, Two of Way of 1291.0 feet D.L.C. No. 13 feet S. 129.0 feet to mpany Railrows feet, S. 522 the point of regon. 129 crops raised for the point of partity of water to be utility of the works to be so, name stream so,	the Southern thence N. 39 the Southern thence N. 39 the Southern thence N. 39 the Southern solution oad, thence a solution thence N. 39 t	Pacific Company Rail Pacific C	being on the South— road, and running thence to the south line of th N. 89° 35' W. 613.9 feet aid D.L.C. No. 41, thenc ght of way of the South— ay 10 courses, as follow 53' W. 100.00 feet, S. 54° 100 feet, S. 49° 20' W. s, more or less, all in t east of the S.W. corne t of the W. M. and runnin nued under Item 8) theoretical horsepowe sec. ft.

Permit No. ____18277_____

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No	Dist	rict No	<u>:</u>		
		ument was firs State Engineer				
	on the Lit	h day of :	May	9		
	1948, at	8:00 o'clock		<u> </u>		
	Returned to	applicant:	:			
		pplication recei	No.			
	••••••			****		
• .	Approved:					
· · · · · · · · · · · · · · · · · · ·	-	30, 1948				
		in book No		₹		
	=	page 18277 E. STRICKLIN				
	Drainage Ro	ısin No2				
. •		\$15.90	-			
un si distributione di servici di	rees ruiu				•	,
STATE OF OPECON 1		PERMIT	The second second			
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	·	* ·		•	,	
County of Marion, This is to certify that SUBJECT TO EXISTING RI	GHTS and th	re following lim	itations and .com	nditions:		
The right herein grant	ed is limited	to the amount o	of water which	can be app	lied to be	eneficial use
and shall not exceedQ	•				_	on from the
stream, or its equivalent in c	ase of rotatio	n with other we	iter users, from	, Monawk	River	
The use to which this a			* 1			
If for irrigation, this ap	ppropriation s	hall be limited t	0 1/80	th	of one cu	ıbic foot per
second or its equivalent						
diversion of not to exc irrigation season of e		-			_	_
						••••••
and shall be subject to such	reasonable ro	tation system a	s may be order	ed by the p	roper stat	e officer.
The priority date of thi		_	-	-	_	
Actual construction we	_					
	_				1	
				,		
Complete application of October 1, 1951	f the water t	o the proposed	use shall be mad	de on or bef	ore	· ·
WITNESS my hand th	is 30th	day of	July	, 194	.8	
u sicilay 100			CHAS E S	•		
Permits for power development are	subject to the p				STAT	TE ENGINEER egon Laws 1933.

	Table 3 of the proof of the pro
	al or Domestic Supply—
10.	(a) To supply the city of
***************************************	(Name of) County, having a present population of
and an es	timated population of in 19 in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$2300.00
12.	Construction work will begin on or before May 1, 1948
13.	Construction work will be completed on or before May 1, 1949
14.	The water will be completely applied to the proposed use on or before Sept. 1, 1950
	(Sgd) Ernest D. Conley (Signature of applicant)
	Mohawk, Ore.
Re^{ϵ}	marks: Installation of equipment will be complete on or before May 1, 1949.
Some of	area to be irrigated will require some additional clearing.
	wed from Item 8)
thence E. 130. 233.2 f right No. 41, D.L.C. S. 51° contain Also be corner feet, t running feet, S	S. 51° 40' E. 1371.4 feet to the right bank of the Mohawk River, and running up said right bank 7 courses as follows: N. 9° 56' W. 41.7 feet, N. 10° 17' O feet, N. 35° 17' E. 375.0 feet, N. 46° 05' E. 196.2 feet, N. 30° 22' E. Cet, N. 46° 43' E. 170.8 feet, N. 20° 43' E. 565.8 feet, thence leaving said bank N. 0° 21½' E. 313.4 feet to the S.E. corner of the William Alien D.L.C. Twp. 16S. Range 2 West of the W.M. thence along the south line of said No. 41, N. 89° 35' W. 1111.3 feet, thence S. 39° 11' W. 696.3 feet, thence 40' E. 40.0 feet, thence S. 39° 11' W. 517.0 feet to the point of beginning, ing 45.66 acres, more or less, all in Lane County, Oregon ginning at a point 5224.52 feet north and 5533.29 feet east of the southwest of the Robert McCowan Donation Land Claim 43, thence N. 39° 11' East 400.00 thence S. 51° 40' East 1371.40 feet to the right bank of the Mohawk River and thence down said right bank 8 courses as follows: S. 34° 38' East 134.50 thence down said right bank 8 courses as follows: S. 34° 38' East 134.50 thence down said right bank 8 courses as follows: S. 34° 38' East 134.50 thence down said right bank 8 courses as follows: S. 34° 38' East 134.50 thence down said right bank 8 courses as follows: S. 34° 38' East 134.50 thence down said right bank 8 courses as follows: S. 34° 38' East 134.50 thence 03' East 190.70 feet, S. 89° 56' East 86.00 feet, S. 9° 35' East 9.20 thence S. 55° 36' West 35.08 feet, thence leaving said right bank N. 51° 40'
West 15	91.05 feet, thence N. 39° 11' East 56.00 feet, thence N. 51° 40' West 150.00
·**	the point of beginning, containing 19.167 acres, more or less.
STATE (of Marion, ss
	is is to certify that I have examined the foregoing application, together with the accompanying
	data, and return the same for
	order to retain its priority, this application must be returned to the State Engineer, with correc-
•	or before, 194
WI	TNESS my hand this day of, 194,