

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Charles A and Mary E. Ross (Name of applicant)
of Tillamook Oregon c/o Sunset Garage (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fanno Creek (Name of stream)

a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .0512
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Irrigation 4.365 acres

4. The point of diversion is located 235 ft. N and 250 ft. E from the SW
corner of SE 1/4 of NE 1/4 Sec. 13 -- T. 1 S. -- R. 1 W. -- W. M. (Section or subdivision)

Washington County Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4, NE 1/4 of Sec. 13, Tp. 1 S,
(Give smallest legal subdivision) (N. or S.)

R. 1 W, W. M., in the county of Washington
(E. or W.)

5. The pipe lines -- movable to be approx. 500'
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 NE 1/4 of Sec. 13, Tp. 1 S,
(Smallest legal subdivision) (N. or S.)

R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4 hp electric motor centrifugal
pump — 20-25 cu ft. per min. (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 1 1/4" in.; size at 100 ft. from intake 3/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 4' to 20' ft. Is grade uniform? Yes Estimated capacity, 0.0542 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	1 W	13	SE 1/4 NE 1/4	Lots # 4 and # 5 4.365 acres

Land on which water is to be used is a part of the property more explicitly described by applicant as follows: All the following described property situated in the Section 13, Township 1 South, Range 1 West of the Willamette Meridian, Washington County, Oregon, to-wit: Beginning at a stone set at the Southwest corner of the Southeast 1/4 of the Northeast 1/4 of Section 13, being the Southwest corner of Lot No. 5 as platted and shown on survey by H. P. Barrows in 1941; thence along said 1/4 section line, North zero degrees and three minutes East (N. 0 degree 03' East) a distance of four hundred fifty-eight and six tenths (458.6) feet to the Northwest corner of Lot No. 4; thence along the North line of said Lot No. 4 North Seventy eight degrees and three minutes East (N. 78 degrees 03' E.) a distance of three hundred thirty four and five tenths (334.5) feet to the Northeast corner of Lot No. 4 at the center line of County Road No. 179; thence South eleven degrees and fifty seven minutes East (11 degrees 57' E.) a distance of sixty three (63) feet to a point; thence south thirteen degrees and fifty six minutes East (S. 13 degrees 56' E.) a distance of four hundred fifty-eight and six tenths (458.6) feet to the South line of the Quarter Section; thence South eighty seven degrees and twenty minutes West (S. 87 degrees 20' W.) along said 1/4 section line a distance of four hundred and fifty one and five tenths (451.5) feet to the point of beginning, being all of said Lots Nos. 4 and 5, and containing within said boundaries

(continued under Remarks)

(If more space required, attach separate sheet)

(a) Character of soil Loam (not sandy) some clay

(b) Kind of crops raised pasture and forage crops small garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....⁰⁰~~500~~.....
- 12. Construction work will begin on or before August - 1 - 1948
- 13. Construction work will be completed on or before Sept. 1 - 1948
- 14. The water will be completely applied to the proposed use on or before Sept. 15 - 1948

(Sgd) Chas. A. Ross
(Signature of applicant)

(Sgd) Mary E. Ross

Remarks: Completion of project dependant upon availability of pipe.

(Continued from Item 8) an area of four and three hundred sixty five thousandths acres, more or less, EXCEPT, however, the West 20 feet of said property dedicated to the public for road purposes as shown by that certain instrument from Katherine Ford and Fred Ford et al, to the Public, recorded in Book 208 page 495, on June 5, 1942, and SUBJECT to the rights of the public in and any portion thereof lying within the boundaries of Roads and highways.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 23213

Permit No. 18278

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7 day of June, 1948 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of

Permits on page 18278

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62 P.

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.055 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fanno Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 7, 1948

Actual construction work shall begin on or before July 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1951

WITNESS my hand this 30th day of July, 1948

CHAS. E. STRICKLIN STATE ENGINEER