

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Taft, Nelscott Delake Water Dist. of Nelscott, County of Lincoln, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Schooner Creek, a tributary of Siletz Bay.
2. The amount of water which the applicant intends to apply to beneficial use is 7 second feet or, cubic feet per second. 3.5 cubic ft. from North fork & 3.5 cu. ft. from South fork.
**3. The use to which the water is to be applied is domestic.

4. The point of diversion is located S. 38° 23' E 2025 ft. and ft. from the N 1/4 corner of Sec. 21 T. 7 S. R. 7 W. W. M.

being within the of Sec. of Tp. R. W. M., in the county of

5. The pipe line 16" to be 34,600 feet in length, terminating in the of Sec. Sec. 27, Tp. T. 7 S. R. 8 W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 feet, length on top 40 feet, length at bottom 20 feet; material to be used and character of construction timber and concrete

(b) Description of headgate concrete

(c) If water is to be pumped give general description Delivery is by gravity

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission.

T 7842

Municipal or Domestic Supply—

10. (a) To supply the city of Taft, Nelscott and Delake
Lincoln County, having a present population of 3000 + (winter
(Name of) summer 7,000
 and an estimated population of 12,000 winter in 1960
 summer 30,000

(b) If for domestic use state number of families to be supplied 1150 now

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100,000⁰⁰
- 12. Construction work will begin on or before June 1949
- 13. Construction work will be completed on or before June 1950
- 14. The water will be completely applied to the proposed use on or before July 1950

TAFT-NELSCOTT-DELAKE WATER DISTRICT.

(Signature of applicant)

By (Sgd) A. E. McIntire President

Remarks: By (Sgd) H. A. Hostetler Secretary

STATE OF OREGON, }
 County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 1, 1948.

WITNESS my hand this 1st day of June, 1948.

CHAS. E. STRICKLIN
 STATE ENGINEER

By Ed K. Humphrey, Assistant

Application No. 22866

Permit No. 18293

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 11th day of October

1947 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 45 of

Permits on page 18293

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 18 Page 20 A

Fees Paid \$32.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 7.0 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from North Fork Schooner Creek
and South Fork Schooner Creek, being 3.5 c.f.s. from each Creek.

The use to which this water is to be applied is Municipal (All of the purposes for which
water could be used in a city under a right initiated for municipal use.)

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 11, 1947

Actual construction work shall begin on or before July 30, 1949 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1950
Extended to Oct. 1, 1952 Extended to Oct. 1, 1958 Extended to Oct. 1, 1960 Extended to Oct. 1, 1963

Complete application of the water to the proposed use shall be made on or before

October 1, 1951
Extended to Oct. 1, 1952 Extended to Oct. 1, 1958 Extended to Oct. 1, 1961 Extended to Oct. 1, 1966 Extended to Oct. 1, 1980

WITNESS my hand this 30th day of July, 1948.

CHAS. E. STRICKLIN
STATE ENGINEER

Amended Sp. Or. V. 5263

BC extended to 10-1-95, BC to 10-1-2000