

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, Joseph Hoffman		applicant)		
of	Rt. 1 Oregon City	•	,		·
State o	(Mailing address) of Oregon	do hereb	y make application	ı for a permit t	o appropriate the
	ing described public waters of the S				
	If the applicant is a corporation, give	e date and pla	ce of incorporation	n	-
,	1. The source of the proposed appro	priation is	Beaver Creek		
	2. The amount of water which the a	•			
cubic ;	feet per second(II w	nter is to be used for	m wore then one govern	tra anomitis from anal	
**	3. The use to which the water is to	be applied is	irrigation (Irrigation, power, minir	ig, manufacturing, don	nestic supplies, etc.)
	4. The point of diversion is located	ft-	(N. or S.)	(E. or W.)	rom the
corner	of Wa 94.4 ft., thence Na	821.7 ft.,	thence N. 50°	W. 1612 ft.	
,					
	•		<u>.</u>		
				· · · · · · · · · · · · · · · · · · ·	
	(If preferable	, give distance and b	cearing to section corner)		
	(If there is more than one point of di	• • • • • • • • • • • • • • • • • • • •		•	
being	within the	subdivision)	of Sec	18, <i>T</i> ₁)3S, (N. or S.)
R2	E , W. M., in the county of Cl	ackamas			
	5. The(Main ditch, canal c	······································	to be	(Miles o	
	yth, terminating in the(Smalles		of Sec	-	•
R	(Smalles , W. M., the proposed lo	st legal subdivision) cation being s	hown throughout	on the accomp	(N. or S.) inying map.
	DE	SCRIPTION	OF WORKS		
Divers	sion Works—				
	6. (a) Height of dam	feet, leng	gth on top	feet,	length at bottom
	feet; material to be used a	and character	of construction	(Loose	rock, concrete, masonry,
rock and	brush, timber crib, etc., wasteway over or around da	 m)	······································	**************************************	
	(b) Description of headgate	•	nber, concrete, etc., number	and size of openings)	••••••
,	(c) If water is to be pumped give ge	eneral descrip	tion 2½ in ce	nt pump (Size and type of pu	p)
	TTD -3		total head water is to be life		
	30 10 gpm sprinklers				

^{*}A different form of application is provided where storage works are contemplated.

Canal System or I	Pipe Line—			Service Services
•	_	t each point of	canal where materially chang	ed in size, stating miles from
headga te . At hea	dgate: width or	n top (at water	line)	feet; width on bottom
thousand feet.			feet; grade	•
		•	eadgate: width on top (at wate	
			feet; depth of u	vater feet
grade		_		
_		•	size at intake,	
programme and the second			of use in.; dif	
intake and place	of use,	ft. I	s grade uniform?	Estimated capacity
	sec. ft.			
8. Location	n of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	2 E	18	NE¼ SE¼	8
-			NW SE 1	12
north of re-ediameter bear east line of Tuttle; then	ntrant to B. s.N. 51 30 Mail Claim N e with S. W.	R. Mail Cla W. 72 links Forth 17.71 of line of Tu	aim No. 50, from which s distant, marked B. T. chains to S. E. corner o the tract to the chaim	and running thence on f a tract of land sold line between the Mail &
north of re- diameter bear east line of Tuttle; theno Howland D.L.O Claim; thence line of Mail thus () on of beginning, This deed is grantor and g	ntrant to B. s N. 51° 30° Mail Claim N e with S. W; thence wi N. 46° 45° Claim 13.23 line betweer containing given for the	R. Mail Cla W. 72 links Forth 17.71 of the eff Tu th said cla W. 24.00 cha chains to a Sturm & Le 100 acres in e purpose of	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim im line S. 43° W. 5.44 cains to corner of Mail Catake; thence S. 33.02 land; thence South 89° 3 h T. 3 S. R. 2 E. of the foreating an estate by	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar Laim; thence W. on North chains to a stone marker O' E. 38.00 chs. to the W. M. the entirety in the
north of re- diameter bear east line of Tuttle; theno Howland D.L.O Claim; thence line of Mail thus () on of beginning, This deed is grantor and g	ntrant to B. s N. 51° 30° Mail Claim N e with S. W; thence wi N. 46° 45° Claim 13.23 line between containing given for the	R. Mail Cla W. 72 links forth 17.71 of line of Tu th said clas W. 24.00 cha chains to a Sturm & Le 100 acres in the purpose of	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 chains to corner of Mail Control of the stake; thence S. 33.02 land; thence South 89° 3 and T. 3 S. R. 2 E. of the foreating an estate by	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar Laim; thence W. on North chains to a stone marker O' E. 38.00 chs. to the W. M. the entirety in the
north of re-ediameter bear east line of Tuttle; then the Howland D.L.C Claim; thence line of Mail thus () on of beginning. This deed is grantor and a	ntrant to B. s N. 51° 30° Mail Claim N e with S. W. ; thence wi N. 46° 45° Claim 13.23 line between containing given for the	R. Mail Cla W. 72 links Forth 17.71 of Line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in the purpose of n. (Mr more space)	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke O'E. 38.00 chs. to the W. M. the entirety in the
north of re- diameter bear east line of Tuttle; thence Howland D.L.C Claim; thence line of Mail thus (-) on of beginning, This deed is grantor and g	mtrant to B. s N. 51° 30° Mail Claim N e with S. W. ; thence wi N. 46° 45° Claim 13.23 line between containing given for the rantee herei	R. Mail Cla W. 72 links Forth 17.71 of line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in the purpose of n. (M. more space)	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke of E. 38.00 chs. to the W. M. the entirety in the
north of re-ediameter bear east line of Tuttle; then the Howland D.L. Claim; thence line of Mail thus (-) on of beginning. This deed is grantor and a (a) Character (b) Kind of the control of the contro	mtrant to B. s N. 51° 30° Mail Claim N e with S. W. l; thence wi N. 46° 45¹ Claim 13.23 line between containing given for the rantee herei cter of soil cter of soil	R. Mail Cla W. 72 links Forth 17.71 of line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in the purpose of n. (M. more space)	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke of E. 38.00 chs. to the W. M. the entirety in the
north of re- diameter bear east line of Tuttle; thence Howland D.L.C Claim; thence line of Mail thus (%—) on of beginning, This deed is grantor and g (a) Charac (b) Kind of	mtrant to B. s N. 51° 30° Mail Claim Note with S. W. ; thence with N. 45° 45° Claim 13.23 line between containing given for the containing given give	R. Mail Cla W. 72 links Forth 17.71 of line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in the purpose on. (Memore space) Heavy loan pasture ali	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke O'E. 38.00 chs. to the W. M. the entirety in the
north of re- diameter bear east line of Tuttle; thence Howland D.L.C Claim; thence line of Mail thus (-) on of beginning, This deed is grantor and g (a) Charac (b) Kind of Power or Mining 9. (a) Tot	mtrant to B. S N. 51° 30° Mail Claim Note with S. W. Sthence with N. 45° 45° Claim 13.23 Line between containing given for the containing given for the containing grantee herein solution of crops raised. Purposes—al amount of positions of the containing given for the containing given give	R. Mail Cla W. 72 links Forth 17.71 of line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in e purpose on h. (M more space) Heavy loar pasture al	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim im line S. 43° W. 5.44 cains to corner of Mail Costake; thence S. 33.02 land; thence South 89° 3 h T. 3 S. R. 2 E. of the foreating an estate by	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke O'E. 38.00 chs. to the W. M. the entirety in the
north of read diameter bear east line of Tuttle; then the Howland D.L.C Claim; thence line of Mail thus (-) on of beginning. This deed is grantor and grantor and grantor and (b) Kind of Power or Mining 9. (a) Tot (b) Qua	mtrant to B. s N. 51° 30° Mail Claim Note with S. W. thence with N. 45° 45° Claim 13.23 line between containing given for the trantee herein for the crops raised amount of postantity of water	R. Mail Cla W. 72 links Forth 17.71 of line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in the purpose of	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke O'E. 38.00 chs. to the W. M. the entirety in the
cast line of Tuttle; thence Howland D.L.C. Claim; thence line of Mail thus ()—) on of beginning. This deed is grantor and a company of the co	mtrant to B. s. N. 51. 30 Mail Claim R e with S. W. l.; thence wi N. 46° 45¹ Claim 13.23 line between containing given for the rantee herei eter of soil	R. Mail Cla W. 72 links forth 17.71 of the of Tu th said cla W. 24.00 cha chains to a Sturm & Le 100 acres in the purpose of the purpose of the purpose of the purpose of the control of t	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains to corner of Mail Cains to corner of Mail Cains thence South 89° 3 h T. 3 S. R. 2 E. of the foreating an estate by required, attach separate sheet) m falfa foreat feet. (Head)	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail & hs. to corner of Howlar laim; thence W. on Nortchains to a stone marke W. M. the entirety in the the entirety in the theoretical horsepower ec. ft.
north of read diameter bear east line of Tuttle; then the Howland D.L. Claim; thence line of Mail thus ()—) on of beginning. This deed is grantor and a grantor and a grantor of Mining 9. (a) Tot (b) Quantity (c) Tot	mtrant to B. s N. 51° 30° Mail Claim R e with S. W. l; thence wi N. 46° 45¹ Claim 13.23 line between containing given for the rantee herei cter of soil	R. Mail Cla W. 72 links forth 17.71 of line of Tu th said cla W. 24.00 cha chains to a Sturm & Le 100 acres in the purpose of the purpose of the purpose of the purpose of the line purpos	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail & hs. to corner of Howlar laim; thence W. on Nortchains to a stone marke W. M. the entirety in the the entirety in the theoretical horsepower ec. ft.
north of read diameter bear east line of Tuttle; then the Howland D.L.C. Claim; thence line of Mail thus (%—) on of beginning. This deed is grantor and a grantor and a grantor or Mining 9. (a) Tot (b) Quanto (c) Tot (d) The	mtrant to B. S. N. 51° 30° Mail Claim No. The with S. W. So thence with No. 45° Claim 13.23 Line between containing given for the rantee herein soil	R. Mail Cla W. 72 links Forth 17.71 of Line of Tu th said cla W. 21.00 cha chains to a Sturm & Le 100 acres in the purpose of	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Costake; thence S. 33.02 land; thence South 89° 3 h T. 3 S. R. 2 E. of the foreating an estate by required, attach separate sheet) m falfa eloped power so feet. (Head) s of which the power is to be a separate sheet.	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke of E. 38.00 chs. to the W. M. the entirety in the the entirety in the theoretical horsepower ec. ft.
north of read diameter bear east line of Tuttle; then the Howland D.L.C. Claim; thence line of Mail thus () on of beginning. This deed is grantor and a grantor and a grantor of the control (a) Character (b) Kind of the control (d) The control (d) The control (e) Successive the control (e) Successive the control (e) Successive the control (d) The control (e) Successive the control (e) Successive the control (d) The control (e) Successive the control	mtrant to B. S. N. 51° 30° Mail Claim R. With S. W. I; thence with 13.23 Line between containing given for the rantee herein soil	R. Mail Cla W. 72 links forth 17.71 of line of Tu th said cla W. 24.00 cha chains to a Sturm & Le 100 acres in the purpose of the purpose of the purpose of the purpose of the line purpos	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke of E. 38.00 chs. to the W. M. the entirety in the the entirety in the theoretical horsepower ec. ft.
north of read diameter bear east line of Tuttle; then the Howland D.L.C. Claim; thence line of Mail thus () on of beginning. This deed is grantor and a grantor and a grantor of the control (a) Character (b) Kind of the control (b) Quantity (c) Total (d) The control (e) Suction (e) Suction (no. N. or s.)	mtrant to B. Mail Claim R e with S. W. i; thence wi N. 46° 45¹ Claim 13.23 line between containing given for the rantee herei cter of soil of crops raised Purposes— al amount of potentity of water al fall to be utilized and the containing given for the co	R. Mail Cla W. 72 links Forth 17.71 of the line of Tuth said cla W. 24.00 chains to a sturm & Le 100 acres in the purpose of the purpose of the line purpose of the line purpose of the line purpose of the line works by mean works by mean ocated in	aim No. 50, from which so distant, marked B. T. chains to S. E. corner of the tract to the chaim in line S. 43° W. 5.44 cains to corner of Mail Cains	tone a fir 36 inches in and running thence on f a tract of land sold line between the Mail 6 hs. to corner of Howlar laim; thence W. on North chains to a stone marke of E. 38.00 chs. to the W. M. the entirety in the the entirety in the theoretical horsepower ec. ft.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of			
	esent population of		
nd an estimated population of	in 19		
(b) If for domestic use state numbe	r of families to be sup	plied	
(Answer question	ns 11, 12, 13, and 14 in all cases)	· · ·	
11. Estimated cost of proposed works, \$2	2000		
12. Construction work will begin on or be		.annwava?	
13. Construction work will be completed			
14. The water will be completely applied			
11. The water with de completing applica	no the proposed use o	to or oejore	
	(0.1)		
	(Sgd)Josephi	(Signature of applicant)	
	***************************************		******************
Dam anha:			
Remarks:	· •		
4		······································	
	٤	•••••	
	••••••••••••••••••••••••••••••		****************

	i i i i i i i i i i i i i i i i i i i		
	N/ m	्र सर्वे हैं	

	The second second second	en en en digentina de la companya d En en	
	· · · · · · · · · · · · · · · · · · ·		
	•	A Company of the Company	
			-
	······································		
ii.i	······································	······································	
TATE OF OREGON, ss			
County of Marion,		- 	A STATE OF THE STA
This is to certify that I have examined th			_
caps and data, and return the same forcompl	etion.		
In order to retain its priority, this applica	ation must be returne	d to the State Enginee	er, with corre
	40.4 0		
ions on or beforeJune 18	, 1940		

Ed K. Humphrey, Assistant

Application	No. 23078
Permit No.	18296

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No. District No.	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	1
	on the 16th day of March	
	194 8 at 1POO o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	,
· · · · · · · · · · · · · · · · · · ·	July 30, 1948	
	Recorded in book No45 of	
	Permits on page18296	
	CHAS. E. STRICKLIN STATE ENGINEER	**
	Drainage Basin No 2 Page 76 T	
,	Fees Paid .\$15.00	
No.	PERMIT	
STATE OF OREGON,	L EUMIT I	
SUBJECT TO EXISTING	ss at I have examined the foregoing application and do RIGHTS and the following limitations and conditions anted is limited to the amount of water which can be	:
		• • •
	2.25 cubic feet per second measured at the po	
stream, or its equivalent is	n case of rotation with other water users, from Bear	er Creek
The use to which thi	s water is to be applied isIrrigation	
second or its equival diversion of not to	appropriation shall be limited to 1/80th ent for each acre irrigated and shall be for each acre each acre each year,	erther limited to a irrigated during the
		······································
7 7 77 7 7 4	1	L
•	th reasonable rotation system as may be ordered by t	
• -	this permit is March 16, 1948	
**************************************	work shall begin on or before July 30, 1949	
thereafter be prosecuted u	ith reasonable diligence and be completed on or befor	re
	n of the water to the proposed use shall be made on o	r before
October 1, 1951		
WITNESS my hand	this 30th day of July	
	CHAS. E. STRICK LIN	STATE ENGINEER
.		